


**Figure 1:** Plan view of the Yellow Creek and Kiseljak target areas showing the location of **YCDD008** together with summary geology (volcanics/light brown; diorite porphyry/pink and metamorphic basement (schists)/white) and Dunav drilling to date (section line A-A' relates to Figure 2). Note that the grid spacing is 500 meters.



**Figure 2:** Shows a representative north-south cross-section (looking east) through the Kiseljak target area highlighting the recently drilled deep hole (KIDD040) together with all drill hole intersections (0.19% CuEq cut-off) and summary geology based on Dunav's understanding to date. Note that copper-gold mineralization remains open at depth across a significant majority of the cross-section. Grid spacing is 200 meters.

**Table 1:** All Kiseljak Copper-Gold Porphyry Significant Intervals – Drilling

Drilling Significant Intervals								
Kiseljak								
0.19% CuEq cut-off (\$1,200/oz Au & \$3.50/lb Cu), 5m min. length, 5m max. internal dilution								
Hole ID	Depth (m)	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	AuEq (g/t)	CuEq (%)
KIDD001	250.2	0.9	193.0	192.1	0.66	0.56	1.78	0.89
KIDD002	250.5	0.0	91.0	91.0	0.33	0.39	1.12	0.56
KIDD002		200.0	208.0	8.0	0.14	0.16	0.46	0.23
KIDD003	250.2	7.0	126.0	119.0	0.27	0.23	0.74	0.37
KIDD003		134.0	157.0	23.0	0.18	0.19	0.56	0.28
KIDD004	250.1	0.0	140.0	140.0	0.52	0.46	1.45	0.73
KIDD004		197.0	207.0	10.0	0.11	0.16	0.44	0.22
KIDD005	89.4	10.7	24.0	13.3	0.60	0.27	1.13	0.57
KIDD005		38.9	89.4	50.5	0.74	0.30	1.34	0.67
KIDD006	419.8	6.3	135.6	129.3	0.39	0.23	0.85	0.42
KIDD006		148.3	156.0	7.7	0.12	0.15	0.42	0.21
KIDD006		197.0	204.0	7.0	0.11	0.15	0.40	0.20
KIDD006		211.0	229.0	18.0	0.11	0.15	0.41	0.20
KIDD007	612.7	115.0	257.0	142.0	0.42	0.40	1.22	0.61
KIDD007		268.0	331.0	63.0	0.56	0.37	1.31	0.65
KIDD007		345.0	612.7	267.7	0.40	0.42	1.24	0.62
KIDD008	174.5	1.0	74.4	73.4	0.38	0.38	1.14	0.57
KIDD009	354.7	0.4	159.0	158.6	0.39	0.23	0.84	0.42
KIDD010	613.4	142.0	153.3	11.3	0.13	0.15	0.42	0.21
KIDD010		167.0	203.0	36.0	0.20	0.21	0.62	0.31
KIDD010		209.0	613.4	404.4	0.29	0.33	0.95	0.47
KIDD011	437.2	21.0	50.0	29.0	0.16	0.17	0.49	0.24
KIDD011		157.0	265.0	108.0	0.21	0.22	0.64	0.32
KIDD011		283.0	373.0	90.0	0.22	0.21	0.64	0.32
KIDD011		390.0	418.0	28.0	0.17	0.17	0.52	0.26
KIDD012	157.6	23.0	38.4	15.4	0.19	0.19	0.58	0.29
KIDD012		57.0	89.0	32.0	0.16	0.15	0.46	0.23
KIDD012		127.0	157.6	30.6	0.22	0.25	0.72	0.36
KIDD013	638.5	346.0	424.0	78.0	0.13	0.16	0.46	0.23
KIDD013		434.0	569.0	135.0	0.29	0.29	0.88	0.44
KIDD013		577.0	585.0	8.0	0.17	0.16	0.49	0.25
KIDD014	501.0	7.0	20.0	13.0	0.16	0.20	0.56	0.28
KIDD014		74.0	161.0	87.0	0.37	0.23	0.83	0.41

Hole ID	Depth (m)	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	AuEq (g/t)	CuEq (%)
KIDD014		188.0	501.0	313.0	0.28	0.28	0.84	0.42
KIDD015	506.4	136.0	145.0	9.0	0.10	0.14	0.39	0.20
KIDD015		167.0	174.0	7.0	0.12	0.14	0.41	0.20
KIDD015		268.0	335.0	67.0	0.18	0.24	0.66	0.33
KIDD015		350.0	355.0	5.0	0.16	0.32	0.79	0.39
KIDD015		367.0	372.0	5.0	0.11	0.31	0.74	0.37
KIDD015		463.0	506.4	43.4	0.09	0.20	0.48	0.24
KIDD016	602.2	23.0	28.0	5.0	0.09	0.18	0.44	0.22
KIDD016		61.0	98.0	37.0	0.13	0.16	0.46	0.23
KIDD016		106.0	116.0	10.0	0.10	0.15	0.39	0.20
KIDD016		135.0	141.0	6.0	0.12	0.19	0.50	0.25
KIDD016		354.0	523.0	169.0	0.12	0.21	0.54	0.27
KIDD016		530.0	601.0	71.0	0.16	0.28	0.71	0.35
KIDD017	424.7	240	424.7	184.7	0.30	0.36	1.02	0.51
KIDD018	173.7	2	34	32.0	0.22	0.22	0.67	0.33
KIDD018		43	140	97.0	0.20	0.20	0.59	0.30
KIDD019	570.8	57	164	107.0	0.37	0.34	1.05	0.53
KIDD019		172	180	8.0	0.21	0.11	0.43	0.21
KIDD019		195	207	12.0	0.44	0.29	1.02	0.51
KIDD019		216	385	169.0	0.42	0.45	1.32	0.66
KIDD019		397	570.8	173.8	0.27	0.37	1.00	0.50
KIDD020	518.8	19.2	28	8.8	0.21	0.26	0.72	0.36
KIDD020		38	43	5.0	0.18	0.11	0.39	0.20
KIDD020		202	251	49.0	0.19	0.19	0.58	0.29
KIDD020		258	268	10.0	0.18	0.17	0.51	0.26
KIDD020		275	518.8	243.8	0.19	0.26	0.70	0.35
KIDD021	644.3	249	297	48.0	0.14	0.15	0.45	0.23
KIDD021		307	312	5.0	0.14	0.17	0.48	0.24
KIDD021		319	644.3	325.3	0.33	0.35	1.02	0.51
KIDD022	529.1	40	84	44.0	0.21	0.19	0.59	0.29
KIDD022		106	313	207.0	0.33	0.33	0.99	0.49
KIDD022		363	528	165.0	0.36	0.39	1.14	0.57
KIDD023	518.7	20	137	117.0	0.22	0.20	0.63	0.32
KIDD023		144	159	15.0	0.15	0.13	0.40	0.20
KIDD023		172	182	10.0	0.13	0.14	0.40	0.20
KIDD023		344	391	47.0	0.16	0.17	0.50	0.25
KIDD023		406	518.7	112.7	0.42	0.35	1.12	0.56
KIDD024	536.5	0.6	56	55.4	1.03	0.56	2.15	1.07



Hole ID	Depth (m)	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	AuEq (g/t)	CuEq (%)
KIDD024		100	247	147.0	0.51	0.47	1.44	0.72
KIDD024		298	312	14.0	0.15	0.28	0.65	0.33
KIDD024		393.9	536.5	142.6	0.43	0.53	1.48	0.74
KIDD025	350.5	171	206	35.0	0.13	0.14	0.40	0.20
KIDD025		217	277	60.0	0.17	0.16	0.49	0.25
KIDD025		295	301	6.0	0.18	0.11	0.39	0.20
KIDD025		312	317	5.0	0.13	0.13	0.40	0.20
KIDD025		323	338.2	15.2	0.14	0.20	0.54	0.27
KIDD026	329.3	15	31	16.0	0.09	0.27	0.63	0.32
KIDD026		252	260	8.0	0.12	0.19	0.50	0.25
KIDD026		268	329.3	61.3	0.17	0.28	0.74	0.37
KIDD027	440.0	171	406	235.0	0.19	0.26	0.71	0.35
KIDD027		415	440	25.0	0.10	0.16	0.43	0.21
KIDD028	517.6	4	207	203.0	0.38	0.38	1.14	0.57
KIDD028		291	299	8.0	0.13	0.15	0.42	0.21
KIDD028		308.3	437	128.7	0.38	0.41	1.19	0.59
KIDD028		469	489	20.0	0.20	0.22	0.64	0.32
KIDD028		496	504	8.0	0.16	0.18	0.52	0.26
KIDD029	481.2	0	22	22.0	0.34	0.28	0.89	0.44
KIDD029		28	126	98.0	0.50	0.40	1.30	0.65
KIDD029		214	221	7.0	0.05	0.19	0.42	0.21
KIDD029		231	481.2	250.2	0.24	0.32	0.88	0.44
<b>KIDD040</b>	<b>830.1</b>	<b>11</b>	<b>312</b>	<b>301.0</b>	<b>0.73</b>	<b>0.56</b>	<b>1.85</b>	<b>0.93</b>
<b>KIDD040</b>		<b>318</b>	<b>620</b>	<b>302.0</b>	<b>0.38</b>	<b>0.39</b>	<b>1.17</b>	<b>0.58</b>
<b>KIDD040</b>		<b>626</b>	<b>657</b>	<b>31.0</b>	<b>0.26</b>	<b>0.32</b>	<b>0.91</b>	<b>0.45</b>
<b>KIDD040</b>		<b>693</b>	<b>829</b>	<b>136.0</b>	<b>0.22</b>	<b>0.31</b>	<b>0.85</b>	<b>0.42</b>

- 0.19% CuEq cut-off (\$1,200/oz. Au, \$3.50/lb. Cu), 5m minimum composite length, 5m maximum internal dilution.
  - $AuEq = ((Au\ g/t * 38.58) + (Cu\ % * 77.16)) / 38.58$
  - $CuEq = ((Cu\ % * 77.16) + (Au\ g/t * 38.58)) / 77.16$
- Diamond drill samples are generally taken on a 1m basis and weigh ~3-6kg.
- Assay method: Fire assay Au (50g); Cu by aqua regia digestion with AAS finish.
- Intercept widths do not necessarily represent true width.
- No top cut applied.
- Significant intervals 'not in bold' have been previously released.
- Refer to [www.dunavresources.com](http://www.dunavresources.com) for a full listing of significant intervals at various cut-off grades.

**Table 2:** All Yellow Creek Copper-Gold Porphyry Significant Intervals – Drilling.

Drilling Significant Intervals								
Yellow Creek								
<b>0.19% CuEq cut-off (\$1,200/oz Au &amp; \$3.50/lb Cu), 5m min. length, 5m max. internal dilution</b>								
Hole ID	Depth (m)	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	AuEq (g/t)	CuEq (%)
YCDD001	513.5	6.4	112	105.6	0.32	0.12	0.57	0.29
YCDD001		136	157	21.0	0.22	0.09	0.39	0.20
YCDD001		182	188	6.0	0.22	0.12	0.46	0.23
YCDD001		195	218	23.0	0.20	0.13	0.46	0.23
YCDD003	476.7	211	224	13.0	0.17	0.12	0.41	0.20
YCDD003		229	260	31.0	0.16	0.12	0.40	0.20
YCDD003		269	293	24.0	0.14	0.13	0.41	0.21
YCDD004	505.8	187	196	9.0	0.23	0.21	0.65	0.32
YCDD004		204	209	5.0	0.36	0.18	0.72	0.36
YCDD004		468	476	8.0	0.09	0.15	0.39	0.20
YCDD004		496	503	7.0	0.13	0.14	0.40	0.20
YCDD005	407.9	397	407.9	10.9	0.70	0.41	1.53	0.76
<b>YCDD008</b>	<b>691.5</b>	<b>20</b>	<b>400</b>	<b>380.0</b>	<b>0.48</b>	<b>0.37</b>	<b>1.22</b>	<b>0.61</b>
<b>YCDD008</b>		<b>406</b>	<b>416</b>	<b>10.0</b>	<b>0.21</b>	<b>0.24</b>	<b>0.70</b>	<b>0.35</b>
<b>YCDD008</b>		<b>426</b>	<b>667</b>	<b>241.0</b>	<b>0.36</b>	<b>0.37</b>	<b>1.10</b>	<b>0.55</b>
<b>YCDD008</b>		<b>673</b>	<b>691.5</b>	<b>18.5</b>	<b>0.29</b>	<b>0.24</b>	<b>0.77</b>	<b>0.38</b>

- 0.19% CuEq cut-off (\$1,200/oz. Au, \$3.50/lb. Cu), 5m minimum composite length, 5m maximum internal dilution.
  - AuEq = ((Au g/t \* 38.58) + (Cu% \* 77.16)) / 38.58
  - CuEq = ((Cu% \* 77.16) + (Au g/t \* 38.58)) / 77.16
- Diamond drill samples are generally taken on a 1m basis and weigh ~3-6kg.
- Assay method: Fire assay Au (50g); Cu by aqua regia digestion with AAS finish.
- Intercept widths do not necessarily represent true width.
- No top cut applied.
- Significant intervals ‘not in bold’ have been previously released.
- Refer to [www.dunavresources.com](http://www.dunavresources.com) for a full listing of significant intervals at various cut-off grades.