

Table 3
 BOZULUJ PROSPECT
 Proof Of Concept Diamond Drilling
 Cut Off Grade: 0.5g/t Au
 Minimum Intercept Length: 5m Maximum Contiguous Waste: 5m

HOLEID	FROM (Metre)	TO (Metre)	INTERVAL (Metre)	AU (g/t)	Ag (g/t)
BZDD001	14.0	27.0	13.0	0.94	1.0
BZDD001	56.0	61.0	5.0	1.27	0.5
BZDD001	169.0	175.0	6.0	0.76	0.4
BZDD002	0.0	6.0	6.0	0.84	0.6
BZDD002	78.0	86.0	8.0	0.73	0.6
BZDD005	28.0	47.0	19.0	3.64	0.6
BZDD006	57.0	63.0	6.0	2.27	0.6
BZDD007	63.0	69.0	6.0	1.57	0.6
BZDD008	37.0	43.0	6.0	0.95	0.9
BZDD008	54.0	66.0	12.0	1.29	0.5
BZDD009	0.0	17.0	17.0	0.66	0.3
BZDD010	6.6	14.0	7.4	1.24	0.2
BZDD011	48.0	57.0	9.0	0.69	0.5
BZDD012	36.0	48.0	12.0	1.14	0.6
BZDD013	149.0	154.0	5.0	0.87	*
BZDD013	161.0	166.0	5.0	0.64	*
BZDD014	167.0	185.0	18.0	3.22	*

- Notes: 1) Assay samples generally in 1m intervals (except due to core loss)
 2) Sample weight approx. 3kg
 3) No top cut applied
 4) Intersections do not represent true width
 * Pending