

Table 2: Kipushi Copper-Rich Mineral Resource at 1.5% Cu Cut-Off Grade, 23 January 2016

Zone	Category	Tonnes (Millions)	Cu %	Zn %	Pb %	Ag g/t	Co ppm	Ge g/t
Fault Zone	Measured	0.14	2.78	1.25	0.05	19	107	20
	Indicated	1.01	4.17	2.64	0.09	23	216	20
	Inferred	0.94	2.94	5.81	0.18	22	112	26
<i>Série Récurrente</i>	Indicated	0.48	4.01	3.82	0.02	21	56	6
	Inferred	0.34	2.57	1.02	0.06	8	29	1
Fault Zone Splay	Inferred	0.35	4.99	15.81	0.005	20	127	81
Total	Measured	0.14	2.78	1.25	0.05	19	107	20
	Indicated	1.49	4.12	3.02	0.07	22	165	15
	Measured & Indicated	1.63	4.01	2.87	0.06	22	160	16
	Inferred	1.64	3.30	6.97	0.12	19	98	33
			Contained Metal Quantities					
Zone	Category	Tonnes (Millions)	Cu Pounds (Millions)	Zn Pounds (Millions)	Pb Pounds (Millions)	Ag Ounces (Millions)	Co Pounds (Millions)	Ge Ounces (Millions)
Fault Zone	Measured	0.14	8.5	3.8	0.2	0.09	0.03	0.09
	Indicated	1.01	93.2	59.1	1.9	0.75	0.48	0.64
	Inferred	0.94	61.1	120.9	3.8	0.68	0.23	0.79
<i>Série Récurrente</i>	Indicated	0.48	42.4	40.5	0.2	0.32	0.06	0.09
	Inferred	0.34	19.4	7.7	0.4	0.09	0.02	0.01
Fault Zone Splay	Inferred	0.35	38.9	123.3	0.0	0.23	0.10	0.92
Total	Measured	0.14	8.5	3.8	0.2	0.09	0.03	0.09
	Indicated	1.49	135.7	99.6	2.1	1.08	0.54	0.73
	Measured & Indicated	1.63	144.1	103.4	2.3	1.16	0.58	0.82
	Inferred	1.64	119.4	251.8	4.3	1.00	0.35	1.73

Notes:

1. All tabulated data has been rounded and as a result minor computational errors may occur.
2. Mineral Resources which are not Mineral Reserves have no demonstrated economic viability.
3. The Mineral Resource is reported as the total in-situ Mineral Resource.
4. Metal quantities are reported in multiples of Troy Ounces or Avoirdupois Pounds.
5. The cut-off grade calculation was based on the following assumptions: copper price of 2.97 USD/lb, mining cost of 50 USD/tonne, processing cost of 10 USD/tonne, G&A and holding cost of 10 USD/tonne, 90% copper recovery and 96% payable copper.