

ATTACHMENT 1**Adanac Ruby Creek Final 2008 Drilling Summary:
Coordinates and Mineralized Intervals**

13 hole Update December 10, 2008

Drill Hole Number	Easting (m)	Northing (m)	Elevation (m)	Azimuth (degrees)	Dip (degrees)	Depth (m)	From (m)	To (m)	Length (m)	Average % Mo
AD-410	589126.27	6620535.18	1612.57	150	-60	341.07	135.64	239.27	103.63	0.044
							147.83	150.88	3.05	0.240
AD-417	588557.82	6620074.99	1619.04	0	-90	400.20	44.20	102.11	57.91	0.065
Includes							44.20	46.25	3.05	0.352
							355.09	397.76	42.67	0.249
Includes							361.19	364.24	3.05	0.352
Includes							364.24	367.29	3.05	1.518
Includes							370.33	373.38	3.05	0.211
Includes							373.38	376.43	3.05	0.574
AD-418	588557.23	6620075.73	1619.17	330	-60	407.82	52.73	86.26	33.53	0.035
AD-419	588556.63	6620078.09	1619.44	150	-70	422.15	44.20	47.25	3.05	0.216
							327.66	406.91	79.25	0.042
AD-423	589649.63	6620619.98	1515.73	150	-65	368.81	35.05	327.66	292.61	0.078
Includes							35.05	38.10	3.05	0.313
Includes							117.35	120.40	3.05	0.279
Includes							260.60	263.65	3.05	0.211
Includes							269.75	272.80	3.05	0.704
Includes							275.84	278.89	3.05	0.225
AD-424	589493.56	6620436.86	1521.76	150	-65	307.85	83.82	193.55	109.73	0.054
AD-425	589629.12	6620531.03	1503.60	150	-65	331.32	22.86	199.64	176.78	0.113
Includes							38.10	41.15	3.05	0.439
Includes							41.15	44.2	3.05	0.320
Includes							59.44	62.49	3.05	0.370
Includes							77.72	80.77	3.05	0.317
Includes							89.92	92.97	3.05	0.264
Includes							92.96	96.01	3.05	0.450
AD-426	589807.94	6620560.30	1468.00	150	-65	309.37	10.67	251.46	240.79	0.062
Includes							71.63	74.68	3.05	0.295
AD-427	589599.44	6620450.35	1497.66	150	-65	324.92	22.86	208.79	185.93	0.099
Includes							25.91	28.96	3.05	0.292
Includes							28.96	32.01	3.05	0.314
Includes							41.15	44.20	3.05	0.530
Includes							56.39	59.44	3.05	0.373
Includes							80.77	83.82	3.05	0.346
Includes							205.74	208.79	3.05	0.282

AD-428	589239.23	6620034.22	1570.59	330	-60	315.47	117.35	236.22	118.87	0.054
Includes							120.40	123.46	3.05	0.230
Includes							172.21	175.26	3.05	0.227
AD-429	589890.16	6620005.53	1503.86	0	-90	257.56	102.11	160.02	57.91	0.077
Includes							102.11	105.16	3.05	0.261
Includes							156.97	160.02	3.05	0.245
AD-430	589917.19	6620097.21	1490.93	0	-90	266.70	38.10	172.21	134.11	0.067
Includes							138.68	141.73	3.05	0.217
Includes							153.92	156.97	3.05	0.220
Includes							156.97	150.02	3.05	0.419
AD-431	589871.73	6620201.82	1480.60	0	-90	245.36	99.06	117.35	18.29	0.085
							193.55	217.93	24.38	0.122
Includes							193.55	196.6	3.05	0.569

Analysis performed by Acme Analytical Laboratories Ltd. of Vancouver, B.C.

All assay values > 0.2% Mo listed separately

Determinations based on assay intervals of 3.05 meters

Drill-hole locations are by Underhill Geomatics Ltd. of Whitehorse. They are in UTM (CSRS) Coordinates, NAD 83, Zone 8

ATTACHMENT 2**Adanac Ruby Creek 2007 and 2008 Drilling Summary:
Coordinated and Mineralized Intervals**

Final 60 Hole Summary December 10, 2008

Drill Hole	Easting	Northing	Elevation	Azimuth	Dip	Depth	From	To	Length	Average
Number	(m)	(m)	(m)	(degrees)	(degrees)	(m)	(m)	(m)	(m)	% Mo
AD-372	588836.35	6620220.01	1588.39	330	-50	459.94	62.48	96.01	33.53	0.102
Includes							68.58	71.63	3.05	0.696
							239.27	333.76	94.49	0.090
Includes							254.51	257.56	3.05	0.351
Includes							260.60	263.65	3.05	0.555
							376.43	379.48	3.05	0.482
AD-373	588836.35	6620220.01	1588.39	330	-70	397.76	44.20	77.72	33.52	0.162
Includes							44.20	47.25	3.05	0.291
Includes							62.48	65.53	3.05	0.510
Includes							65.53	68.58	3.05	0.334
							92.96	96.01	3.05	0.485
AD-374	588957.50	6620330.85	1597.57	330	-60	361.19	47.24	50.29	3.05	0.491
							105.16	361.19	256.03	0.080
Includes							227.08	306.32	79.24	0.120
Includes							160.02	163.07	3.05	0.255
Includes							239.27	242.32	3.05	0.373
Includes							248.41	251.46	3.05	0.273
Includes							284.99	288.04	3.05	0.290
Includes							321.56	324.61	3.05	0.219
Includes							345.95	349.00	3.05	0.208
AD-375	588685.68	6620177.70	1618.04	30	-65	529.44	276.14	364.54	88.40	0.039
AD-376	589098.71	6620392.37	1585.40	330	-60	529.74	133.50	352.96	219.46	0.062
Includes							203.61	261.52	57.91	0.090
Includes							215.80	218.85	3.05	0.294
							398.68	450.49	51.81	0.068
Includes							410.87	413.92	3.05	0.297
AD-377	588763.02	6619718.45	1652.17	0	-90	155.14	Abandoned Drill-hole			
AD-378	588706.43	6620250.00	1635.50	0	-90	399.29	108.20	111.25	3.05	0.274
							281.94	284.99	3.05	0.472
							312.42	367.28	54.86	0.057
Includes							330.71	333.76	3.05	0.218
AD-379	588783.79	6620308.28	1638.80	0	-90	416.66	66.14	99.67	33.53	0.064
Includes							87.48	90.53	3.05	0.239
AD-380	588783.51	6620308.84	1638.90	330	-60	343.20	56.69	99.36	42.67	0.150
Includes							84.12	87.17	3.05	0.689

Includes							87.17	90.22	3.05	0.977
							175.56	343.20	167.64	0.062
Includes							212.14	215.19	3.05	0.251
Includes							294.44	297.49	3.05	0.650
Includes							334.06	377.11	3.05	0.341
AD-381	588706.02	6620250.85	1635.75	330	-50	364.24	77.72	80.77	3.05	0.313
							242.32	364.24	121.92	0.107
Includes							242.32	245.37	3.05	0.329
Includes							312.42	315.47	3.05	0.366
Includes							315.47	318.52	3.05	0.267
Includes							333.75	336.80	3.05	0.275
Includes							348.99	352.04	3.05	1.036
AD-382	588841.12	6620350.80	1637.89	0	-90	395.63	81.69	157.89	76.20	0.110
Includes							99.97	103.02	3.05	0.856
Includes							103.02	106.07	3.05	0.510
Includes							142.34	145.39	3.05	0.479
AD-383	588737.72	6620207.12	1612.53	0	-90	74.07	47.24	74.07	26.83	0.146
Includes							53.34	56.39	3.05	0.728
AD-384	590227.95	6621197.44	1416.23	0	-90	156.7	Condemnation Drill-hole			
AD-385	592360.02	6620897.30	1322.58	0	-90	215.5	Condemnation Drill-hole			
AD-386	590985.35	6621865.09	1370.32	0	-90	169.5	Condemnation Drill-hole			
AD-387	591043.98	6622050.06	1397.10	0	-90	215.2	Condemnation Drill-hole			
AD-388	591451.11	6621138.99	1375.25	0	-90	105.5	Condemnation Drill-hole			
AD-389	591493.00	6622103.64	1382.60	0	-90	141.7	Condemnation Drill-hole			
AD-390	591992.05	6621799.85	1341.97	0	-90	227.1	Condemnation Drill-hole			
AD-391	592310.25	6621358.72	1322.63	0	-90	312.4	Condemnation Drill-hole			
AD-392	592304.17	6620440.26	1323.04	0	-90	309.4	Condemnation Drill-hole			
AD-393	591925.80	6620828.09	1334.30	270	-60	288.0	Condemnation Drill-hole			
AD-394	589293.37	6620699.98	1592.66	150	-70	499.57	275.84	342.90	67.10	0.066
Includes							300.23	303.28	3.05	0.525
AD-395	589293.36	6620699.99	1592.66	190	-70	409.96	272.80	288.04	15.24	0.072
							300.23	367.28	67.05	0.049
Includes							309.37	342.90	33.53	0.059
AD-396	589293.37	6620699.99	1592.66	190	-50	366.67	253.90	296.57	42.67	0.070
AD-397	588921.50	6620414.90	1636.96	0	-90	413.00	71.63	150.88	79.25	0.208
Includes							71.63	74.68	3.05	3.608

							86.87	89.92	3.05	0.223
							99.06	102.11	3.05	0.303
							120.40	123.45	3.05	0.322
							263.65	370.33	106.68	0.067
Includes							263.65	266.70	3.05	0.204
							288.04	291.09	3.05	0.233
							309.37	312.42	3.05	0.317
AD-398	588841.21	6620350.71	1637.91	330	-60	575.16	83.82	370.33	286.51	0.046
Includes							129.54	132.59	3.05	0.255
							169.16	172.21	3.05	0.765
							409.96	544.07	134.11	0.056
Includes							440.44	443.48	3.05	0.320
AD-399	588684.68	6620177.21	1618.08	0	-90	391.06	47.24	53.34	6.05	0.421
Includes							50.29	53.34	3.05	0.733
							254.51	367.28	112.77	0.053
Includes							336.60	339.85	3.05	0.245
AD-400	588737.28	6620207.52	1612.50	330	-60	477.32	50.29	86.87	36.58	0.147
Includes							50.29	53.34	3.05	1.142
							53.34	56.39	3.05	0.249
							266.70	464.82	198.12	0.133
Includes							266.70	269.75	3.05	1.272
							291.08	294.13	3.05	0.375
							355.09	358.14	3.05	3.111
							358.14	361.19	3.05	0.274
							361.19	3.64.24	3.05	0.267
							373.38	376.43	3.05	0.281
							379.48	382.53	3.05	0.201
AD-401	588995.28	6620352.20	1594.88	330	-60	431.29	56.39	144.78	88.39	0.102
Includes							80.77	83.22	3.05	1.649
							169.16	428.24	259.08	0.076
Includes							236.22	239.27	3.05	0.266
							281.94	284.99	3.05	0.247
							288.04	291.09	3.05	0.282
AD-402	588921.36	6620415.16	1636.97	330	-60	483.11	80.77	236.22	155.45	0.045
Includes							80.77	83.82	3.05	0.504
							138.68	141.73	3.05	0.344
							291.08	394.72	103.64	0.039
							428.24	483.11	54.87	0.045
Includes							480.06	483.11	3.05	0.323
AD-403	589205.88	6620613.80	1598.65	0	-90	477.01	254.51	294.13	39.62	0.049

AD-416	588685.08	6620176.52	1618.04	330	-60	487.68	318.21	501.09	182.88	0.097
Includes							345.64	360.88	15.25	0.715
Includes							345.64	348.69	3.05	0.344
							348.69	351.74	3.05	0.833
							351.74	354.79	3.05	1.568
							354.79	357.84	3.05	0.510
							357.84	360.88	3.05	0.317
AD-417	588557.82	6620074.99	1619.04	0	-90	400.20	44.20	102.11	57.91	0.065
Includes							44.20	46.25	3.05	0.352
							355.09	397.76	42.67	0.249
Includes							361.19	364.24	3.05	0.352
Includes							364.24	367.29	3.05	1.518
Includes							370.33	373.38	3.05	0.211
Includes							373.38	376.43	3.05	0.574
AD-418	588557.23	6620075.73	1619.17	330	-60	407.82	52.73	86.26	33.53	0.035
AD-419	588556.63	6620078.09	1619.44	150	-70	422.15	44.2	47.25	3.050	0.216
							327.66	406.91	79.250	0.042
AD-420	589415.22	6620555.59	1572.24	150	-65	315.47	41.45	315.47	274.02	0.063
Includes							56.69	59.74	3.05	0.278
							74.98	78.03	3.05	0.232
							145.08	148.13	3.05	0.233
							160.32	163.37	3.05	0.488
AD-421	589499.39	6620528.40	1544.53	150	-65	328.57	46.94	328.57	281.63	0.086
Includes							62.18	65.23	3.05	0.345
							65.23	68.28	3.05	0.400
							68.28	71.33	3.05	0.525
							214.58	217.63	3.05	0.200
							232.87	235.92	3.05	0.483
							284.68	287.73	3.05	0.510
							299.92	302.97	3.05	0.221
AD-422	589529.04	6620598.55	1536.50	150	-65	406.91	38.10	315.47	277.37	0.094
Includes							86.87	89.92	3.05	0.660
							89.92	92.97	3.05	0.313
							92.97	96.02	3.05	0.682
							102.11	105.16	3.05	0.290
							105.16	108.21	3.05	0.441
							108.21	111.25	3.05	0.239
							120.40	123.45	3.05	0.238
AD-423	589649.63	6620619.98	1515.73	150	-65	368.81	35.05	327.66	292.61	0.078
Includes							35.05	38.10	3.05	0.313
							117.35	120.40	3.05	0.279
							260.60	263.65	3.05	0.211
							269.75	272.80	3.05	0.704
							275.84	278.89	3.05	0.225
AD-424	589493.56	6620436.86	1521.76	150	-65	307.85	83.82	193.55	109.73	0.054

AD-425	589629.12	6620531.03	1503.60	150	-65	331.32	22.86	199.64	176.78	0.113
Includes							38.10	41.15	3.05	0.439
							41.15	44.2	3.05	0.320
							59.44	62.49	3.05	0.370
							77.72	80.77	3.05	0.317
							89.92	92.97	3.05	0.264
							92.96	96.01	3.05	0.450
AD-426	589807.94	6620560.30	1468.00	150	-65	309.37	10.67	251.46	240.79	0.062
Includes							71.63	74.68	3.05	0.295
AD-427	589599.44	6620450.35	1497.66	150	-65	324.92	22.86	208.79	185.93	0.099
Includes							25.91	28.96	3.05	0.292
							28.96	32.01	3.05	0.314
							41.15	44.20	3.05	0.530
							56.39	59.44	3.05	0.373
							80.77	83.82	3.05	0.346
							205.74	208.79	3.05	0.282
AD-428	589239.23	6620034.22	1570.59	330	-60	315.47	117.35	236.22	118.87	0.054
							120.40	123.46	3.05	0.230
							172.21	175.26	3.05	0.227
AD-429	589890.16	6620005.53	1503.86	0	-90	257.56	102.11	160.02	57.91	0.077
							102.11	105.16	3.05	0.261
							156.97	160.02	3.05	0.245
AD-430	589917.19	6620097.21	1490.93	0	-90	266.70	38.10	172.21	134.11	0.067
							138.68	141.73	3.05	0.217
							153.92	156.97	3.05	0.220
							156.97	150.02	3.05	0.419
AD-431	589871.73	6620201.82	1480.60	0	-90	245.36	99.06	117.35	18.29	0.085
							193.55	217.93	24.38	0.122
Includes							193.55	196.6	3.05	0.569

Analysis performed by Acme Analytical Laboratories Ltd. of Vancouver, B.C.

All assay values > 0.2% Mo listed separately

Determinations based on assay intervals of 3.05 meters

Drill-hole locations are by Underhill Geomatics Ltd. of Whitehorse. They are in UTM (CSRS) Coordinates, NAD 83, Zone 8

ATTACHMENT 3

Ruby Creek 50 Exploration Hole Plan (excluding condemnation holes)

