

Table 2: Detailed Assay Results to Accompany Midas Gold Corp. News Release dated April 11, 2012

Hole ID	Hole Type	Area	Bearing	Inclination	Total Depth (m)	From (m)	To (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Antimony (%)	Tungsten (%)
11-124	Core	Yellow Pine	120	-69	398.4	127.9	136.4	8.5	1.26	2.8	0.00	0.001
						153.0	237.4	84.4	1.64	3.7	0.02	0.002
						309.1	330.4	21.3	0.37	0.2	0.00	0.005
						380.1	392.3	12.2	0.70	0.2	0.00	0.009
11-125	Core	Yellow Pine	120	-52	371.2	101.2	114.9	13.7	1.16	3.8	0.23	0.001
						118.4	123.8	5.3	1.27	1.3	0.00	0.003
						135.8	160.9	25.1	2.30	0.6	0.00	0.002
						165.5	190.7	25.1	3.85	1.0	0.00	0.001
						287.1	292.3	5.2	0.89	2.2	0.00	0.002
11-127 ¹	Core	Yellow Pine	131.5	-54	409.3	12.2	19.8	7.6	1.10	6.1	0.13	0.001
						24.4	159.7	135.3	2.21	1.7	0.06	0.005
						164.3	191.7	27.4	1.83	1.8	0.00	0.002
						353.6	360.9	7.3	0.49	2.6	0.00	0.001
						368.5	376.4	7.9	0.75	1.3	0.01	0.001
11-145 ¹	Core	Yellow Pine	112	-45	409.5	112.5	149.2	36.7	2.08	9.1	0.56	0.103
						381.3	403.6	22.3	0.70	0.8	0.01	0.001
11-147 ¹	RC	Yellow Pine	65	-73	147.2	13.7	22.1	8.4	1.92	2.2	0.07	0.001
11-162 ¹	Core	Hangar Flats	0	-90.0	301.1	49.7	57.9	8.2	0.97	1.1	0.00	0.003
						127.7	132.3	4.6	0.97	0.8	0.00	0.003
						157.6	166.7	9.1	0.78	1.4	0.01	0.005
						177.4	192.9	15.5	3.25	2.6	0.01	0.005
						242.6	246.9	4.3	1.77	0.9	0.00	0.005
12-163	RC	Hangar Flats	0	-90	274.3	6.1	13.7	7.6	1.18	1.4	0.00	0.017
						21.3	33.5	12.2	0.97	1.4	0.00	0.004
12-164 ¹	RC	Hangar Flats	320	-60	294.4	15.2	24.4	9.1	2.77	13.2	0.57	0.003
						82.9	100.9	18.0	3.46	1.8	0.01	0.002
						107.9	114.0	6.1	2.74	1.6	0.00	0.003
						126.2	137.8	11.6	0.62	1.7	0.01	0.007
						146.5	169.0	22.6	1.43	2.7	0.01	0.004
						189.0	233.0	44.0	3.50	17.5	1.80	0.015
12-170 ¹	RC	Hangar Flats	0	-90	249.9	150.9	155.5	4.6	0.76	1.2	0.01	0.010
						161.5	170.7	9.1	1.19	0.4	0.00	0.003
12-171 ¹	RC	Hangar Flats	43	-79	274.3	129.5	137.2	7.6	1.29	1.0	0.00	0.003
						213.4	221.0	7.6	0.66	2.3	0.03	0.005
						227.1	237.7	10.7	2.69	2.9	0.00	0.003
						243.8	274.3	30.5	0.72	0.7	0.01	0.001
12-172	Core	Hangar Flats	0	-90	228.6	14.6	27.0	12.3	1.50	1.9	0.01	0.006
12-173 ¹	RC	Hangar Flats	140	-68	274.3	25.9	30.5	4.6	1.50	1.7	0.01	0.014
						70.1	76.2	6.1	1.44	0.8	0.00	0.006
						189.0	208.8	19.8	1.10	1.7	0.00	0.003
						243.8	248.4	4.6	1.72	1.0	0.00	0.003

Hole ID	Hole Type	Area	Bearing	Inclin ation	Total Depth (m)	From (m)	To (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Antimony (%)	Tungsten (%)
						260.6	269.8	9.1	0.81	0.9	0.00	0.002
12-175	RC	Hangar Flats	140	-90	271.3	99.1	108.2	9.1	0.60	0.5	0.00	0.003
12-177	RC	Hangar Flats	140	-45	277.4	86.9	106.7	19.8	1.04	1.3	0.00	0.005
						112.8	131.1	18.3	1.48	0.9	0.00	0.003
						135.6	147.8	12.2	0.98	0.2	0.00	0.002
12-178 ¹	RC	Hangar Flats	0	-90	100.6	0.0	4.6	4.6	0.81	2.5	0.01	0.010
						76.2	82.3	6.1	1.90	2.9	0.01	0.008
12-179	RC	Hangar Flats	0	-90	249.9	195.1	201.2	6.1	1.54	2.2	0.01	0.006
						210.3	216.4	6.1	1.74	1.9	0.00	0.019
						228.6	233.2	4.6	1.08	0.8	0.00	0.003
12-180	Core	Hangar Flats	187.5	-71	349.9	11.4	17.8	6.4	0.95	1.0	0.00	0.006
12-181	RC	Hangar Flats	0	-90	298.7	158.5	170.7	12.2	2.66	2.7	0.01	0.010
12-183	RC	Hangar Flats	0	-90	298.7	0.0	19.8	19.8	1.85	2.3	0.04	0.002
						39.6	56.4	16.8	2.11	2.1	0.01	0.006
12-184	Core	Hangar Flats	172.5	-60	358.3	210.3	215.2	4.9	1.25	0.8	0.00	0.004
12-185	RC	Hangar Flats	0	-90	234.7	25.9	30.5	4.6	0.65	1.3	0.00	0.005
						74.7	86.9	12.2	1.92	2.7	0.01	0.009
12-187	Core	Yellow Pine	120	-73	365.8	192.9	293.8	100.9	1.20	P	P	P
12-188	Core	Hangar Flats	136	-60	303.3	66.0	78.9	13.0	1.35	2.1	0.01	0.008
						93.0	103.0	10.1	1.63	1.8	0.01	0.029
12-190	RC	Hangar Flats	140	-63	274.3	89.9	94.5	4.6	0.97	P	P	P
						103.6	137.2	33.5	0.83	P	P	P
12-191	Core	Hangar Flats	320	-73	315.5	12.5	27.6	15.1	1.18	4.1	0.03	0.008
						48.8	66.5	17.7	1.00	1.8	0.08	0.002
						270.4	282.6	12.2	0.83	2.1	0.06	0.007
12-192	Core	Hangar Flats	280	-83	396.2	7.3	20.9	13.6	0.69	1.3	0.01	0.006
						49.1	56.9	7.8	1.37	0.2	0.03	0.007
						61.4	67.5	6.1	1.62	1.0	0.01	0.007
						104.9	120.7	15.8	4.15	1.5	0.01	0.006
						125.3	132.3	7.0	1.60	1.3	0.01	0.004
						165.5	186.5	21.0	1.00	2.2	0.09	0.004
						255.9	260.6	4.7	1.55	P	P	P
306.6	396.2	89.6	1.54	P	P	P						
12-193	Core	Hangar Flats	0	-90	368.5	15.9	56.1	40.2	1.53	2.7	0.04	0.003
						104.7	112.2	7.5	0.65	1.2	0.00	0.002
						136.6	145.4	8.8	2.31	1.5	0.08	0.008
						175.9	180.3	4.4	2.19	1.9	0.07	0.004
						263.0	356.6	93.6	1.37	P	P	P
12-194	Core	Yellow Pine	120	-45	184.1	27.7	54.7	27.0	1.80	P	P	P
						61.9	88.7	26.8	4.01	P	P	P
						117.4	135.2	17.8	0.56	P	P	P
12-195	Core	Hangar Flats	140	-85	319.4	5.6	22.6	16.9	1.41	P	P	P
						31.9	47.2	15.4	0.89	P	P	P
12-197	Core	Hangar Flats	0	-90	338.9	4.4	26.2	21.8	2.49	P	P	P

Hole ID	Hole Type	Area	Bearing	Inclination	Total Depth (m)	From (m)	To (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Antimony (%)	Tungsten (%)
						45.9	50.3	4.4	0.77	P	P	P
						216.4	223.6	7.2	2.91	P	P	P
						255.4	259.7	4.3	0.74	P	P	P
						263.4	271.0	7.6	4.78	P	P	P
						286.7	296.0	9.3	1.52	P	P	P
12-199	Core	Yellow Pine	120	-45	286.2	20.7	113.4	92.7	2.90	P	P	P
						117.4	123.1	5.8	8.32	P	P	P
						129.8	140.5	10.7	1.58	P	P	P
						185.9	198.7	12.8	0.60	P	P	P
						202.7	223.0	20.3	0.93	P	P	P
12-205	RC	Yellow Pine	120	-60	189.0	4.6	42.7	38.1	4.37	P	P	P
						59.4	67.1	7.6	1.04	P	P	P
						91.4	97.5	6.1	0.74	P	P	P

(1) Assays for portions if this hole were previously reported

(2) Based upon the current 3D interpretation of the Hangar Flats, West End and Yellow Pine deposits the intervals quoted here are at or near true thickness unless otherwise noted in the text and are composited using a 0.5 g/t Au cut-off and may include short intervals of internal waste below the unless cut-off grade otherwise noted in text.

(3) P - Results pending