

Figure 1: Location Map of Mpama North and South with Latest Results at Mpama North




Figure 2: Drill Hole Location Map showing Results in The Wedge




Figure 3: Schematic Section across The Wedge (Line 9885640N)




Figure 4: Schematic Section across Mpama North (Line 9885950N)




Figure 5: Copper and Tin in Soil Anomalies over Bisie Ridge on Interpreted Geology




Table 1: Summary of Assay Results in Drill Holes

Hole ID	GPS Easting	GPS Northing	RL	EOH	Azi-muth	Incli-nation	From (m)	To (m)	Width (m)	Sn (%)	Ag (ppm)	Pb (%)	Zn (%)	Cu (%)	La (ppm)	Type
BGC062	583149	9885957	734	331	270	-60	304	315.5	11.5	12.29	5.2	0.00	0.24	0.66	182.5	Extension
BGC087A	583012	9886048	770	245	270	-60	218.5	234	15.5	1.26	3.2	0.01	0.07	0.34	182.5	Extension
BGC088	583204	9886001	723	398.5	270	-60	379	385.4	6.4	2.22	5.4	0.00	0.13	0.29	151.6	Extension
							390.5	392	1.5	0.01	6.3	0.01	0.01	0.11	260.0	
BGC089	583162	9885903	742	375	270	-60	336.7	338	1.3	0.00	6.3	0.09	1.83	0.22	24.6	Extension
							339	342	3	0.01	0.9	0.01	0.08	0.18	23.3	
							344	345	1	0.31	2.1	0.01	0.09	0.1	320.0	
							350	351	1	0.01	0.0	0.00	1.21	0.1	80.0	
							360	367.45	7.45	0.37	1.6	0.01	0.09	0.1	133.1	
BGC090	582953	9885640	767	141	270	-60	94.7	95.4	0.7	0.00	6.6	0.26	1.43	0.08	30.0	Wedge
							110	115.7	5.7	0.01	1.8	0.00	0.04	0.21	55.1	
							115.7	122.35	6.65	2.12	8.1	0.01	0.36	0.59	127.2	
							125	128	3	0.06	6.9	0.02	0.02	0.25	273.3	
BGC091	582903	9885638	784	118	270	-60	NSR									Wedge
BGC092	582936	9885617	768	148.5	270	-60	122.6	141	18.4	6.60	0.3	0.00	0.01	0.06	186.0	Wedge
BGC093	583317	9886097	711	538	270	-60	500.25	501	0.75	0.00	11.3	0.75	2.30	0.10	10.0	Extension
							510	514	4	0.01	1.1	0.01	0.23	0.09	35.0	
							515	528	13	1.15	1.7	0.04	0.10	0.10	200.0	
BGC095	582926	9885590	772	136	270	-60	NSR									Wedge
BGC096	582948	9885590	757	148.5	270	-60	115.7	116.35	0.65	2.70	1.4	0.01	0.06	0.13	100.0	Wedge
							123	136.6	13.6	5.15	1.8	0.00	0.10	0.54	181.8	
BGC097	583260	9885998	708	452	270	-60	410	411	1	0.00	8.0	0.52	2.61	0.08	50.0	Extension
							420	434	14	0.09	2.4	0.02	0.06	0.39	188.7	
BGC099	582975	9885640	761	153.5	270	-60	113.6	115	1.4	0.02	11.5	0.13	0.49	0.37	82.9	Wedge

Hole ID	GPS Easting	GPS Northing	RL	EOH	Azi-muth	Incli-nation	From (m)	To (m)	Width (m)	Sn (%)	Ag (ppm)	Pb (%)	Zn (%)	Cu (%)	La (ppm)	Type
							121	137.65	16.65	4.02	9.1	0.01	0.23	0.88	190.4	
							137.65	142	4.35	0.04	7.4	0.02	0.03	0.49	219.9	
BGC100	582911	9885724	784	110	270	-60	64	65	1	0.01	8.9	0.25	1.08	0.11	40.0	Infill
							70.6	73.8	3.2	0.01	4.2	0.01	0.23	0.40	259.7	
							73.8	83.23	9.43	0.42	0.5	0.00	0.04	0.06	115.7	
							89	93	4	0.59	0.3	0.00	0.03	0.03	115.1	
							93	97	4	0.05	1.7	0.01	0.09	0.20	145.0	
BGC101	583199	9885955	721	381.5	270	-60	344	348	4	0.00	6.1	0.09	1.56	0.18	52.5	Extension
							352	371.4	19.4	1.44	1.8	0.01	0.15	0.14	138.0	
							374.5	375.5	1	0.01	4.3	0.01	0.01	0.69	260.0	
BGC102	582886	9885731	800	100.5	270	-60	50.5	62.3	11.8	0.13	0.8	0.00	0.09	0.16	224.6	Infill
							66	70	4	1.43	0.5	0.01	0.04	0.07	110.8	
							74	81	7	0.16	1.5	0.02	0.03	0.11	70.0	
BGC103	582888	9885754	796	111.5	270	-77	66	70	4	0.23	5.8	0.02	1.27	0.18	55.0	Infill
							72.5	75	2.5	0.86	2.6	0.00	0.06	0.42	277.6	
							79	93	14	0.31	0.5	0.01	0.03	0.08	153.8	
BGC104	583291	9886050	711	497	270	-60	472	486	14	2.57	0.8	0.01	0.19	0.06	140.2	Extension
							486	490	4	0.03	5.5	0.02	0.01	0.80	155.0	
BGC105	582884	9885829	793	100	270	-60	51.5	75	23.5	1.77	1.3	0.01	0.09	0.32	219.6	Infill
							81	86	5	2.51	2.9	0.06	0.17	0.09	99.0	
BGC106	582983	9885617	753	161.5	270	-60	125	126.65	1.65	0.01	37.3	0.79	2.29	0.50	63.3	Wedge
							126.65	131.5	4.85	0.01	0.7	0.01	0.17	0.15	58.9	
							142	150.9	8.9	6.02	1.2	0.00	0.10	0.19	197.4	
							150.9	154.5	3.6	0.03	0.4	0.01	0.01	0.21	153.3	
BGC107	582973	9885589	750	157.5	270	-60	125	139	14	4.21	4.7	0.00	0.13	0.90	139.0	Wedge

Hole ID	GPS Easting	GPS Northing	RL	EOH	Azi-muth	Incli-nation	From (m)	To (m)	Width (m)	Sn (%)	Ag (ppm)	Pb (%)	Zn (%)	Cu (%)	La (ppm)	Type
BGC109	582999	9885639	737	169	270	-60	132	134	2	0.00	29.9	0.66	2.99	0.24	35.0	Wedge
							134	138	4	0.03	3.3	0.03	0.34	0.12	57.0	
							142	158.5	16.5	1.30	3.1	0.02	0.18	0.19	148.7	
							158.5	162	3.5	0.01	5.5	0.01	0.02	0.87	210.0	
BGC110	582972	9885565	730	147.5	270	-60	115	117	2	0.00	2.7	0.03	0.11	0.24	25.0	Wedge
							130.5	139	8.5	5.69	1.4	0.00	0.09	0.35	152.4	
							139	142	3	0.03	2.4	0.01	0.02	0.81	170.0	

** The widths above are not true widths. True widths remain to be determined.*