

MONUMENT MINING LIMITED
Table 1: Significant Drill Intercepts > 1.0g/t – DD holes

No.	Hole ID	Hole Type	*Intercept Width (m)	Intercept Grade Au (g/t)	Intercept Description	Mineralization Type	From (m)	To (m)	End Of Hole Depth (m)
1	MBRDD445	DD	14.85	1.58	14.85m @ 1.58 g/t	Sulfide	79.80	94.65	130.40
2	MBRDD446	DD	8.20	2.60	8.20m @ 2.60 g/t	Oxide	39.80	48.00	110.30
3	MBRDD447	DD	12.10	1.21	12.10m @ 1.21 g/t	Sulfide	99.80	111.90	141.80
			4.75	1.45	4.75m @ 1.45 g/t	Sulfide	125.05	129.80	
4	MBRDD449	DD	16.50	2.53	16.50m @ 2.53 g/t	Sulfide	90.80	107.30	120.80
			7.50	1.67	7.50m @ 1.67 g/t	Sulfide	111.80	119.30	
5	MBRDD451	DD	36.60	2.56	36.60m @ 2.56 g/t	Sulfide	73.70	110.30	158.30
			15.00	2.74	15.00m @ 2.74 g/t	Sulfide	113.30	128.30	
6	MBRDD453	DD	8.70	2.90	8.70m @ 2.90 g/t	Sulfide	81.10	89.80	152.30
			7.30	1.74	7.30m @ 1.74 g/t	Sulfide	96.80	104.10	
			5.15	1.94	5.15m @ 1.94 g/t	Sulfide	108.10	113.25	
7	MBRDD454	DD	10.40	1.31	10.40m @ 1.31 g/t	Sulfide	73.80	84.20	154.10
			8.90	2.33	8.90m @ 2.33 g/t	Sulfide	87.80	96.70	
			18.70	5.82	18.70m @ 5.82 g/t	Sulfide	98.55	117.25	
			6.50	3.38	6.50m @ 3.38 g/t	Sulfide	120.80	127.30	
			5.25	2.90	5.25m @ 2.90 g/t	Sulfide	139.10	144.35	
8	MBRDD458	DD	6.00	5.03	6.00m @ 5.03 g/t	Sulfide	135.30	141.30	234.80
			4.50	1.24	4.50m @ 1.24 g/t	Sulfide	144.80	149.30	
			7.50	1.50	7.50m @ 1.50 g/t	Sulfide	161.30	168.80	
			8.70	9.54	8.70m @ 9.54 g/t	Sulfide	215.30	224.00	
9	MBRDD459	DD	3.85	1.32	3.85m @ 1.32 g/t	Sulfide	106.45	110.30	131.30
10	MBRDD462	DD	11.80	1.71	11.80m @ 1.71 g/t	Sulfide	113.50	125.30	155.80
11	MBRDD463	DD	11.00	2.01	11.00m @ 2.01 g/t	Sulfide	100.80	111.80	207.80
			6.50	4.75	6.50m @ 4.75 g/t	Sulfide	149.50	156.00	
			3.70	1.75	3.70m @ 1.75 g/t	Sulfide	164.60	168.30	
			3.20	6.13	3.20m @ 6.13 g/t	Sulfide	174.20	177.40	
			16.12	1.77	16.12m @ 1.77 g/t	Sulfide	179.60	195.72	
12	MBRDD470	DD	13.40	5.22	13.40m @ 5.22 g/t	Sulfide	147.10	160.50	179.30
			5.10	3.26	5.10m @ 3.26 g/t	Sulfide	166.30	171.40	
13	MBRDD474	DD	5.10	3.06	5.10m @ 3.06 g/t	Sulfide	125.05	130.15	152.10

No.	Hole ID	Hole Type	*Intercept Width (m)	Intercept Grade Au (g/t)	Intercept Description	Mineralization Type	From (m)	To (m)	End Of Hole Depth (m)
14	MBRDD486	DD	4.50	1.11	4.50m @ 1.11 g/t	Oxide	14.00	18.50	188.30
			3.00	1.02	3.00m @ 1.02 g/t	Oxide	27.50	30.50	
			9.40	1.99	9.40m @ 1.99 g/t	Sulfide	136.90	146.30	
			7.00	1.76	7.00m @ 1.76 g/t	Sulfide	167.30	174.30	
15	MBRDD489	DD	3.90	3.56	3.90m @ 3.56 g/t	Sulfide	83.30	87.20	138.70
16	MBRDD493	DD	4.70	13.77	4.70m @ 13.77 g/t	Sulfide	62.30	67.00	171.30
17	MBRDD499	DD	3.00	1.90	3.00m @ 1.90 g/t	Oxide	39.80	42.80	103.80
			4.20	1.57	4.20m @ 1.57 g/t	Sulfide	60.20	64.40	
18	MBRDD504	DD	17.30	5.45	17.30m @ 5.45 g/t	Sulfide	123.80	141.10	201.60
			8.60	3.44	8.60m @ 3.44 g/t	Sulfide	145.60	154.20	
			4.95	1.46	4.95m @ 1.46 g/t	Sulfide	157.87	162.82	
19	MBRDD507	DD	6.00	3.76	6.00m @ 3.76 g/t	Sulfide	128.30	134.30	146.60
20	MBRDD510	DD	3.30	1.17	3.30m @ 1.17 g/t	Oxide	42.50	45.80	150.00
			7.50	1.78	7.50m @ 1.78 g/t	Sulfide	123.40	130.90	

Note:

* Intercepts widths represent approximate true mineralization widths.

** Intercepts stated are all included in the database used for the NI43-101 new Resource Model.

LEGEND:	Gold (Au)
	1.0 to 3.0 g/t
	3.0 to 5.0 g/t
	5.0 to 10.0 g/t
	10.0 to 13.77 g/t

SELECTION PARAMETERS:	
Bottom cut (g/t)	1.00
Minimum Interval Length (m)	3.00
Maximum Internal Dilution (m)	1.50

MONUMENT MINING LIMITED

Table 2: Significant Drill Intercepts: Collar coordinates in local mine grid & national grid

No.	Hole ID	Hole Type	Collar coordinates in local mine grid & national grid						Dip	Mine Azimuth	MRSO Azimuth
			Mine East	Mine North	Mine RL	MRSO East	MRSO North	MRSO RL			
1	MBRDD445	DD	762.46	4,579.68	491.25	421,289.14	472,630.12	99.44	-60.0	269.9	261.9
2	MBRDD446	DD	729.83	4,609.00	498.01	421,252.73	472,654.58	106.20	-61.0	264.6	256.6
3	MBRDD447	DD	783.13	4,560.53	494.06	421,312.28	472,614.05	102.25	-62.0	264.7	256.7
4	MBRDD449	DD	763.61	4,540.05	496.04	421,295.82	472,591.04	104.23	-62.0	267.8	259.8
5	MBRDD451	DD	749.67	4,520.12	499.57	421,284.80	472,569.36	107.76	-63.0	262.1	254.1
6	MBRDD453	DD	739.72	4,499.61	504.96	421,277.82	472,547.66	113.15	-62.0	261.0	253.0
7	MBRDD454	DD	752.55	4,480.41	505.12	421,293.21	472,530.44	113.31	-61.0	266.4	258.4
8	MBRDD458	DD	818.31	4,238.16	492.98	421,392.21	472,299.77	101.17	-60.0	266.3	258.3
9	MBRDD459	DD	776.06	4,459.60	503.34	421,319.40	472,513.13	111.53	-61.0	269.8	261.8
10	MBRDD462	DD	770.24	4,439.58	505.06	421,316.44	472,492.48	113.25	-62.0	266.2	258.2
11	MBRDD463	DD	795.09	4,200.09	498.52	421,374.54	472,258.83	106.71	-60.0	255.5	247.5
12	MBRDD470	DD	798.22	4,182.60	500.14	421,380.09	472,241.95	108.33	-62.0	265.0	257.0
13	MBRDD474	DD	781.85	4,419.95	503.69	421,330.68	472,474.67	111.88	-62.0	269.4	261.4
14	MBRDD486	DD	751.22	3,944.96	500.80	421,366.79	472,000.07	108.99	-62.0	267.3	259.3
15	MBRDD489	DD	643.80	3,514.72	499.54	421,320.60	471,559.04	107.73	-61.0	268.7	260.7

No.	Hole ID	Hole Type	Collar coordinates in local mine grid & national grid						Dip	Mine Azimuth	MRSO Azimuth
			Mine East	Mine North	Mine RL	MRSO East	MRSO North	MRSO Elev			
16	MBRDD493	DD	718.79	3,820.39	507.88	421,352.10	471,872.19	116.07	-63.0	265.2	257.2
17	MBRDD499	DD	623.81	3,629.94	516.22	421,284.69	471,670.33	124.41	-58.0	265.6	257.6
18	MBRDD504	DD	840.03	3,878.81	495.87	421,463.97	471,946.99	104.06	-64.0	265.8	257.8
19	MBRDD507	DD	759.66	3,838.18	500.55	421,390.08	471,895.52	108.74	-59.0	259.4	251.4
20	MBRDD510	DD	666.58	3,919.32	527.35	421,286.57	471,962.85	135.54	-63.0	304.6	296.6