

Hole #	From (m)	To (m)	Length (m)	Approx. true width	Au g/t
<b>RCM006</b>	53.0	73.0	20.0	10.0	0.375
		<i>including</i>	8.0	4.0	0.409
		<i>and</i>	3.0	1.5	0.814
<b>DDH6T</b>	54.0	74.0	20.0	10.0	0.432
		<i>including</i>	12.0	6.0	0.500
<b>RCM008</b>	35.0	60.0	25.0	12.5	0.350
		<i>including</i>	5.0	2.5	0.971
		<i>and</i>	2.0	1.0	0.423
<b>DDH8T</b>	36.0	44.0	8.0	4.0	0.381
		<i>including</i>	3.0	1.5	0.657
<b>RCM010</b>	73.0	100.0	27.0	13.5	0.348
		<i>including</i>	6.0	3.0	1.005
	98.0	101.0	3.0	1.5	0.761
<b>DDH10T</b>	99.0	103.0	4.0	2.0	0.370
<b>RCM011</b>	4.0	7.0	3.0	1.5	1.376
	26.0	30.0	4.0	2.0	0.496
<b>RCM013</b>	25.0	28.0	3.0	1.5	0.400
	35.0	41.0	6.0	3.0	0.419
	45.0	48.0	3.0	1.5	0.540
<b>RCM 022</b>	73.0	78.0	5.0	2.5	0.837
<b>RCM 025</b>	101.0	104.0	3.0	1.5	0.337

**Note:** The mineral intercepts reported above are at an angle to the steeply dipping structural zones. Although the actual true widths are uncertain, the approximate "true widths" provided in the table above were calculated assuming these structural zones are vertical and are therefore equal to one-half the width intersected in the drill hole.