

Drill-Hole	Target Area	UTM-E (m)	UTM-N (m)	Elevation (m)	Azimuth (°)	Dip (°)	Total Length (m)	Intersection			Core Length (m)	Au (g/t)	Ag (g/t)	Cu (%)	Lithology
									From	To					
									(m)	(m)					
SST-67	Sub-Sill	422343.80	1989899.65	1231.61	270	-85	371.70		171.30	176.15	4.8	8.5	20.3	1.2	Skarn
									299.46	305.51	6.1	15.7	1.7	0.0	Skarn
SST-71	Sub-Sill	422398.00	1989900.00	1196.00	0	-90	331.20		287.90	307.20	19.3	41.4	43.4	2.1	Skarn
								<i>including</i>	291.07	296.66	5.6	69.8	56.8	1.7	Skarn
SST-78	Sub-Sill	422517.73	1989933.43	1183.80	0	-90	140.40	No Intercepts. Granodiorite (GDI) and Porphyry (FP) intercepted in target zone						GDI - FB	
SST-79	Sub-Sill	422397.92	1989899.92	1196.41	270	-80	342.80		313.40	316.93	3.5	1.6	22.4	1.4	Skarn
SST-80	Sub Sill	422448.00	1989934.88	1191.02	0	-90	363.10	No Intercepts. Granodiorite (GDI) intercepted in target zone						GDI	
SST-85	Sub-Sill	422287.53	1989758.67	1168.94	0	-90	367.00		294.40	297.90	3.5	0.8	15.3	0.9	Skarn
SST-86	Sub-Sill	422274.67	1989845.80	1225.16	0	-90	321.60		177.90	181.40	3.5	3.0	0.8	0.0	Skarn
SST-87	Sub-Sill	422619.91	1989864.95	1166.28	90	-60	228.00	No Intercepts. Granodiorite (GDI) and Porphyry (FP) intercepted in target zone						GDI - FB	
SST-88	Sub Sill	422102.167	1989787.231	1090.985	359	-74	445.00		236.00	239.60	3.6	2.9	3.8	0.2	Skarn
									319.04	322.64	3.6	2.6	6.6	0.2	Skarn
									416.29	419.89	3.6	11.6	0.5	0.0	Skarn
SST-89	Sub Sill	422272.91	1989892.98	1245.28	270	-74	618.50		528.59	534.92	6.3	5.8	0.7	0.0	Skarn
								<i>including</i>	531.00	534.60	3.6	8.7	0.7	0.0	Skarn
SST-91	Sub Sill	422286.92	1989970.22	1285.10	0	-90	605.40		420.18	456.06	35.9	5.7	1.2	0.0	Skarn
								<i>including</i>	433.59	437.09	3.5	32.2	3.7	0.0	Skarn
								<i>including</i>	452.56	456.06	3.5	14.1	3.5	0.0	Skarn

Note

The gold values used to calculate the intercept composite are uncapped  
Interval lengths have been selected to represent a minimum mining height of 3.5 meters