

Drill-Hole	Target Area	UTM-E (m)	UTM-N (m)	Elevation (m)	Azimuth (°)	Dip (°)	Total Length (m)	Intersection			Core Length (m)	Au (g/t)	Ag (g/t)	Cu (%)	Lithology
									From (m)	To (m)					
SST-40	Sub-Sill	422400.62	1989846.67	1175.16	0	-90	190.30		95.66	105.00	9.3	7.4	1.7	0.0	Skarn
									114.00	117.50	3.5	18.9	2.2	0.0	Skarn
									167.63	173.77	6.1	9.7	26.3	1.0	Skarn
SST-42	Sub-Sill	422398.63	1989776.99	1140.82	90	-78	170.00		53.38	60.00	6.6	8.5	2.5	0.0	Skarn
									83.50	108.00	24.5	10.7	5.8	0.2	Skarn
								<i>Including</i>	102.00	108.00	6.0	18.1	9.9	0.4	Skarn
SST-46	Sub-Sill	422503.20	1989829.81	1143.73	0	-90	109.05		36.00	40.13	4.1	5.2	21.2	1.1	Skarn
									60.56	76.00	15.4	7.7	50.3	4.4	Skarn
SST-61	Sub-Sill	422353.85	1989824.03	1191.49	0	-90	271.50		186.34	191.64	5.3	52.9	15.1	0.5	Skarn
								<i>Including</i>	188.17	191.64	3.5	77.3	22.5	0.7	Skarn
SST-66	Sub-Sill	422501.30	1989900.46	1161.12	0	-90	316.00		17.00	20.50	3.5	7.9	3.5	0.1	Skarn
									175.17	178.67	3.5	14.2	39.7	1.5	Skarn
									185.50	189.74	4.2	6.2	22.2	0.5	Skarn
SST-68	Sub-Sill	422514.21	1989811.87	1135.04	0	-90	105.00		33.00	48.86	15.9	9.4	8.3	0.6	Skarn
								<i>Including</i>	43.54	47.04	3.5	15.6	13.7	1.0	Skarn
SST-69	Sub-Sill	422496.28	1989811.93	1133.39	0	-90	120.00		30.94	35.78	4.8	4.9	7.0	0.3	Skarn
									51.93	61.64	9.7	16.5	31.3	3.3	Skarn
								<i>Including</i>	54.75	58.63	3.9	31.4	44.7	5.0	Skarn
SST-70	Sub-Sill	422477.70	1989811.85	1134.69	0	-90	141.00		59.32	62.85	3.5	3.0	94.2	9.8	Skarn
									103.00	106.50	3.5	8.0	2.6	0.1	Skarn
									132.93	136.44	3.5	7.6	27.0	0.7	Skarn
SST-72	Sub-Sill	422449.48	1989829.98	1150.69	90	-78	146.95		43.47	47.07	3.6	9.0	2.6	0.0	Skarn
									84.51	113.80	29.3	32.2	33.1	1.6	Skarn
								<i>Including</i>	84.51	90.44	5.9	103.5	62.4	3.9	Skarn
									117.63	121.87	4.2	15.4	16.2	0.6	Skarn
SST-73	Sub-Sill	422466.07	1989900.14	1174.64	0	-90	300.00		226.24	229.74	3.5	2.3	2.2	0.1	Skarn
SST-74	Sub-Sill	422428.49	1989812.70	1146.98	90	-83	138.65		90.35	96.76	6.4	17.2	5.9	0.1	Skarn
								<i>Including</i>	93.26	96.76	3.5	25.9	9.0	0.1	Skarn
									114.37	118.36	4.0	16.4	11.6	0.7	Skarn
SST-75	Sub-Sill	422398.00	1989900.00	1196.00	90	-83	332.70		71.34	75.78	4.4	3.6	2.7	0.0	Skarn
SST-76	Sub-Sill	422414.92	1989795.04	1144.20	90	-64	179.15		52.84	56.69	3.8	4.6	1.2	0.0	Skarn
									65.02	69.45	4.4	5.8	1.1	0.0	Skarn
									89.27	102.75	13.5	8.3	15.0	0.6	Skarn
SST-77	Sub-Sill	422460.01	1989812.07	1134.35	0	-90	150.30		30.00	36.33	6.3	7.3	1.2	0.0	Skarn
SST-81	Sub Sill	422618.57	1989795.27	1154.59	90	-58	234.7	No Intercepts (post mineral dyke FBHQ intercepted in target zone)						FBHQ	

Note

The gold values used to calculate the intercept composite are uncapped
Interval lengths have been selected to represent a minimum mining height of 3.5 meters