

Figure 1 – Surface Projection of Highlight Drill Results from Fall 2013 Drill Program




Figure 2 – Longsection of Zone 27 with Highlight Drill Results




Figure 3 – Results of the Hole-to-Hole Induced Polarization Survey Below Red Dog (looking NW)




Table 1 – Windfall Lake Gold Deposit – Fall 2013 Drill Program – Summary of Drill Results

Section	Drill Hole	Total Depth (m)	Coordinates (UTM 18N, and 83)			Azimuth	Dip	From (m)	To (m)	Length (m)	Gold g/t
			East	North	Elevation						
1750	EAG-13-510	102	451563	5434580	404	333.8	-53.2	75.5	76.4	0.9	1.1
1750	EAG-13-521	176.5	451575	5434562	403	332.1	-54.5	111.3	112.2	0.9	2.9
1775	EAG-13-522	141	451584	5434597	406	330.5	-55.4	94.6	95.5	0.9	7.6
1800	EAG-13-523	708	451730	5434399	406	332.2	-55.0	448.7	449.1	0.4	28.7
1825	EAG-13-524	587	451732	5434435	406	327.8	-57.0	126.0	127.0	1.0	5.5
1825	EAG-13-524	587	451732	5434435	406	327.8	-57.0	435.9	436.8	0.9	9.1
1850	EAG-13-472-W1	643.2	451948	5434105	400	330.5	-49.4	Abandoned hole, target not reached			
1850	EAG-13-472-W2	521.5	451948	5434105	400	330.5	-49.4	Abandoned hole, target not reached			
1850	EAG-13-472-W3	606	451948	5434105	400	330.5	-49.4	Abandoned hole, target not reached			
1850	EAG-13-472-W4	888	451948	5434105	400	330.5	-49.4	784.0	785.0	1.0	2.8
1850	EAG-13-472-W4	888	451948	5434105	400	330.5	-49.4	862.1	863.0	0.9	2.2
1875	EAG-13-506	883	451804	5434417	405	331.4	-59.7	49.0	50.0	1.0	16.7
2025	EAG-13-505	231	451930	5434493	404	329.4	-50.6	62.9	63.6	0.7	2.3
2075	EAG-13-503	222	451969	5434525	402	327.9	-56.4	82.0	83.0	1.0	3.7
2075	EAG-13-528	183	451888	5434692	399	166.5	-52.4	25.0	47.0	22.0	3.3
2075	EAG-13-528	183	451888	5434692	399	166.5	-52.4	incl. 26.0	27.7	1.7	28.1
2075	EAG-13-528	183	451888	5434692	399	166.5	-52.4	incl. 33.7	34.0	0.3	15.6
2125	EAG-13-519	333	451942	5434675	399	328.7	-50.1	61.7	64.6	3.0	4.3
2175	EAG-13-527	294	452066	5434556	398	331.2	-60.3	112.0	113.0	1.0	4.8
2175	EAG-13-527	294	452066	5434556	398	331.2	-60.3	116.5	116.8	0.3	5.8
2175	EAG-13-527	294	452066	5434556	398	331.2	-60.3	226.2	234.0	7.8	415.7
2175	EAG-13-527	294	452066	5434556	398	331.2	-60.3	incl. 229.6	232.3	2.7	1,196
2175	EAG-13-527	294	452066	5434556	398	331.2	-60.3	incl. 231	231.5	0.5	6,070
2175	EAG-13-527	294	452066	5434556	398	331.2	-60.3	259.0	260.2	1.2	161.0
2200	EAG-13-514	347	452066	5434607	399	150.0	-52.0	283.0	284.0	1.0	6.4
2250	EAG-13-530	102	452128	5434598	398	151.8	-50.3	No significant results			
2275	EAG-13-529	201	452139	5434630	398	330.7	-49.5	153.0	154.0	1.0	4.6
2300	EAG-13-512	393	452218	5434560	398	330.1	-55.7	49.0	49.7	0.7	9.0
2300	EAG-13-512	393	452218	5434560	398	330.1	-55.7	65.8	66.3	0.5	20.4
2300	EAG-13-512	393	452218	5434560	398	330.1	-55.7	292.0	307.0	15.0	3.9
2300	EAG-13-512	393	452218	5434560	398	330.1	-55.7	incl. 304	306.5	2.5	19.4
2300	EAG-13-512	393	452218	5434560	398	330.1	-55.7	320.3	324.7	4.4	3.5
2400	EAG-13-517	150	452188	5434820	401	290.5	-65.0	55.0	56.0	1.0	5.2
2425	EAG-13-515	129	452185	5434830	403	249.5	-64.4	112.5	113.0	0.5	4.3
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	474.9	475.7	0.8	24.1
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	495.5	498.0	2.5	4.1
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	509.6	512.0	2.4	6.5
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	568.5	569.1	0.6	13.6
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	578.0	584.1	6.1	6.1
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	incl. 578	578.5	0.5	9.7
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	incl. 580	580.6	0.6	42.5
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	incl. 581.6	582.6	1.0	5.5
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	740.1	741.6	1.5	2.3

2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	745.2	747.0	1.8	7.8
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	752.5	789.8	37.3	11.2
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	incl. 755.5	756.1	0.6	166.5
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	incl. 773.8	774.5	0.7	12.7
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	incl. 784.8	787.8	3.0	84.4
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	incl. 785.2	786.0	0.8	289.0
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	847.4	848.0	0.6	13.0
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	931.9	932.6	0.7	7.6
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	943.8	944.5	0.7	7.5
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	989.1	989.7	0.6	14.8
2500	EAG-13-320-W1	1029.6	452476	5434485	401	334.0	-60.0	1,020.0	1,022.0	2.0	5.0
2500	EAG-13-320-W2	1003.3	452476	5434485	401	334.0	-60.0	463.0	464.0	1.0	6.8
2500	EAG-13-320-W2	1003.3	452476	5434485	401	334.0	-60.0	483.3	500.3	17.0	4.5
2500	EAG-13-320-W2	1003.3	452476	5434485	401	334.0	-60.0	incl. 495.3	498.0	2.7	21.3
2500	EAG-13-320-W2	1003.3	452476	5434485	401	334.0	-60.0	519.6	522.8	3.2	4.9
2500	EAG-13-320-W2	1003.3	452476	5434485	401	334.0	-60.0	incl. 521.3	522.0	0.7	13.2
2500	EAG-13-320-W2	1003.3	452476	5434485	401	334.0	-60.0	787.1	788.1	1.0	29.4
2500	EAG-13-320-W2	1003.3	452476	5434485	401	334.0	-60.0	843.3	844.3	1.0	4.1
2500	EAG-13-320-W2	1003.3	452476	5434485	401	334.0	-60.0	891.6	892.5	0.9	20.3
2500	EAG-13-320-W2	1003.3	452476	5434485	401	334.0	-60.0	908.3	909.0	0.7	13.4
2500	EAG-13-320-W2	1003.3	452476	5434485	401	334.0	-60.0	930.3	931.3	1.0	5.0
2500	EAG-13-320-W2	1003.3	452476	5434485	401	334.0	-60.0	938.6	940.3	1.7	5.7
2500	EAG-13-320-W2	1003.3	452476	5434485	401	334.0	-60.0	941.4	942.1	0.7	7.0
2500	EAG-13-320-W2	1003.3	452476	5434485	401	334.0	-60.0	976.3	976.9	0.6	8.2
2500	EAG-11-294EXT	808.5	452439	5434552	401	326.0	-60.8	684.5	687.0	2.5	5.2
2500	EAG-11-294EXT	808.5	452439	5434552	401	326.0	-60.8	710.1	713.3	3.2	12.3
2500	EAG-11-294EXT	808.5	452439	5434552	401	326.0	-60.8	incl. 712.7	713.3	0.6	37.2
2500	EAG-11-294EXT	808.5	452439	5434552	401	326.0	-60.8	736.9	737.4	0.5	13.2
2500	EAG-11-294EXT	808.5	452439	5434552	401	326.0	-60.8	739.3	739.8	0.5	6.7
2575	EAG-13-526	564	452452	5434666	403	330.0	-52.0	109.0	110.0	1.0	5.5
2575	EAG-13-526	564	452452	5434666	403	330.0	-52.0	205.0	206.0	1.0	10.5
2575	EAG-13-526	564	452452	5434666	403	330.0	-52.0	459.5	460.2	0.7	311.0
2575	EAG-13-526	564	452452	5434666	403	330.0	-52.0	512.0	513.4	1.4	4.0
2625	EAG-13-509	399	452523	5434658	403	329.1	-57.2	28.0	28.7	0.7	7.9
2625	EAG-13-509	399	452523	5434658	403	329.1	-57.2	231.1	231.6	0.5	21.8
2625	EAG-13-509	399	452523	5434658	403	329.1	-57.2	272.0	273.0	1.0	4.1
2625	EAG-13-509	399	452523	5434658	403	329.1	-57.2	316.3	319.6	3.3	4.0
2625	EAG-13-509	399	452523	5434658	403	329.1	-57.2	incl. 318.4	319.0	0.6	11.1
2625	EAG-13-509	399	452523	5434658	403	329.1	-57.2	357.4	360.9	3.5	6.5
2625	EAG-13-509	399	452523	5434658	403	329.1	-57.2	incl. 357.4	359.0	1.6	13.1
2625	EAG-13-509	399	452523	5434658	403	329.1	-57.2	384.2	385.0	0.8	24.7
2650	EAG-13-507	630	452531	5434696	404	332.8	-56.3	27.2	27.5	0.3	19.0
2650	EAG-13-507	630	452531	5434696	404	332.8	-56.3	509.8	510.3	0.5	68.8
2650	EAG-13-507	630	452531	5434696	404	332.8	-56.3	569.7	571.3	1.6	5.3
2650	EAG-13-507	630	452531	5434696	404	332.8	-56.3	590.7	591.3	0.6	14.5
2650	EAG-13-507	630	452531	5434696	404	332.8	-56.3	618.5	619.1	0.6	8.7

2650	EAG-13-513	681	452629	5434514	403	330.5	-55.2	337.0	337.7	0.7	7.1
2650	EAG-13-513	681	452629	5434514	403	330.5	-55.2	465.3	465.6	0.3	7.6
2650	EAG-13-513	681	452629	5434514	403	330.5	-55.2	661.3	666.0	4.7	11.0
2650	EAG-13-513	681	452629	5434514	403	330.5	-55.2	incl. 661.3	662.1	0.8	56.1
2650	EAG-13-520	405	452568	5434633	402	331.1	-55.5	263.7	264.4	0.6	8.0
2650	EAG-13-520	405	452568	5434633	402	331.1	-55.5	326.0	326.8	0.8	9.6
2650	EAG-13-520	405	452568	5434633	402	331.1	-55.5	357.1	358.0	0.9	7.2
2650	EAG-13-520	405	452568	5434633	402	331.1	-55.5	378.8	380.0	1.2	15.5
2650	EAG-13-520	405	452568	5434633	402	331.1	-55.5	388.8	389.8	1.0	4.6
2675	EAG-13-511	693	452609	5434608	403	329.3	-56.7	252.0	253.0	1.0	7.7
2675	EAG-13-511	693	452609	5434608	403	329.3	-56.7	436.0	437.7	1.7	13.8
2675	EAG-13-511	693	452609	5434608	403	329.3	-56.7	445.0	448.2	3.2	3.3
2675	EAG-13-511	693	452609	5434608	403	329.3	-56.7	incl. 447.9	448.2	0.3	14.0
2675	EAG-13-511	693	452609	5434608	403	329.3	-56.7	671.0	679.1	8.1	6.3
2675	EAG-13-511	693	452609	5434608	403	329.3	-56.7	incl. 675	675.8	0.8	48.2
2700	EAG-13-508	441	452588	5434698	403	329.5	-60.0	308.0	311.8	3.8	8.8
2700	EAG-13-508	441	452588	5434698	403	329.5	-60.0	incl. 308	309.0	1.0	29.9
2700	EAG-13-508	441	452588	5434698	403	329.5	-60.0	incl. 359	359.3	0.3	14.4
2700	EAG-13-508	441	452588	5434698	403	329.5	-60.0	incl. 371	372.0	1.0	13.5
2700	EAG-13-508	441	452588	5434698	403	329.5	-60.0	386.8	388.0	1.2	38.1
2700	EAG-13-508	441	452588	5434698	403	329.5	-60.0	407.4	412.0	4.6	4.8
2700	EAG-13-508	441	452588	5434698	403	329.5	-60.0	incl. 407.4	409.0	1.6	10.7
2700	EAG-13-525	540	452643	5434618	400	330.5	-60.2	289.9	290.2	0.3	10.6
2700	EAG-13-525	540	452643	5434618	400	330.5	-60.2	448.9	452.0	3.1	4.6
2700	EAG-13-525	540	452643	5434618	400	330.5	-60.2	incl. 449.4	450.2	0.8	13.6
2700	EAG-13-525	540	452643	5434618	400	330.5	-60.2	522.0	524.0	2.0	5.8
2700	EAG-13-525	540	452643	5434618	400	330.5	-60.2	526.0	527.6	1.6	51.8
2750	EAG-13-518	722.3	452690	5434598	398	327.7	-59.5	202.0	203.0	1.0	16.0
2750	EAG-13-518	722.3	452690	5434598	398	327.7	-59.5	212.0	213.0	1.0	6.6
2750	EAG-13-518	722.3	452690	5434598	398	327.7	-59.5	368.1	370.1	2.0	6.3
2800	EAG-13-504	726	452769	5434575	397	330.3	-62.4	130.0	131.0	1.0	4.7
2800	EAG-13-504	726	452769	5434575	397	330.3	-62.4	532.0	533.0	1.0	7.5
2800	EAG-13-504	726	452769	5434575	397	330.3	-62.4	655.8	657.0	1.2	6.2
2825	EAG-13-516	564.1	452691	5434771	398	330.4	-55.1	126.4	128.8	2.4	6.2
2825	EAG-13-516	564.1	452691	5434771	398	330.4	-55.1	340.3	343.5	3.2	6.4
2825	EAG-13-516	564.1	452691	5434771	398	330.4	-55.1	358.3	359.0	0.7	15.3
2825	EAG-13-516	564.1	452691	5434771	398	330.4	-55.1	453.0	453.6	0.6	93.8

Notes:

EAG-13-320-W1 was drilled from 433.7m to 1,029.6m; EAG-13-320-W2 was drilled from 406.3m to 1,003.3m

EAG-13-472-W1 was drilled from 532m to 643.2m; EAG-13-472-W2 was drilled from 498m to 521.5m; EAG-13-472-W3 was drilled from 474m to 606m; EAG-13-472-W4 was drilled from 602.3m to 888m

EAG-12-294EXT was drilled from 532.5m to 808.5m