

**Brett Gold Property – from 43-101 Technical Report Table of Significant Intersections
selected intercepts all over minimum width/grade, Gold values only, Silver To Be
Determined**

Hole #	Grade	from	to	length		from	to	length	Gold grade
number	oz Au/t	feet	feet	feet		meters	meters	in meters	grams Au/mt
86-04	0.253	34.51	39.01	4.49		10.52	11.89	1.37	8.66
86-09	0.290	154.99	160.01	5.02		47.24	48.77	1.53	9.93
86-10	0.125	146.00	150.98	4.99		44.50	46.02	1.52	4.28
86-15	0.284	135.01	141.01	6.00		41.15	42.98	1.83	9.73
86-16	0.175	185.99	197.01	11.02		56.69	60.05	3.36	5.99
87-29	0.166	137.80	141.08	3.28		42.00	43.00	1.00	5.68
87-29	0.737	149.77	178.05	28.28		45.65	54.27	8.62	25.24
87-29	0.274	170.90	178.00	7.10		52.09	54.25	2.16	9.38
87-30	0.144	263.00	273.00	10.00		80.16	83.21	3.05	4.93
87-30	0.127	296.26	301.51	5.25		90.30	91.90	1.60	4.35
87-30	0.092	311.90	329.00	17.10		95.07	100.28	5.21	3.15

87-36	0.063	149.93	175.03	25.10		45.70	53.35	7.65	2.16
-------	-------	--------	--------	-------	--	-------	-------	------	-------------

87-37	0.104	212.90	234.60	21.70		64.89	71.51	6.61	3.56
87-42	0.991	256.70	265.70	9.00		78.24	80.99	2.74	33.94
87-45	0.169	216.50	221.50	5.00		65.99	67.51	1.52	5.79
87-45	0.125	226.40	232.90	6.50		69.01	70.99	1.98	4.28
87-46	0.119	93.40	98.10	4.70		28.47	29.90	1.43	4.08
87-46	0.107	105.00	119.80	14.80		32.00	36.52	4.51	3.66
87-46	0.074	137.96	188.98	51.02		42.05	57.60	15.55	2.53
87-46	0.111	170.90	186.00	15.10		52.09	56.69	4.60	3.80
87-46	0.133	259.19	279.04	19.85		79.00	85.05	6.05	4.55
87-47	0.110	221.10	226.70	5.60		67.39	69.10	1.71	3.77
87-47	0.980	245.10	248.10	3.00		74.71	75.62	0.91	33.56
88-51	0.540	125.00	132.20	7.20		38.10	40.29	2.19	18.49
88-61	0.082	148.29	153.22	4.92		45.20	46.70	1.50	2.81
88-61	0.278	233.90	236.90	3.00		71.29	72.21	0.91	9.52

88-62	0.119	356.60	366.50	9.90		108.69	111.71	3.02	4.08
88-67	0.091	332.19	337.11	4.92		101.25	102.75	1.50	3.12
88-69	0.107	373.40	378.80	5.40		113.81	115.46	1.65	3.66
88-73	0.168	505.25	509.84	4.59		154.00	155.40	1.40	5.75
89-76	0.118	395.01	401.05	6.04		120.40	122.24	1.84	4.04
89-78	0.041	235.89	257.48	21.59		71.90	78.48	6.58	1.40
89-80	0.211	262.93	268.01	5.09		80.14	81.69	1.55	7.23
89-80	0.197	322.87	325.69	2.82		98.41	99.27	0.86	6.75
89-80	0.202	343.34	347.83	4.49		104.65	106.02	1.37	6.92
89-82	0.185	323.00	332.41	9.42		98.45	101.32	2.87	6.34
89-89	0.720	615.72	618.01	2.30		187.67	188.37	0.70	24.66
89-89	0.280	611.61	618.01	6.40		186.42	188.37	1.95	9.59
89-91	1.256	441.31	445.41	4.10		134.51	135.76	1.25	43.01
89-91	0.726	441.31	450.66	9.35		134.51	137.36	2.85	24.86

89-92	1.590	427.00	430.74	3.74		130.15	131.29	1.14	54.45
89-97	0.224	462.60	470.90	8.30		141.00	143.53	2.53	7.67
R88-02	0.076	102.03	136.98	34.94		31.10	41.75	10.65	2.60
R88-02	0.049	247.00	332.00	85.00		75.29	101.19	25.91	1.68
R88-03	0.100	73.00	77.92	4.92		22.25	23.75	1.50	3.42
R88-04	0.027	19.72	34.94	15.22		6.01	10.65	4.64	0.92
R88-07	0.503	88.90	104.00	15.10		27.10	31.70	4.60	17.23
R88-09	0.089	52.99	58.07	5.09		16.15	17.70	1.55	3.05
R88-15	0.100	145.01	155.02	10.01		44.20	47.25	3.05	3.42
R88-15	0.101	149.93	155.02	5.09		45.70	47.25	1.55	3.46
R88-15	0.108	274.93	284.94	10.01		83.80	86.85	3.05	3.70
R88-17	0.224	55.00	80.00	25.00		16.76	24.38	7.62	7.67
R88-17	0.462	385.01	405.02	20.01		117.35	123.45	6.10	15.82
R88-16	0.074	75.00	185.00	110.00		22.86	56.39	33.53	2.53
R88-18	0.165	221.46	225.07	3.61		67.50	68.60	1.10	5.65
R88-18	0.228	245.08	254.92	9.84		74.70	77.70	3.00	7.81
R88-18	0.088	294.95	304.95	10.01		89.90	92.95	3.05	3.01
R88-19	0.270	135.00	140.00	5.00		41.15	42.67	1.52	9.25
R88-19	0.113	135.01	149.93	14.93		41.15	45.70	4.55	3.87
R88-19	0.110	195.05	199.97	4.92		59.45	60.95	1.50	3.77
R88-21	0.124	50.03	54.95	4.92		15.25	16.75	1.50	4.25
R88-22	0.244	314.96	330.05	15.09		96.00	100.60	4.60	8.36
R88-22	0.084	315.00	406.00	91.00		96.01	123.75	27.74	2.88
R88-22	0.106	364.17	383.86	19.69		111.00	117.00	6.00	3.63
R88-23	0.042	183.73	209.97	26.25		56.00	64.00	8.00	1.44
R88-24	0.097	34.94	40.03	5.09		10.65	12.20	1.55	3.32
R88-24	0.087	60.04	64.96	4.92		18.30	19.80	1.50	2.98
R88-24	0.030	98.43	144.36	45.93		30.00	44.00	14.00	1.03
R88-24	0.054	225.00	320.00	95.00		68.58	97.54	28.96	1.85
R88-24	0.102	260.01	264.93	4.92		79.25	80.75	1.50	3.49
R88-24	0.072	274.93	280.02	5.09		83.80	85.35	1.55	2.47
R88-24	0.089	280.02	284.94	4.92		85.35	86.85	1.50	3.05
R88-24	0.227	288.71	291.99	3.28		88.00	89.00	1.00	7.77
R88-24	0.112	305.12	310.04	4.92		93.00	94.50	1.50	3.84
R88-25	0.050	324.80	360.89	36.09		99.00	110.00	11.00	1.71
R88-30	0.124	80.05	84.97	4.92		24.40	25.90	1.50	4.25
R88-31	0.058	62.34	101.71	39.37		19.00	31.00	12.00	1.99
R88-32	0.136	65.00	120.00	55.00		19.81	36.58	16.76	4.66
R88-32	0.171	70.05	74.97	4.92		21.35	22.85	1.50	5.86
R88-33	0.113	20.01	24.93	4.92		6.10	7.60	1.50	3.87
R88-33	0.050	104.99	129.92	24.93		32.00	39.60	7.60	1.71
R88-33	0.088	399.93	405.02	5.09		121.90	123.45	1.55	3.01
R88-34	0.083	400.26	410.10	9.84		122.00	125.00	3.00	2.84
R93-11	0.197	130.00	140.00	10.00		39.62	42.67	3.05	6.75
R93-12	1.840	115.00	120.00	5.00		35.05	36.58	1.52	63.01
R93-12	1.210	140.00	145.00	5.00		42.67	44.20	1.52	41.44
R93-12	0.382	130.00	150.00	20.00		39.62	45.72	6.10	13.09
R93-12	0.208	200.00	210.00	10.00		60.96	64.01	3.05	7.12
R93-12	0.113	175.00	210.00	35.00		53.34	64.01	10.67	3.87

R93-16	0.692	120.00	125.00	5.00		36.58	38.10	1.52	23.70
R93-17	0.408	105.00	110.00	5.00		32.00	33.53	1.52	13.97
R93-17	2.750	125.00	130.00	5.00		38.10	39.62	1.52	94.18
R93-17	1.640	125.00	135.00	10.00		38.10	41.15	3.05	56.16
R93-19	1.045	100.00	155.00	55.00		30.48	47.24	16.76	35.79
R93-19	0.283	175.00	180.00	5.00		53.34	54.86	1.52	9.69
trench #	Grade	from	to	length		from	to	length in meters	Gold grade gram Au/t
87-TR4	1.840	6.40	10.99	4.59		1.95	3.35	1.40	63.01
87-TR21	2.052	0.00	7.87	7.87		0.00	2.40	2.40	70.27
87-TR21	0.372	0.00	7.87	7.87		0.00	2.40	2.40	12.74
87-TR22	0.110	37.07	54.13	17.06		11.30	16.50	5.20	3.77
93-TR770	0.370	0.00	18.24	18.24		0.00	5.56	5.56	12.67
93-TR946	0.980	10.89	13.52	2.62		3.32	4.12	0.80	33.56
93-TR957	2.650	19.23	20.77	1.54		5.86	6.33	0.47	90.75
93-TR957	0.696	18.57	24.70	6.14		5.66	7.53	1.87	23.84
93-TR988	0.549	54.49	57.28	2.79		16.61	17.46	0.85	18.80