Hole		From (m)	To (m)	Interval (m)	Au (g/t)
MGZC048		8.0	18.0	10.0	1.33
	including	8.0	14.0	6.0	2.01
	and	30.0	35.0	5.0	1.21
	including	34.0	35.0	1.0	4.26
MGZC049		9.0	34.0	25.0	1.21
	including	28.0	34.0	6.0	2.12
	and	53.0	54.0	1.0	2.19
MGZC050		6.0	17.0	11.0	1.96
	including	14.0	17.0	3.0	5.73
MGZC051		8.0	15.0	7.0	2.16
	including	8.0	11.0	3.0	4.25
MGZC052		17.0	25.0	8.0	0.73
	including	23.0	24.0	1.0	2.21
MGZC053		13.0	22.0	9.0	1.03
	and	38.0	41.0	3.0	2.65
MGZC054		5.0	42.0	37.0	1.02
	including	6.0	9.0	3.0	1.64
	including	14.0	19.0	5.0	3.05
	including	27.0	30.0	3.0	1.65
MGZC055		15.0	18.0	3.0	1.12
MGZC056		1.0	6.0	5.0	0.99
	including	1.0	3.0	2.0	1.74
MGZC061		44.0	46.0	2.0	2.38

<sup>\*</sup>true widths estimated at 70-90% of stated intervals