

Table 1. Hole C13-253 drill hole assay composites\* (Corrected Ag Eq, g/t, and oz/t calculated in m and ft)

| HoleID            | From | To   | Interval m | Ag Eq g/t | Interval ft | Ag Eq oz/t | Ag g/t | Au g/t | Zn % | Pb % |
|-------------------|------|------|------------|-----------|-------------|------------|--------|--------|------|------|
| C13-253           | 0    | 216  | 216        | 36.09     | 708.5       | 1.16       | 23.33  | 0.059  | 0.17 | 0.21 |
| Including C13-253 | 118  | 142  | 24         | 109.92    | 78.7        | 3.53       | 83.94  | 0.194  | 0.16 | 0.50 |
| C13-253           | 232  | 406  | 174        | 35.17     | 570.7       | 1.13       | 15.11  | 0.02   | 0.35 | 0.35 |
| Including C13-253 | 252  | 272  | 20         | 61.73     | 65.6        | 1.98       | 30.75  | 0.043  | 0.47 | 0.60 |
| Including C13-253 | 308  | 342  | 34         | 54.36     | 111.5       | 1.75       | 21.87  | 0.018  | 0.63 | 0.52 |
| Including C13-253 | 364  | 376  | 12         | 40.36     | 39.4        | 1.30       | 19.27  | 0.022  | 0.33 | 0.41 |
| C13-253           | 422  | 520  | 98         | 101.57    | 321.4       | 3.27       | 37.64  | 0.032  | 1.48 | 0.80 |
| Including C13-253 | 462  | 478  | 16         | 49.29     | 52.5        | 1.58       | 9.30   | 0.029  | 1.25 | 0.17 |
| Including C13-253 | 484  | 512  | 28         | 292.31    | 91.8        | 9.40       | 109.14 | 0.062  | 4.08 | 2.51 |
| C13-253           | 634  | 694  | 60         | 23.61     | 196.8       | 0.76       | 7.71   | 0.013  | 0.28 | 0.28 |
| C13-253           | 742  | 752  | 10         | 26.45     | 32.8        | 0.85       | 10.16  | 0.015  | 0.32 | 0.25 |
| C13-253           | 980  | 1086 | 106        | 42.62     | 347.7       | 1.37       | 16.05  | 0.019  | 0.62 | 0.32 |

\*(USD\$6.00 NSR/t cutoff grade. Ag Eq calculated using \$25/oz Ag, \$1,000/oz Au, \$1.00/lb Zn and Pb directly from the assays within the composited intervals).

**Table 2. Hole C13-261 drill hole assay composites\* (Corrected g/t Ag Eq)**

| HoleID            | From | To  | Interval m | Ag Eq g/t | Interval ft | Ag Eq oz/t | Ag g/t | Au g/t | Zn % | Pb % |
|-------------------|------|-----|------------|-----------|-------------|------------|--------|--------|------|------|
| C13-261           | 2    | 70  | 68         | 31.39     | 223.0       | 1.01       | 22.31  | 0.046  | 0.11 | 0.16 |
| Including C13-261 | 14   | 32  | 18         | 85.17     | 59.0        | 2.74       | 62.75  | 0.104  | 0.23 | 0.44 |
| Including C13-261 | 96   | 106 | 10         | 64.01     | 32.8        | 2.06       | 38.94  | 0.061  | 0.29 | 0.54 |
| C13-261           | 96   | 180 | 84         | 54.53     | 275.5       | 1.75       | 31.25  | 0.069  | 0.31 | 0.44 |
| Including C13-261 | 124  | 172 | 48         | 74.77     | 157.4       | 2.40       | 42.31  | 0.093  | 0.43 | 0.61 |
| C13-261           | 192  | 338 | 146        | 28.53     | 478.9       | 0.92       | 9.94   | 0.071  | 0.35 | 0.23 |
| Including C13-261 | 194  | 208 | 14         | 38.98     | 45.9        | 1.25       | 18.26  | 0.027  | 0.44 | 0.27 |
| Including C13-261 | 256  | 280 | 24         | 52.49     | 78.7        | 1.69       | 17.08  | 0.052  | 0.66 | 0.56 |
| C13-261           | 356  | 380 | 24         | 43.84     | 78.7        | 1.41       | 19.26  | 0.048  | 0.48 | 0.35 |
| C13-261           | 400  | 416 | 16         | 19.82     | 52.5        | 0.64       | 9.33   | 0.032  | 0.21 | 0.13 |
| C13-261           | 474  | 502 | 28         | 24.37     | 91.8        | 0.78       | 7.78   | 0.017  | 0.44 | 0.14 |

\*(USD\$6.00 NSR/t cutoff grade. Ag Eq calculated using \$25/oz Ag, \$1,000/oz Au, \$1.00/lb Zn and Pb directly from the assays within the composited intervals).

**Table 3. Hole C13-258 drill hole assay composites\* (Corrected g/t Ag Eq)**

| HoleID            | From | To  | Interval m | Ag Eq g/t | Interval ft | Ag Eq oz/t | Ag g/t | Au g/t | Zn % | Pb % |
|-------------------|------|-----|------------|-----------|-------------|------------|--------|--------|------|------|
| C13-258           | 2    | 440 | 438        | 20.72     | 1436.6      | 0.67       | 11.48  | 0.034  | 0.18 | 0.11 |
| Including C13-258 | 46   | 56  | 10         | 37.52     | 32.8        | 1.21       | 27.06  | 0.034  | 0.09 | 0.24 |
| C13-258           | 456  | 550 | 94         | 107.20    | 308.3       | 3.45       | 34.26  | 0.038  | 1.80 | 0.80 |
| C13-258           | 666  | 684 | 18         | 38.66     | 59.0        | 1.24       | 13.63  | 0.018  | 0.46 | 0.42 |

\*(USD\$6.00 NSR/t cutoff grade. Ag Eq calculated using \$25/oz Ag, \$1,000/oz Au, \$1.00/lb Zn and Pb directly from the assays within the composited intervals).

**Table 4. Hole C13-257 drill hole assay composites\* (Corrected g/t Ag Eq).**

| HoleID            | From | To  | Interval m | Ag Eq g/t | Interval ft | Ag Eq oz/t | Ag g/t | Au g/t | Zn % | Pb % |
|-------------------|------|-----|------------|-----------|-------------|------------|--------|--------|------|------|
| C13-257           | 0    | 36  | 36         | 13.52     | 118.1       | 0.43       | 7.33   | 0.067  | 0.06 | 0.07 |
| C13-257           | 46   | 322 | 276        | 53.03     | 905.3       | 1.70       | 20.18  | 0.106  | 0.64 | 0.41 |
| Including C13-257 | 96   | 112 | 16         | 47.07     | 52.5        | 1.51       | 9.18   | 0.086  | 1.11 | 0.14 |
| Including C13-257 | 166  | 186 | 20         | 58.18     | 65.6        | 1.87       | 9.78   | 0.106  | 1.56 | 0.06 |
| Including C13-257 | 250  | 260 | 10         | 46.18     | 32.8        | 1.48       | 20.54  | 0.035  | 0.41 | 0.48 |
| Including C13-257 | 270  | 320 | 50         | 150.89    | 164.0       | 4.85       | 63.88  | 0.3    | 1.02 | 1.71 |
| C13-257           | 334  | 406 | 72         | 91.41     | 236.2       | 2.94       | 32.21  | 0.092  | 1.20 | 0.82 |
| Including C13-257 | 374  | 390 | 16         | 268.29    | 52.5        | 8.63       | 101.40 | 0.162  | 3.05 | 2.80 |
| C13-257           | 432  | 498 | 66         | 51.92     | 216.5       | 1.67       | 18.77  | 0.021  | 0.80 | 0.37 |
| Including C13-257 | 454  | 486 | 32         | 81.11     | 105.0       | 2.61       | 31.75  | 0.029  | 1.15 | 0.61 |
| C13-257           | 506  | 548 | 42         | 42.26     | 137.8       | 1.36       | 16.04  | 0.018  | 0.57 | 0.36 |
| Including C13-257 | 530  | 542 | 12         | 76.81     | 39.4        | 2.47       | 27.20  | 0.028  | 1.04 | 0.73 |

\*(USD\$6.00 NSR/t cutoff grade. Ag Eq calculated using \$25/oz Ag, \$1,000/oz Au, \$1.00/lb Zn and Pb directly from the assays within the composited intervals).

**Table 5. Summary compilation of wide drill intercepts in the 14 reported holes (greater than 70 m widths)\* (Corrected g/t Ag Eq)\***

| HoleID  | From | To   | Interval m | Ag Eq g/t     | Interval ft   | Ag Eq oz/t  | Ag g/t | Au g/t | Zn % | Pb % |
|---------|------|------|------------|---------------|---------------|-------------|--------|--------|------|------|
| C13-251 | 0    | 252  | <b>252</b> | <b>36.49</b>  | <b>826.6</b>  | <b>1.17</b> | 15.01  | 0.085  | 0.45 | 0.21 |
| C13-253 | 0    | 216  | <b>216</b> | <b>36.09</b>  | <b>708.5</b>  | <b>1.16</b> | 23.33  | 0.059  | 0.17 | 0.21 |
| C13-253 | 232  | 406  | <b>174</b> | <b>35.17</b>  | <b>570.7</b>  | <b>1.13</b> | 15.11  | 0.02   | 0.35 | 0.35 |
| C13-253 | 422  | 520  | <b>98</b>  | <b>101.57</b> | <b>321.4</b>  | <b>3.27</b> | 37.64  | 0.032  | 1.48 | 0.80 |
| C13-253 | 980  | 1086 | <b>106</b> | <b>42.62</b>  | <b>347.7</b>  | <b>1.37</b> | 16.05  | 0.019  | 0.62 | 0.32 |
| C13-254 | 0    | 332  | <b>332</b> | <b>35.15</b>  | <b>1089.0</b> | <b>1.13</b> | 15.79  | 0.075  | 0.40 | 0.20 |
| C13-255 | 262  | 402  | <b>140</b> | <b>37.39</b>  | <b>459.2</b>  | <b>1.20</b> | 13.00  | 0.052  | 0.62 | 0.19 |
| C13-256 | 0    | 200  | <b>200</b> | <b>36.98</b>  | <b>656.0</b>  | <b>1.19</b> | 15.50  | 0.107  | 0.46 | 0.17 |
| C13-257 | 46   | 322  | <b>276</b> | <b>53.03</b>  | <b>905.3</b>  | <b>1.70</b> | 20.18  | 0.106  | 0.64 | 0.41 |
| C13-257 | 334  | 406  | <b>72</b>  | <b>91.41</b>  | <b>236.2</b>  | <b>2.94</b> | 32.21  | 0.092  | 1.20 | 0.82 |
| C13-258 | 2    | 440  | <b>438</b> | <b>20.72</b>  | <b>1436.6</b> | <b>0.67</b> | 11.48  | 0.034  | 0.18 | 0.11 |
| C13-258 | 456  | 550  | <b>94</b>  | <b>107.20</b> | <b>308.3</b>  | <b>3.45</b> | 34.26  | 0.038  | 1.80 | 0.80 |
| C13-259 | 148  | 220  | <b>72</b>  | <b>45.41</b>  | <b>236.2</b>  | <b>1.46</b> | 18.64  | 0.085  | 0.67 | 0.19 |
| C13-260 | 0    | 84   | <b>84</b>  | <b>20.81</b>  | <b>275.5</b>  | <b>0.67</b> | 6.10   | 0.047  | 0.41 | 0.06 |
| C13-260 | 238  | 310  | <b>72</b>  | <b>41.92</b>  | <b>236.2</b>  | <b>1.35</b> | 14.78  | 0.029  | 0.68 | 0.26 |
| C13-261 | 96   | 180  | <b>84</b>  | <b>54.53</b>  | <b>275.5</b>  | <b>1.75</b> | 31.25  | 0.069  | 0.31 | 0.44 |
| C13-261 | 192  | 338  | <b>146</b> | <b>28.53</b>  | <b>478.9</b>  | <b>0.92</b> | 9.94   | 0.071  | 0.35 | 0.23 |
| C13-262 | 10   | 148  | <b>138</b> | <b>28.27</b>  | <b>452.6</b>  | <b>0.91</b> | 13.80  | 0.053  | 0.33 | 0.12 |
| C13-264 | 0    | 124  | <b>124</b> | <b>30.03</b>  | <b>406.7</b>  | <b>0.97</b> | 16.31  | 0.066  | 0.25 | 0.15 |
| C13-265 | 2    | 84   | <b>82</b>  | <b>16.95</b>  | <b>269.0</b>  | <b>0.54</b> | 10.16  | 0.036  | 0.13 | 0.07 |

(USD\$6.00 NSR/t cutoff grade. Ag Eq calculated using \$25/oz Ag, \$1,000/oz Au, \$1.00/lb Zn and Pb directly from the assays within the composited intervals).