

Table 1. Anomal Geochem Results of Surface Rock Sampling on Chargeability Anomaly 1, Tumipampa.

| Sample | Width (m) | Au (g/t) | Ag (oz/t) | Bi (%) | Cu (%) | Mo (ppm) | Pb (%) | Zn (%) |
|--------|-----------|----------|-----------|--------|--------|----------|--------|--------|
| 4270   | 0.30      | 35.580   | 9.259     | 0.024  | 0.079  | 44       | 2.010  | 0.007  |
| 4233   | 0.90      | 3.350    | 0.923     | 0.002  | 0.004  | 8        | 0.648  | 0.003  |
| 4194   | 0.60      | 2.509    | 0.061     | 0.004  | 0.012  | 22       | 0.005  | 0.001  |
| 4141   | 0.30      | 1.836    | 0.669     | 0.005  | 0.125  | 17       | 0.131  | 0.013  |
| 4196   | 0.60      | 1.459    | 0.228     | 0.002  | 0.027  | 103      | 0.013  | 0.002  |
| 4127   | 0.20      | 1.371    | 0.019     | 0.002  | 0.040  | 20       | 0.004  | 0.003  |
| 4136   | -         | 1.099    | 0.151     | 0.014  | 0.004  | 7        | 0.012  | 0.002  |
| 4222   | 1.10      | 0.933    | 0.016     | 0.001  | 0.005  | 3        | 0.101  | 0.003  |
| 4257   | 0.60      | 0.816    | 0.502     | 0.009  | 0.063  | 9        | 0.007  | 0.011  |
| 4250   | 0.30      | 0.738    | 0.871     | 0.004  | 0.013  | 6        | 0.109  | 0.009  |
| 4043   | 0.15      | 0.728    | 0.103     | 0.002  | 0.006  | 5        | 0.013  | 0.001  |
| 4225   | -         | 0.597    | 0.158     | 0.001  | 0.013  | 1        | 0.040  | 0.007  |
| 3905   | 0.90      | 0.437    | 0.051     | 0.002  | 0.037  | 2        | 0.003  | 0.001  |
| 4134   | 0.50      | 0.318    | 0.055     | 0.006  | 0.007  | 5        | 0.024  | 0.001  |
| 4249   | 0.40      | 0.302    | 0.367     | 0.001  | 0.005  | 4        | 0.121  | 0.009  |
| 4137   | 0.50      | 0.237    | 0.415     | 0.002  | 0.003  | 29       | 0.035  | 0.002  |
| 4130   | 0.30      | 0.231    | 0.039     | 0.001  | 0.008  | 1        | 0.033  | 0.015  |
| 4086   | 0.60      | 0.177    | 0.016     | 0.001  | 0.002  | 11       | 0.068  | 0.002  |
| 4224   | 0.90      | 0.165    | 0.154     | 0.001  | 0.012  | 2        | 0.292  | 0.005  |
| 4248   | 0.30      | 0.158    | 1.945     | 0.001  | 0.031  | 13       | 0.712  | 0.030  |
| 3906   | 0.40      | 0.147    | 0.029     | 0.001  | 0.013  | 2        | 0.001  | 0.001  |
| 4041   | 0.40      | 0.142    | 0.074     | 0.001  | 0.025  | 17       | 0.008  | 0.000  |
| 4142   | 0.20      | 0.120    | 0.058     | 0.002  | 0.010  | 9        | 0.005  | 0.011  |
| 4125   | 0.20      | 0.090    | 0.016     | 0.001  | 0.003  | 1        | 0.002  | 0.001  |
| 4252   | 0.60      | 0.087    | 0.309     | 0.001  | 0.007  | 10       | 0.049  | 0.004  |
| 4090   | 0.20      | 0.086    | 0.006     | 0.001  | 0.001  | 3        | 0.001  | 0.000  |
| 4129   | -         | 0.082    | 0.006     | 0.001  | 0.002  | 4        | 0.014  | 0.004  |
| 4097   | 0.40      | 0.059    | 0.010     | 0.001  | 0.003  | 4        | 0.002  | 0.007  |
| 3978   | 0.20      | 0.057    | 0.006     | 0.001  | 0.007  | 2        | 0.001  | 0.013  |
| 4175   | 0.50      | 0.055    | 0.042     | 0.001  | 0.008  | 2        | 0.139  | 0.028  |

Table 2. Anomal Geochem Results of Surface Rock Sampling on Chargeability Anomaly 2, Tumipampa.

| Sample | Width (m) | Au (g/tn) | Ag (oz/t) | Bi (%) | Cu (%) | Mo (ppm) | Pb (%) | Zn (%) |
|--------|-----------|-----------|-----------|--------|--------|----------|--------|--------|
| 3846   | 0.70      | 2.275     | 0.006     | 0.001  | 0.001  | 3        | 0.001  | 0.003  |
| 3855   | 1.20      | 1.022     | 0.006     | 0.001  | 0.005  | 6        | 0.001  | 0.001  |
| 3847   | 0.30      | 0.320     | 0.006     | 0.001  | 0.006  | 4        | 0.002  | 0.001  |
| 3789   | 0.60      | 0.201     | 0.006     | 0.001  | 0.004  | 4        | 0.001  | 0.002  |
| 3839   | 0.60      | 0.195     | 0.006     | 0.001  | 0.002  | 11       | 0.001  | 0.001  |
| 4276   | 0.70      | 0.175     | 0.016     | 0.001  | 0.010  | 5        | 0.020  | 0.023  |
| 3872   | 0.65      | 0.146     | 0.035     | 0.001  | 0.013  | 11       | 0.003  | 0.001  |
| 3851   | 0.40      | 0.143     | 0.006     | 0.001  | 0.002  | 4        | 0.001  | 0.001  |
| 4272   | 0.40      | 0.131     | 0.019     | 0.001  | 0.002  | 1        | 0.012  | 0.002  |
| 3780   | 0.50      | 0.117     | 0.006     | 0.001  | 0.003  | 2        | 0.001  | 0.002  |
| 3778   | 0.60      | 0.112     | 0.006     | 0.001  | 0.003  | 3        | 0.001  | 0.001  |
| 3850   | 0.15      | 0.112     | 0.006     | 0.001  | 0.002  | 3        | 0.003  | 0.001  |
| 3779   | 0.50      | 0.111     | 0.006     | 0.001  | 0.007  | 5        | 0.000  | 0.002  |
| 3781   | 0.80      | 0.108     | 0.006     | 0.001  | 0.001  | 3        | 0.001  | 0.000  |
| 4013   | -         | 0.108     | 0.087     | 0.001  | 0.079  | 9        | 0.007  | 0.003  |
| 3867   | 0.50      | 0.090     | 0.010     | 0.001  | 0.010  | 8        | 0.016  | 0.021  |
| 3791   | 0.80      | 0.084     | 0.006     | 0.001  | 0.004  | 2        | 0.001  | 0.001  |
| 3788   | 0.50      | 0.069     | 0.006     | 0.001  | 0.005  | 3        | 0.001  | 0.001  |
| 3841   | 0.40      | 0.053     | 0.006     | 0.001  | 0.001  | 4        | 0.000  | 0.000  |

Figure 1. Geochem Surface Sample Locations and Results on the Chargeability Anomalies 1 and 2, Tumipampa.





Figure 01 - Geochem Surface Sample Locations

Figure 2. IP Chargeability Geophysics map results at a depth of 50 m, Tumipampa.



## ABOUT DYNACOR GOLD MINES INC.

Dynacor is a gold and silver ore processing and a gold exploration and mining Corporation active in Peru through its subsidiaries since 1996. The Corporation differentiates itself from pure exploration companies as it also generates income and cash flow from its wholly owned gold ore processing plant in Peru. The Corporation's assets include three exploration properties, including the Tumipampa property, as well as its now 250 tpd gold and silver ore processing mill at Huanca. Dynacor's mill produces gold from the processing of ore purchased from many registered miners. Dynacor's strength and competitive advantage comes with the experience, knowledge and the procurement network expertise the Corporation has developed while working in Peru. Its pride remains in maintaining respect and positive work ethics toward its employees, partners and local communities.