

Table 4: Summary of Assay Results in Metallurgical Drill Holes (Included in Mineral Resource)

Hole ID	GPS Easting	GPS Northing	RL	EOH	Azi-muth	Inclina-tion	Element	From (m)	To (m)	Width (m)	Grade	Type
METBGC007	582884	9885852	784	81.1	270	-60	Sn (%)	53	56	3	16.35	Metallurgical
							Sn (%)	62	73	11	5.61	
						<i>Incl.</i>	Sn (%)	62.63	68.04	5.41	9.77	
							Cu (%)	63.1	73	9.9	0.57	
						<i>Incl.</i>	Cu (%)	68.04	73	4.96	1.05	
METBGC008	582885	9885851	785	79.6	270	-60	Sn (%)	47.7	73.2	25.5	3.43	Metallurgical
						<i>Incl.</i>	Sn (%)	62.8	71.13	8.33	7.11	
							Cu (%)	62	63.25	1.25	0.11	
							Cu (%)	66.4	76	9.6	0.52	
METBGC009	582887	9885848	785	81.1	270	-60	Sn (%)	49.6	75	25.4	4.39	Metallurgical
						<i>Incl.</i>	Sn (%)	63.65	72.63	8.98	8.15	
							Cu (%)	63.65	75	11.35	0.53	
						<i>Incl.</i>	Cu (%)	71	73.6	2.6	1.46	
							La (ppm)	69.7	70	0.3	1100.00	
METBGC010	582889	9885845	785	82.6	270	-60	Sn (%)	51.4	76	24.6	4.32	Metallurgical
						<i>Incl.</i>	Sn (%)	64	73.3	9.3	9.87	
							Cu (%)	64	76	12	0.42	
METBGC011	582890	9885841	785	79.6	270	-60	Sn (%)	46.35	46.73	0.38	0.91	Metallurgical
							Sn (%)	53	79	26	5.03	
						<i>Incl.</i>	Sn (%)	66.5	73.5	7	15.99	
							Cu (%)	65	75	10	0.53	
						<i>Incl.</i>	Cu (%)	71.4	75	3.6	1.27	
METBGC012	582891	9885839	785	92.6	270	-60	Sn (%)	54	81.8	27.8	4.07	Metallurgical
						<i>Incl.</i>	Sn (%)	70.6	74.7	4.1	17.59	
							Sn (%)	85.6	86	0.4	18.55	
							Zn (%)	54.6	55	0.4	7.57	
							Zn (%)	70.6	71	0.4	1.24	
							Cu (%)	67.6	76	8.4	0.52	
							Cu (%)	85.6	87	1.4	0.31	
METBGC013	582915	9885847	775	106.6	270	-60	Sn (%)	70	72.1	2.1	1.11	Metallurgical
							Sn (%)	75.55	93	17.45	7.70	
							Sn (%)	102	104	2	0.29	
							Cu (%)	85	87	2	0.11	
							Cu (%)	100	104	4	0.08	
METBGC014	582915	9885847	775	154.6	270	-75	Sn (%)	90.3	92.7	2.4	3.05	Metallurgical

Hole ID	GPS Easting	GPS Northing	RL	EOH	Azi-muth	Inclina-tion	Element	From (m)	To (m)	Width (m)	Grade	Type
							Sn (%)	96	108	12	0.85	
							Sn (%)	117.6	120	2.4	4.29	
							Cu (%)	100.5	100.9	0.4	0.32	
							Cu (%)	109	110	1	0.22	
							Cu (%)	115	117.6	2.6	0.11	
METBGC015	582913	9885851	775	111.1	270	-60	Sn (%)	69	93	24	5.17	Metallurgical
						<i>Incl.</i>	Sn (%)	81.6	93	11.4	10.52	
							Sn (%)	101	103	2	6.57	
							Zn (%)	69	69.6	0.6	1.58	
							Cu (%)	81.6	82	0.4	0.23	
							Cu (%)	87	89	2	0.20	
							Cu (%)	102	103	1	0.25	
METBGC016	582913	9885851	775	129.1	270	-75	Sn (%)	89	98	9	1.21	Metallurgical
							Sn (%)	102	109	7	0.71	
							Sn (%)	118.4	120	1.6	22.54	
							Cu (%)	90.5	91.18	0.68	0.20	
							Cu (%)	109	111	2	0.16	
							Cu (%)	116	118	2	0.19	
METBGC017	582911	9885855	775	109.6	270	-60	Sn (%)	66	92.45	26.45	9.20	Metallurgical
						<i>Incl.</i>	Sn (%)	83.7	92.45	8.75	24.49	
							Sn (%)	101	102.1	1.1	22.45	
							Cu (%)	75	75.9	0.9	0.18	
							Cu (%)	83.7	87.65	3.95	0.16	
							Cu (%)	91.2	92.45	1.25	0.22	
							Cu (%)	101	102.1	1.1	0.28	
METBGC018	582911	9885855	775	139.6	270	-75	Sn (%)	81	88	7	0.25	Metallurgical
							Sn (%)	92	93	1	0.22	
							Sn (%)	100	109	9	0.27	
							Sn (%)	117	118	1	11.70	
							Cu (%)	101	102.2	1.2	0.16	
							Cu (%)	107	110	3	0.20	
							Cu (%)	115	117.5	2.5	0.22	
METBGC019	582908	9885858	775	115.5	270	-60	Sn (%)	64	104	40	2.71	Metallurgical
						<i>Incl.</i>	Sn (%)	82.2	86	3.8	20.11	
							Zn (%)	82.2	83.1	0.9	2.94	
							Cu (%)	82.2	89	6.8	0.86	
							Cu (%)	101.6	103	1.4	0.12	
METBGC020	582908	9885858	775	130.1	270	-75	Sn (%)	73	76	3	1.07	Metallurgical

Hole ID	GPS Easting	GPS Northing	RL	EOH	Azi-muth	Inclina-tion	Element	From (m)	To (m)	Width (m)	Grade	Type
							Sn (%)	81	84	3	2.02	
							Sn (%)	97	109.6	12.6	3.87	
							Sn (%)	117	118	1	0.92	
							Cu (%)	105	110.3	5.3	0.37	
METBGC021	582905	9885862	775	110.6	270	-60	Sn (%)	61	86	25	3.70	Metallurgical
						<i>Incl.</i>	Sn (%)	78.6	83.4	4.8	16.13	
							Sn (%)	97	100	3	1.53	
							Ag (g/t)	99.6	100	0.4	81.00	
							Zn (%)	99.6	100	0.4	2.51	
							Cu (%)	78.6	86	7.4	0.87	
							Cu (%)	98	101	3	0.14	
METBGC022	582905	9885862	775	121	270	-75	Sn (%)	76.9	80	3.1	0.59	Metallurgical
							Sn (%)	84	87	3	0.51	
							Sn (%)	95.6	118	22.4	10.76	
						<i>Incl.</i>	Sn (%)	102.8	107.25	4.45	43.87	
							Cu (%)	108	110	2	0.23	
							Cu (%)	116.3	116.8	0.5	0.50	
METBGC023	582904	9885864	775	109.1	270	-60	Sn (%)	63.1	72	8.9	0.56	Metallurgical
							Sn (%)	76.6	90	13.4	7.06	
						<i>Incl.</i>	Sn (%)	76.6	81.35	4.75	16.11	
							Sn (%)	101	104.45	3.45	2.23	
							Ag (g/t)	103.4	103.8	0.4	35.1	
							Cu (%)	76	77.5	1.5	0.12	
							Cu (%)	80.95	90	9.05	1.90	
							Cu (%)	107	109.1	2.1	0.81	
METBGC024	582904	9885864	775	116.6	270	-75	Sn (%)	76	80	4	0.19	Metallurgical
							Sn (%)	86	90	4	2.76	
							Sn (%)	94.4	112	17.6	5.77	
						<i>Incl.</i>	Sn (%)	105.15	110	4.85	14.69	
							Cu (%)	105.15	111	5.85	0.13	
METBGC025	582916	9885843	775	101.1	270	-60	Sn (%)	71	95	24	2.74	Metallurgical
						<i>Incl.</i>	Sn (%)	87	93.4	6.4	7.87	
							Cu (%)	92	97	5	0.23	
METBGC026	582916	9885843	775	132.1	270	-75	Sn (%)	98	100	2	1.16	Metallurgical
							Sn (%)	114	119	5	1.14	
							Sn (%)	128	130	2	1.88	
							Cu (%)	118	120	2	0.17	
							Cu (%)	126	130	4	0.13	

Hole ID	GPS Easting	GPS Northing	RL	EOH	Azi-muth	Inclina-tion	Element	From (m)	To (m)	Width (m)	Grade	Type
METBGC027	582911	9885853	775	106.6	270	-60	Sn (%)	64	95	31	4.43	Metallurgical
						<i>Incl.</i>	Sn (%)	82	85.4	3.4	23.97	
							Sn (%)	100	103	3	9.30	
							Zn (%)	82	82.5	0.5	1.03	
							Cu (%)	84.25	87	2.75	0.87	
							Cu (%)	98	102	4	0.29	