


Blue highlighted sections contain holes announced in latest release. Please see sections for assay intervals.



Intervals Greater than 0.3 g/t AuEq

Grey	0.3 - 0.5
Light Green	0.5 - 1.0
Orange	1.0 - 2.5
Red	2.5 - 5.0
Magenta	5.0 - 10.0
Purple	>10.0

REFERENCE LINE
Section through TU-18-248, 253
OPEN

Section through TU-13-249, 251
OPEN

REFERENCE LINE NEXT
OPEN



IXTACA NORTH ZONE


MAIN IXTACA ZONE

GALEVA ZONE

NORTHEAST EXTENSION (CHEMALACO ZONE)

SOUTHWEST EXTENSION





Hole ID	From (m)	To (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Gold Eq (g/t)
TU-13-248	51.50	56.00	4.50	0.24	0.0	0.2
TU-13-248	77.50	174.80	97.30	0.44	20.4	0.9
including	91.00	129.40	38.40	0.67	43.1	1.5
including	95.50	106.07	10.57	0.82	55.8	1.9
including	109.00	112.50	3.50	1.65	158.3	4.8
TU-13-248	182.30	186.50	4.20	0.13	17.3	0.5
TU-13-248	197.90	206.70	8.80	1.37	58.8	2.5
TU-13-248	264.10	266.40	2.30	9.45	85.3	11.2
TU-13-248	280.00	289.00	9.00	0.14	13.6	0.4
TU-13-248	295.70	299.90	4.20	0.12	26.1	0.6
TU-13-248	394.10	396.70	2.60	0.20	9.0	0.4
TU-13-248	451.40	454.50	3.10	0.84	47.9	1.8
TU-13-248	459.00	463.10	4.10	0.53	16.1	0.9
TU-13-253	48.16	159.41	111.25	1.78	54.7	2.9
including	102.20	112.60	10.40	13.53	141.4	16.4
including	102.20	106.00	3.80	36.33	287.0	42.1
including	102.20	103.00	0.80	167.00	122.0	169.4
including	133.00	151.80	18.80	1.52	177.6	5.1
including	136.00	142.60	6.60	1.52	289.4	7.3

Gold Equivalent (AuEq) is calculated using silver to gold ratios of 50 to 1.

Intervals Greater than 0.3 g/t AuEq

- 0.3 - 0.5
- 0.5 - 1.0
- 1.0 - 2.5
- 2.5 - 5.0
- 5.0 - 10.0
- >10.0


* Denotes intervals less than 0.3 g/t AuEq

⊕ Assay results pending

Almaden Minerals
NYSE MKT: AAU
TSX: AMM

Section through holes TU-13-248
and TU-13-253
Looking 330 degrees (+/- 25m)

Scale: 1: 4000 Date: 15-Mar-13



Hole ID	From (m)	To (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Gold Eq (g/t)
TU-12-186	18.29	84.20	65.91	0.49	12.8	0.7
including	24.00	37.70	13.70	0.83	36.5	1.6
including	61.20	67.20	6.00	0.82	4.9	0.9
TU-12-191	15.24	102.00	86.76	0.31	22.6	0.8
including	70.40	84.40	14.00	0.16	48.5	1.1
including	93.90	97.00	3.10	0.25	117.0	2.6
TU-13-249	76.50	93.50	17.00	0.11	20.0	0.5
TU-13-249	107.00	136.50	29.50	0.22	26.9	0.8
including	108.90	114.60	5.70	0.55	84.6	2.2
including	108.90	110.10	1.20	1.89	110.0	4.1
TU-13-249	167.50	180.60	13.10	0.23	28.4	0.8
including	170.35	176.60	6.25	0.27	46.3	1.2
TU-13-249	207.00	210.00	3.00	0.04	22.4	0.5
TU-13-251	119.00	126.00	7.00	0.03	23.4	0.5
TU-13-251	140.15	160.00	19.85	0.28	47.9	1.2
including	140.65	145.95	5.30	0.75	152.4	3.8
including	140.65	143.20	2.55	0.70	213.9	5.0
TU-13-251	226.50	235.00	8.50	0.20	22.1	0.6

Intervals Greater than 0.3 g/t AuEq

- 0.3 - 0.5
- 0.5 - 1.0
- 1.0 - 2.5
- 2.5 - 5.0
- 5.0 - 10.0
- >10.0

* Denotes intervals less than 0.3 g/t AuEq

⊕ Assay results pending

Almaden Minerals
 NYSE MKT: AAU
 TSX: AMM

Section through holes TU-13-249 and TU-13-251
 Looking 330 degrees (+/- 25m)

Scale: 1: 4000 Date: 15-Mar-13

Gold Equivalent (AuEq) is calculated using silver to gold ratios of 50 to 1.