

Appendix

Table 1. Significant assay intersections in ALD014-020 Anastasia.

Hole	From (m)	To (m)	Int (m)	Au g/t	Ag g/t	As %	Cu %	Pb %	Zn %	Min Type
ALD014	69.5	70.0	0.5	0.04	14	0.08	0.11	0.39	0.82	Sulphide
	70.0	71.0	1.0	0.06	18	0.09	0.17	0.62	0.41	Sulphide
	84.0	85.0	1.0	0.52	6	0.14	0.38	0.00	0.01	Sulphide
	85.0	85.6	0.6	0.40	30	0.43	2.57	0.01	0.02	Sulphide
	101.0	101.4	0.4	0.77	3	0.04	0.10	0.01	0.00	Sulphide
	101.4	102.25	0.85	0.14	0	0.01	0.02	0.00	0.00	Sulphide
	102.25	103	0.75	0.16	19	0.11	0.36	0.00	0.01	Sulphide
	103.0	104.0	1.0	1.04	41	0.38	2.16	0.01	0.02	Sulphide
	104.0	105.0	1.0	8.16	204	1.65	9.14	0.02	0.04	Sulphide
	105.0	106.0	1.0	5.32	122	0.89	4.96	0.02	0.04	Sulphide
<i>including</i>	103.0	106.0	3.0	4.84	122	0.97	5.42	0.01	0.03	Sulphide
	181.7	182.2	0.5	0.00	14	0.26	0.37	0.04	0.06	Sulphide
	187.0	188.0	1.0	0.05	11	0.32	0.80	0.02	0.05	Sulphide
	188.0	189.0	1.0	0.54	27	0.35	1.22	0.02	0.07	Sulphide
	189.0	190.0	1.0	0.16	25	0.34	0.81	0.02	0.07	Sulphide
ALD015	9.0	10.0	1.0	2.25	39	0.44	0.03	0.02	0.00	Oxide
	87.5	88.4	0.9	0.53	12	0.04	0.19	0.01	0.01	Sulphide
	88.4	88.9	0.5	2.28	87	1.12	3.88	0.01	0.02	Sulphide
	88.9	89.8	0.9	0.71	25	0.45	1.22	0.00	0.01	Sulphide
<i>including</i>	87.5	89.8	2.3	0.75	25	0.33	1.07	0.01	0.01	Sulphide
	96.7	97.3	0.6	0.64	14	0.04	0.32	0.00	0.00	Sulphide
	97.3	98.05	0.75	1.04	56	0.34	1.19	0.00	0.02	Sulphide
	116.7	117.8	1.1	0.17	20	0.09	0.34	0.01	0.04	Sulphide
	151.8	152.4	0.6	0.24	25	0.19	0.11	0.24	2.72	Sulphide
ALD016	16.6	17.6	1.0	0.01	6	0.01	0.23	0.00	0.13	Oxide
	17.6	18.6	1.0	0.02	11	0.01	0.23	0.00	0.12	Oxide
	18.6	19.6	1.0	0.05	9	0.01	0.21	0.00	0.12	Oxide
	19.6	20.0	0.4	0.08	14	0.00	0.30	0.00	0.13	Oxide
	20.0	21.0	1.0	0.01	8	0.01	0.23	0.00	0.14	Oxide
	21.0	22.0	1.0	0.06	11	0.01	0.30	0.00	0.14	Oxide
<i>including</i>	16.6	22.0	5.4	0.03	8	0.00	0.22	0.00	0.13	Oxide
	216.4	217.0	0.6	0.22	47	0.16	0.30	0.60	4.92	Sulphide
	217.0	217.7	0.7	0.33	91	0.24	0.60	0.95	9.88	Sulphide
	217.7	219.0	1.3	0.16	14	0.06	0.10	0.11	0.28	Sulphide
<i>including</i>	216.4	219.0	2.6	0.22	42	0.13	0.28	0.45	3.93	Sulphide
	225.3	226.0	0.7	0.21	18	0.12	0.06	0.74	0.79	Sulphide
ALD017	97.0	97.8	0.8	0.83	51	0.56	1.61	0.02	0.01	Sulphide
	97.8	98.6	0.8	0.40	13	0.11	0.42	0.02	0.01	Sulphide
	232.0	233.0	1.0	0.04	12	0.04	0.05	0.95	1.01	Sulphide
ALD018	39.0	40.0	1.0	0.56	57	0.06	0.06	0.21	0.00	Oxide
	70.0	71.1	1.1	0.72	6	0.03	0.07	0.02	0.00	Sulphide
	79.7	80.7	1.0	0.50	0	0.01	0.04	0.00	0.00	Sulphide
	165.1	166.0	0.9	0.03	6	0.01	0.06	0.46	0.76	Sulphide
	166.0	167.0	1.0	0.14	6	0.02	0.03	0.08	0.45	Sulphide

Hole	From (m)	To (m)	Int (m)	Au g/t	Ag g/t	As %	Cu %	Pb %	Zn %	Min Type
	221.7	222.7	1.0	0.24	35	0.17	0.41	0.00	0.03	Sulphide
	222.7	223.9	1.2	2.23	101	0.76	1.72	0.02	0.07	Sulphide
	223.9	224.8	0.9	3.14	45	0.33	0.98	0.01	0.03	Sulphide
	224.8	225.8	1.0	1.59	12	0.11	0.26	0.01	0.02	Sulphide
	225.8	226.6	0.8	1.53	29	0.31	0.84	0.01	0.03	Sulphide
	226.6	227.4	0.8	5.73	60	0.97	2.00	0.01	0.03	Sulphide
	227.4	228.5	1.1	0.39	7	0.06	0.14	0.00	0.02	Sulphide
	228.5	229.6	1.1	2.81	25	0.40	1.34	0.00	0.01	Sulphide
	229.6	230.7	1.1	2.83	36	0.86	1.74	0.00	0.01	Sulphide
	230.7	231.9	1.2	0.53	18	0.07	0.20	0.01	0.02	Sulphide
	231.9	233.0	1.1	0.48	7	0.01	0.08	0.02	0.02	Sulphide
	233.0	234.0	1.0	0.42	15	0.04	0.15	0.01	0.02	Sulphide
including	221.7	234.0	12.3	1.78	33	0.34	0.41	0.01	0.03	Sulphide
including	222.7	227.4	4.7	2.58	49	0.46	0.78	0.01	0.04	Sulphide
ALD019	202.5	203.5	1.0	0.54	0	0.04	0.03	0.01	0.03	Sulphide
	203.5	205.0	1.5	3.16	14	0.14	0.40	0.02	0.04	Sulphide
	205.0	207.0	2.0	0.42	48	0.68	1.90	0.02	0.03	Sulphide
	207.0	209.2	2.2	0.45	2	0.01	0.03	0.01	0.03	Sulphide
	209.2	210.7	1.5	0.37	2	0.01	0.03	0.01	0.03	Sulphide
	210.7	212.3	1.6	0.75	25	0.07	0.81	0.01	0.05	Sulphide
including	202.5	212.3	9.8	1.48	27	0.29	0.95	0.01	0.04	Sulphide
	251.5	253.0	1.5	0.01	7	0.00	0.06	0.84	1.40	Sulphide
ALD020	4.1	6.0	1.9	0.22	13	0.03	0.08	0.00	0.01	Oxide
	6.0	7.5	1.5	0.31	18	0.16	0.13	0.00	0.00	Oxide
	7.5	9.2	1.7	0.16	18	0.02	0.04	0.00	0.00	Oxide
	9.2	10.5	1.3	0.12	10	0.03	0.01	0.00	0.00	Oxide
including	4.1	10.5	6.4	0.20	15	0.06	0.07	0.00	0.00	Oxide
	52.8	54.5	1.7	0.92	11	0.04	0.50	0.00	0.00	Sulphide
	54.5	56.0	1.5	0.92	13	0.19	0.74	0.00	0.01	Sulphide

Note: 1. Only assays above 0.1g.tAu, 2g/tAg, and/or >0.1% Cu, Pb, Zn or As are included.
2. All intervals are down hole lengths and true thickness will be less than stated above.

Table 2. Anastasia collar data for 2008 Drillholes

Drill Hole	East	North	Elevation	Azimuth	Dip	Depth (m)
ALD014	209319	8056145	418	0	-90	218.8
ALD015	209306	8056133	416	0	-90	200.8
ALD016	209292	8056118	415	0	-90	233.4
ALD017	209347	8056183	418.	184	-55	302.8
ALD018	209179	8056299	425	201	-60	269.7
ALD019	209139	8056302	419	201	-60	254.8
ALD020	209372	8056173	425	015	-65	250.8
ALD021	209041	8056408	418	187	-70	299.8
ALD022	209123	8056367	414	193	-65	305.3
ALD023	208772	8056314	403	193	-70	251.5
ALD024	208724	8056244	399	195	-70	200.8
ALD025	209291	8056117	415	210	-70	260.8
ALD026	209239	8056124	410	213	-70	263.8
ALD027	209399	8056162	434	026	-60	191.8
ALD028	209298	8056201	430	013	-60	203
ALD029	209350	8056116	420	027	-60	293.5
ALD030	209150	8056500	414	210	-80	104.5
ALD031	209068	8056203	419	030	-60	161.5
ALD032	208680	8056322	392	0	-90	200.7
ALD033	209385	8056135	426	030	-60	287.4
ALD034	209416	8056091	449	030	-60	Drilling

Table 3. Dingo Peak Significant Assay Results

Drillhole	From (m)	To (m)	Int (m)	Au g/t	Ag g/t	Cu %
QRDH1E	164.0	164.7	0.7	0.04	23	0.15
	164.7	165.4	0.7	0.03	14	0.09
	165.4	166.3	0.9	0.00	7	0.05
	166.3	167.0	0.7	0.00	20	0.14
	167.0	168.0	1.0	0.09	30	0.20
	168.0	169.0	1.0	0.01	13	0.09
	169.0	170.0	1.0	0.02	19	0.12
	170.0	171.0	1.0	0.01	3	0.02
	171.0	172.0	1.0	0.02	21	0.14
	172.0	172.5	0.5	0.03	22	0.12
including	164.0	172.5	8.5	0.03	17.00	0.11
DHDD5	119.0	120.0	1.0	0.11	3	0.31
	120.0	120.5	0.5	0.30	5	0.60
	120.5	121.0	0.5	0.14	3	0.37
	121.0	122.0	1.0	0.14	2	0.20
	122.0	123.0	1.0	0.29	3	0.39
	123.0	124.0	1.0	0.07	2	0.23
	124.0	125.0	1.0	0.06	2	0.19
	125.0	125.7	0.7	0.10	4	0.40
	125.7	126.3	0.6	1.35	9	1.25
	126.3	126.75	0.45	0.30	4	0.57
	126.75	127.3	0.55	1.53	4	0.48
	127.3	128.0	0.7	0.36	3	0.39
	128.0	128.4	0.4	1.83	2	0.23
	128.4	129.0	0.6	0.10	5	0.50

Drillhole	From (m)	To (m)	Int (m)	Au g/t	Ag g/t	Cu %
	129.0	130.0	1.0	0.24	3	0.33
	130.0	130.65	0.65	0.86	2	0.56
	130.65	131.4	0.75	1.03	4	0.62
	131.4	132.0	0.6	0.86	4	0.42
	132.0	133.0	1.0	0.59	4	0.46
	133.0	134.0	1.0	1.38	4	0.39
	134.0	135.0	1.0	3.50	4	0.60
	135.0	136.0	1.0	2.94	7	0.91
	136.0	137.0	1.0	0.82	6	0.84
	137.0	138.0	1.0	5.36	4	0.26
	138.0	139.0	1.0	0.35	4	0.26
	139.0	140.0	1.0	3.57	1	0.22
	140.0	141.0	1.0	0.18	3	0.30
	141.0	142.0	1.0	0.41	4	0.37
	142.0	143.0	1.0	0.03	0	0.03
	143.0	144.0	1.0	0.05	1	0.12
	144.0	145.0	1.0	0.06	3	0.23
	145.0	146.0	1.0	0.06	0	0.11
	146.0	147.0	1.0	0.06	2	0.20
	147.0	148.0	1.0	0.15	3	0.33
	148.0	149.0	1.0	0.23	4	0.40
	149.0	150.0	1.0	0.03	1	0.13
	150.0	151.0	1.0	0.46	3	0.28
	151.0	152.0	1.0	0.16	2	0.20
	152.0	153.0	1.0	0.13	3	0.40
	153.0	154.0	1.0	0.18	3	0.40
	154.0	155.0	1.0	0.13	3	0.34
	155.0	156.0	1.0	0.10	3	0.29
	156.0	157.0	1.0	0.04	1	0.12
including	125.7	140.0	14.3	1.64	4.00	0.51
including	130.0	140.0	10.0	2.04	4.00	0.50

Note: 1. Only assays above 0.1g.tAu, 2g/tAg, and/or >0.1% Cu, Pb, Zn or As are included.
2. All intervals are down hole lengths and true thickness will be less than stated.