

ATTACHMENT 1

**Adanac Ruby Creek October 2008 Drilling Summary:
 Coordinates and Mineralized Intervals**

10 Hole Update - October 21, 2008

Drill Hole Number	Easting (m)	Northing (m)	Elevation (m)	Azimuth (degrees)	Dip (degrees)	Depth (m)	From (m)	To (m)	Length (m)	Average % Mo
AD-403	589205.88	6620613.80	1598.65	0	-90	477.01	254.51	294.13	39.62	0.049
							306.32	446.53	140.21	0.087
Includes							342.90	345.95	3.05	0.345
Includes							349.00	352.05	3.05	0.383
Includes							361.19	364.24	3.05	0.202
Includes							406.91	409.96	3.05	0.338
AD-404	589206.29	6620613.18	1598.65	330	-60	391.67	No Significant Intercepts			
AD-405	589125.92	6620535.50	1612.60	0	-90	439.83	236.22	382.52	146.30	0.098
Includes							324.61	327.66	3.05	0.862
							349.00	352.05	3.05	0.431
AD-406	589125.52	6620535.61	1612.66	330	-60	373.38	No Significant Intercepts			
AD-407	589045.61	6620476.59	1628.95	0	-90	385.57	135.64	355.09	219.45	0.090
Includes							163.07	166.12	3.05	0.273
Includes							166.12	169.17	3.05	0.214
Includes							193.55	196.60	3.05	0.204
Includes							224.03	227.08	3.05	0.291
Includes							227.08	230.13	3.05	0.789
Includes							230.12	233.17	3.05	0.505
Includes							309.37	312.42	3.05	0.484
Includes							333.76	336.81	3.05	0.205
AD-408	589045.34	6620477.23	1629.10	330	-60	352.04	306.32	330.71	24.39	0.048
AD-409	589045.90	6620476.59	1628.99	150	-60	375.51	108.81	224.64	115.83	0.040
AD-420	589415.22	6620555.59	1572.24	150	-65	315.47	41.45	315.47	274.02	0.063

Adanac Molybdenum Corporation
 Press Release - October 21, 2008

Includes							56.69	59.74	3.05	0.278
Includes							74.98	78.03	3.05	0.232
Includes							145.08	148.13	3.05	0.233
Includes							160.32	163.37	3.05	0.488
AD-421	589499.39	6620528.40	1544.53	150	-65	328.57	46.94	328.57	281.63	0.086
Includes							62.18	65.23	3.05	0.345
Includes							65.23	68.28	3.05	0.400
Includes							68.28	71.33	3.05	0.525
Includes							214.58	217.63	3.05	0.200
Includes							232.87	235.92	3.05	0.483
Includes							284.68	287.73	3.05	0.510
Includes							299.92	302.97	3.05	0.221
AD-422	589529.04	6620598.55	1536.50	150	-65	406.91	38.10	315.47	277.37	0.094
Includes							86.87	89.92	3.05	0.660
Includes							89.92	92.97	3.05	0.313
Includes							92.97	96.02	3.05	0.682
Includes							102.11	105.16	3.05	0.290
Includes							105.16	108.21	3.05	0.441
Includes							108.21	111.25	3.05	0.239
Includes							120.40	123.45	3.05	0.238

Analysis performed by Acme Analytical Laboratories Ltd. of Vancouver, B.C.


All assay values > 0.2% Mo listed separately

Determinations based on assay intervals of 3.05 metres

Drill-hole location are by Underhill Geomatics Ltd. of Whitehorse. They are in UTM (CSRS) Coordinates, NAD 83, Zone 8

ATTACHMENT 2

Ruby Creek 10 Hole Update – Map



ATTACHMENT 3

**Adanac Ruby Creek 2007 and 2008 Drilling Summary:
Coordinates and Mineralized Intervals**

Complete 60 Hole Program Status To October 21, 2008

Drill Hole Number	Easting (m)	Northing (m)	Elevation (m)	Azimuth (degrees)	Dip (degrees)	Depth (m)	From (m)	To (m)	Length (m)	Average % Mo
AD-372	588836.35	6620220.01	1588.39	330	-50	459.94	62.48	96.01	33.53	0.102
Includes							68.58	71.63	3.05	0.696
							239.27	333.76	94.49	0.090
Includes							254.51	257.56	3.05	0.351
Includes							260.60	263.65	3.05	0.555
							376.43	379.48	3.05	0.482
AD-373	588836.35	6620220.01	1588.39	330	-70	397.76	44.20	77.72	33.52	0.162
Includes							44.20	47.25	3.05	0.291
Includes							62.48	65.53	3.05	0.510
Includes							65.53	68.58	3.05	0.334
							92.96	96.01	3.05	0.485
AD-374	588957.50	6620330.85	1597.57	330	-60	361.19	47.24	50.29	3.05	0.491
							105.16	361.19	256.03	0.080
Includes							227.08	306.32	79.24	0.120
Includes							160.02	163.07	3.05	0.255
Includes							239.27	242.32	3.05	0.373
Includes							248.41	251.46	3.05	0.273
Includes							284.99	288.04	3.05	0.290
Includes							321.56	324.61	3.05	0.219
Includes							345.95	349.00	3.05	0.208
AD-375	588685.68	6620177.70	1618.04	30	-65	529.44	276.14	364.54	88.40	0.039
AD-376	589098.71	6620392.37	1585.40	330	-60	529.74	133.50	352.96	219.46	0.062
Includes							203.61	261.52	57.91	0.090
Includes							215.80	218.85	3.05	0.294
							398.68	450.49	51.81	0.068
Includes							410.87	413.92	3.05	0.297
AD-377	588763.02	6619718.45	1652.17	0	-90	155.14	Abandoned Drill-hole			
AD-378	588706.43	6620250.00	1635.50	0	-90	399.29	108.20	111.25	3.05	0.274
							281.94	284.99	3.05	0.472
							312.42	367.28	54.86	0.057
Includes							330.71	333.76	3.05	0.218
AD-379	588783.79	6620308.28	1638.80	0	-90	416.66	66.14	99.67	33.53	0.064

Adanac Molybdenum Corporation
 Press Release - October 21, 2008

Includes							87.48	90.53	3.05	0.239
AD-380	588783.51	6620308.84	1638.90	330	-60	343.20	56.69	99.36	42.67	0.150
Includes							84.12	87.17	3.05	0.689
Includes							87.17	90.22	3.05	0.977
							175.56	343.20	167.64	0.062
Includes							212.14	215.19	3.05	0.251
Includes							294.44	297.49	3.05	0.650
Includes							334.06	377.11	3.05	0.341
AD-381	588706.02	6620250.85	1635.75	330	-50	364.24	77.72	80.77	3.05	0.313
							242.32	364.24	121.92	0.107
Includes							242.32	245.37	3.05	0.329
Includes							312.42	315.47	3.05	0.366
Includes							315.47	318.52	3.05	0.267
Includes							333.75	336.80	3.05	0.275
Includes							348.99	352.04	3.05	1.036
AD-382	588841.12	6620350.80	1637.89	0	-90	395.63	81.69	157.89	76.20	0.110
Includes							99.97	103.02	3.05	0.856
Includes							103.02	106.07	3.05	0.510
Includes							142.34	145.39	3.05	0.479
AD-383	588737.72	6620207.12	1612.53	0	-90	74.07	47.24	74.07	26.83	0.146
Includes							53.34	56.39	3.05	0.728
AD-384	590227.95	6621197.44	1416.23	0	-90	156.7	Condemnation Drill-hole			
AD-385	592360.02	6620897.30	1322.58	0	-90	215.5	Condemnation Drill-hole			
AD-386	590985.35	6621865.09	1370.32	0	-90	169.5	Condemnation Drill-hole			
AD-387	591043.98	6622050.06	1397.10	0	-90	215.2	Condemnation Drill-hole			
AD-388	591451.11	6621138.99	1375.25	0	-90	105.5	Condemnation Drill-hole			
AD-389	591493.00	6622103.64	1382.60	0	-90	141.7	Condemnation Drill-hole			
AD-390	591992.05	6621799.85	1341.97	0	-90	227.1	Condemnation Drill-hole			
AD-391	592310.25	6621358.72	1322.63	0	-90	312.4	Condemnation Drill-hole			
AD-392	592304.17	6620440.26	1323.04	0	-90	309.4	Condemnation Drill-hole			
AD-393	591925.80	6620828.09	1334.30	270	-60	288.0	Condemnation Drill-hole			
AD-394	589293.37	6620699.98	1592.66	150	-70	499.57	275.84	342.90	67.10	0.066
Includes							300.23	303.28	3.05	0.525

Adanac Molybdenum Corporation
 Press Release - October 21, 2008

AD-395	589293.36	6620699.99	1592.66	190	-70	409.96	272.80	288.04	15.24	0.072
							300.23	367.28	67.05	0.049
Includes							309.37	342.90	33.53	0.059
AD-396	589293.37	6620699.99	1592.66	190	-50	366.67	253.90	296.57	42.67	0.070
AD-397	588921.50	6620414.90	1636.96	0	-90	413.00	71.63	150.88	79.25	0.208
Includes							71.63	74.68	3.05	3.608
Includes							86.87	89.92	3.05	0.223
Includes							99.06	102.11	3.05	0.303
Includes							120.40	123.45	3.05	0.322
							263.65	370.33	106.68	0.067
Includes							263.65	266.70	3.05	0.204
Includes							288.04	291.09	3.05	0.233
Includes							309.37	312.42	3.05	0.317
AD-398	588841.21	6620350.71	1637.91	330	-60	575.16	83.82	370.33	286.51	0.046
Includes							129.54	132.59	3.05	0.255
Includes							169.16	172.21	3.05	0.765
							409.96	544.07	134.11	0.056
Includes							440.44	443.48	3.05	0.320
AD-399	588684.68	6620177.21	1618.08	0	-90	391.06	47.24	53.34	6.05	0.421
Includes							50.29	53.34	3.05	0.733
							254.51	367.28	112.77	0.053
Includes							336.60	339.85	3.05	0.245
AD-400	588737.28	6620207.52	1612.50	330	-60	477.32	50.29	86.87	36.58	0.147
Includes							50.29	53.34	3.05	1.142
Includes							53.34	56.39	3.05	0.249
							266.70	464.82	198.12	0.133
Includes							266.70	269.75	3.05	1.272
Includes							291.08	294.13	3.05	0.375
Includes							355.09	358.14	3.05	3.111
Includes							358.14	361.19	3.05	0.274
Includes							361.19	364.24	3.05	0.267
Includes							373.38	376.43	3.05	0.281
Includes							379.48	382.53	3.05	0.201
AD-401	588995.28	6620352.20	1594.88	330	-60	431.29	56.39	144.78	88.39	0.102
Includes							80.77	83.22	3.05	1.649
							169.16	428.24	259.08	0.076
Includes							236.22	239.27	3.05	0.266
Includes							281.94	284.99	3.05	0.247
Includes							288.04	291.09	3.05	0.282
AD-402	588921.36	6620415.16	1636.97	330	-60	483.11	80.77	236.22	155.45	0.045
Includes							80.77	83.82	3.05	0.504

Adanac Molybdenum Corporation
 Press Release - October 21, 2008

AD-415	589501.98	6620630.64	1547.15	0	-90	384.05	141.73	355.09	213.36	0.081
Includes							197.82	200.87	3.05	0.387
Includes							214.88	294.13	79.25	0.136
Includes							214.88	217.93	3.05	0.232
Includes							220.98	224.03	3.05	0.673
Includes							227.08	230.13	3.05	0.238
Includes							230.12	233.17	3.05	0.395
Includes							245.36	248.41	3.05	0.291
Includes							257.56	260.61	3.05	0.204
AD-416	588685.08	6620176.52	1618.04	330	-60	487.68	318.21	501.09	182.88	0.097
Includes							345.64	360.88	15.25	0.715
Includes							345.64	348.69	3.05	0.344
Includes							348.69	351.74	3.05	0.833
Includes							351.74	354.79	3.05	1.568
Includes							354.79	357.84	3.05	0.510
Includes							357.84	360.88	3.05	0.317
AD-417	588557.82	6620074.99	1619.04	0	-90	400.20	Awaiting Assay			
AD-418	588557.23	6620075.73	1619.17	330	-60	407.82	Awaiting Assay			
AD-419	588556.63	6620078.09	1619.44	150	-70	422.15	Awaiting Assay			
AD-420	589415.22	6620555.59	1572.24	150	-65	315.47	41.45	315.47	274.02	0.063
Includes							56.69	59.74	3.05	0.278
Includes							74.98	78.03	3.05	0.232
Includes							145.08	148.13	3.05	0.233
Includes							160.32	163.37	3.05	0.488
AD-421	589499.39	6620528.40	1544.53	150	-65	328.57	46.94	328.57	281.63	0.086
Includes							62.18	65.23	3.05	0.345
Includes							65.23	68.28	3.05	0.400
Includes							68.28	71.33	3.05	0.525
Includes							214.58	217.63	3.05	0.200
Includes							232.87	235.92	3.05	0.483
Includes							284.68	287.73	3.05	0.510
Includes							299.92	302.97	3.05	0.221
AD-422	589529.04	6620598.55	1536.50	150	-65	406.91	38.10	315.47	277.37	0.094
Includes							86.87	89.92	3.05	0.660
Includes							89.92	92.97	3.05	0.313
Includes							92.97	96.02	3.05	0.682
Includes							102.11	105.16	3.05	0.290
Includes							105.16	108.21	3.05	0.441
Includes							108.21	111.25	3.05	0.239
Includes							120.40	123.45	3.05	0.238
AD-423	589649.63	6620619.98	1515.73	150	-65	368.81	Awaiting Assay			

Adanac Molybdenum Corporation
 Press Release - October 21, 2008

AD-424	589493.56	6620436.86	1521.76	150	-65	307.85	Awaiting Assay			
AD-425	589629.12	6620531.03	1503.60	150	-65	331.32	Awaiting Assay			
AD-426	589807.94	6620560.30	1468.00	150	-65	309.37	Awaiting Assay			
AD-427	589599.44	6620450.35	1497.66	150	-65	324.92	Awaiting Assay			
AD-428	589239.23	6620034.22	1570.59	330	-60	315.47	Awaiting Assay			
AD-429	589890.16	6620005.53	1503.86	0	-90	257.56	Awaiting Assay			
AD-430	589917.19	6620097.21	1490.93	0	-90	266.70	Awaiting Assay			
AD-431	589871.73	6620201.82	1480.60	0	-90	245.36	Awaiting Assay			

Analysis performed by Acme Analytical Laboratories Ltd. of Vancouver, B.C.

All assay values > 0.2% Mo listed separately

Determinations based on assay intervals of 3.05 metres

Drill-hole location are by Underhill Geomatics Ltd. of Whitehorse. They are in UTM (CSRS) Coordinates, NAD 83, Zone 8