



Blue highlighted sections contain holes announced in latest release. Please see sections for assay intervals.





HoleID	To (m)	From (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Gold Eq (g/t)
TU-12-122	64.0	101.0	37.0	0.4	1	0.4
TU-12-122	222.0	241.0	19.0	0.3	40	1.1
TU-12-122	262.1	276.7	14.6	0.7	44	1.6
TU-12-122	271.7	274.3	2.6	2.9	99	4.9
TU-12-128	56.5	90.2	33.7	0.4	1	0.4
TU-12-128	218.0	220.0	2.0	0.8	107	3.0
TU-12-128	241.6	261.0	19.4	0.2	48	1.2
TU-12-128	268.3	269.3	1.0	0.5	106	2.6
TU-12-128	289.2	306.5	17.3	0.2	19	0.6
TU-12-128	313.0	317.5	4.5	0.3	23	0.7
TU-12-131	63.7	104.2	40.5	0.4	4	0.5
TU-12-131	65.7	72.0	6.3	1.1	2	1.1
TU-12-131	141.0	199.7	58.7	0.1	9	0.3
TU-12-131	196.5	199.7	3.2	0.3	59	1.5
TU-12-131	349.2	375.0	25.8	0.6	42	1.4
TU-12-131	352.2	366.6	14.4	0.9	58	2.1
TU-12-131	352.2	354.6	2.4	3.4	139	6.2
TU-12-131	361.8	366.6	4.8	0.8	56	1.9
TU-12-141	85.5	142.3	56.8	0.4	5	0.5
TU-12-141	135.7	141.3	5.6	1.1	35	1.8
TU-12-141	153.3	167.5	14.2	0.3	2	0.3
TU-12-141	176.8	279.0	102.2	0.5	5	0.6
TU-12-141	197.3	201.1	3.9	1.0	5	1.1
TU-12-141	207.9	210.4	2.5	0.8	18	1.1
TU-12-141	221.2	224.3	3.1	5.0	35	5.7
TU-12-141	234.5	263.2	28.7	0.9	8	1.0
TU-12-141	257.5	263.2	5.7	2.4	25	3.0

Intervals Greater than 0.3 g/t AuEq

- 0.3 - 0.5
- 0.5 - 1.0
- 1.0 - 2.5
- 2.5 - 5.0
- 5.0 - 10.0
- >10.0

Assay results pending


Almaden Minerals Ltd. NYSE MKT: AML TSE: AMM Invest in our ideas. Profit from their potential. Suite 1103-750 West Pender Street, Vancouver, BC, Canada, V6C 2T8 ph: 604.689.7644 + fax: 604.689.7645 + www.almadenminerals.com

Section 10200
Looking NE (+/- 25m)
Ixtaca Project

Scale: 1: 4000 Plan No. Date: 20-Jun-12

Gold Equivalent (AuEq) is calculated using silver to gold ratios of 50 to 1.

HoleID	To (m)	From (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Gold Eq (g/t)
TU-11-30	60.0	212.0	152.0	0.9	14	1.2
TU-11-30	60.0	68.0	8.0	9.4	3	9.5
TU-11-30	64.0	65.0	1.0	66.8	18	67.2
TU-11-30	170.0	173.0	3.0	3.3	117	5.7
TU-11-33	26.8	350.0	323.3	0.4	15	0.7
TU-11-33	36.4	69.0	32.7	0.8	14	1.0
TU-11-33	328.8	344.7	15.9	1.2	100	3.2
TU-11-33	402.0	404.9	2.9	1.3	7	1.5
TU-11-40	42.0	197.0	155.0	0.6	4	0.7
TU-11-40	151.4	186.5	35.1	1.8	4	1.8
TU-11-40	171.6	173.1	1.6	18.2	22	18.6
TU-11-40	182.6	184.8	2.3	3.9	24	4.3
TU-11-45	65.0	146.3	81.3	0.8	5	0.9
TU-11-45	65.0	129.0	64.0	0.9	5	1.0
TU-11-74	90.0	211.0	121.1	0.3	8	0.5
TU-11-74	158.5	189.8	31.3	0.5	20	0.9
TU-12-110	40.5	93.0	52.5	0.8	4	0.9
TU-12-110	60.5	93.0	32.5	1.1	5	1.2
TU-12-110	140.5	145.6	5.1	6.9	11	7.1
TU-12-110	239.7	261.2	21.5	0.3	7	0.5
TU-12-110	244.8	249.8	5.0	0.8	11	1.0
TU-12-114	23.7	118.9	95.2	0.6	4	0.7
TU-12-114	111.0	117.7	6.7	2.0	10	2.2
TU-12-114	139.0	157.6	18.6	2.6	4	2.7
TU-12-114	139.0	139.5	0.5	85.8	42	86.6
TU-12-114	203.0	221.1	18.1	0.8	12	1.0
TU-12-118	46.15	143.6	97.5	0.3	10	0.5
TU-12-147	26.0	87.5	61.5	2.0	7	2.1
TU-12-147	45.5	70.5	25.0	4.2	15	4.5
TU-12-147	47.2	52.3	5.1	15.0	56	16.1
TU-12-147	49.9	51.2	1.3	49.8	207	53.9
TU-12-147	126.0	153.0	27.0	0.3	22	0.8
TU-12-147	140.5	151.0	10.5	0.5	30	1.1
TU-12-147	155.5	165.0	9.5	0.6	78	2.1
TU-12-147	176.5	215.3	38.8	2.6	32	3.2
TU-12-147	181.0	209.5	28.5	1.1	34	1.8
TU-12-147	223.0	262.0	39.0	0.5	15	0.8
TU-12-147	223.0	225.5	2.5	0.8	34	1.5
TU-12-147	231.8	236.5	4.8	0.9	28	1.5
TU-12-147	276.4	279.0	2.7	0.5	66	1.9




Almaden Minerals Ltd. NYSE:AMM AUJ TSX:AMM Invest in our ideas. Profit from their potential.

Suite 1103-750 West Pender Street, Vancouver, BC, Canada, V6C 2T8
 ph: 604.689.7644 + fax: 604.689.7645 + www.almadenminerals.com


Section 10250
 Looking NE (+/- 25m)
 Ixtaca Project

Scale: 1: 4000 Plan No. Date: 20-Jun-12

Gold Equivalent (AuEq) is calculated using silver to gold ratios of 50 to 1.



HoleID	To (m)	From (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Gold Eq (g/t)
TU-11-63	37.0	43.5	6.5	0.3	11	0.5
TU-11-63	64.8	164.0	99.2	0.5	25	1.0
TU-11-63	73.4	107.8	34.4	0.8	22	1.2
TU-11-63	100.0	104.0	4.0	4.1	78	5.6
TU-11-63	124.0	126.3	2.3	6.1	382	13.7
TU-11-63	125.1	154.4	29.3	0.8	52	1.9
TU-11-63	141.9	144.1	2.2	2.7	153	5.7
TU-11-69	164.8	166.1	1.2	0.8	51	1.8
TU-11-71	59.0	140.0	81.0	0.3	15	0.6
TU-11-71	106.5	140.0	33.5	0.4	26	0.9
TU-12-137	68.5	84.0	15.5	0.2	12	0.5
TU-12-137	105.4	107.0	1.6	0.5	46	1.4
TU-12-137	105.4	105.9	0.5	1.4	120	3.8
TU-12-137	112.5	113.5	1.0	1.1	63	2.4
TU-12-137	135.2	140.6	5.4	0.3	4	0.4
TU-12-137	140.0	140.6	0.6	1.9	3	2.0
TU-12-137	157.4	161.2	3.8	0.2	5	0.3
TU-12-137	179.2	216.2	37.0	0.1	9	0.3
TU-12-137	191.8	208.2	16.4	0.2	14	0.5
TU-12-150	93.4	105.5	12.1	0.1	13	0.4
TU-12-150	140.2	142.0	1.8	1.3	51	2.3




Almaden Minerals Ltd. NYSE MKT: AAM TSX: AMM Invest in our ideas. Profit from their potential.

Suite 1103-750 West Pender Street, Vancouver, BC, Canada, V6C 2T8
 ph: 604.689.7644 + fax: 604.689.7645 + www.almadenminerals.com

Section 10300
 Looking NE (+/- 25m)
 Ixtaca Project

Gold Equivalent (AuEq) is calculated using silver to gold ratios of 50 to 1.

HoleID	To (m)	From (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Gold Eq (g/t)
TU-10-01	47.5	349.9	302.4	1.0	48	1.7
TU-10-01	106.7	109.7	3.0	4.4	453	13.5
TU-10-01	119.8	277.0	157.3	1.6	72	3.0
TU-10-01	139.0	183.4	44.4	2.8	118	5.1
TU-10-01	174.5	178.6	4.1	25.7	936	40.1
TU-10-01	174.5	176.2	1.7	60.7	2112	102.9
TU-10-01	225.8	233.5	7.7	5.4	136	8.2
TU-10-01	230.7	233.5	2.7	5.4	312	10.2
TU-10-01	315.0	336.6	21.6	1.9	51	2.9
TU-10-01	315.7	319.4	3.8	9.5	279	13.8
TU-10-03	27.6	253.8	226.2	0.4	34	1.0
TU-10-03	79.0	84.8	5.8	1.2	175	4.7
TU-10-03	204.0	211.0	7.0	2.3	195	6.2
TU-11-35	191.7	248.6	56.9	0.5	14	0.7
TU-11-35	221.9	225.2	3.3	3.4	48	4.3
TU-11-35	241.4	245.0	3.6	2.0	93	3.9
TU-11-36	69.6	73.4	3.8	2.5	194	6.4
TU-11-36	79.2	83.9	4.7	2.8	188	6.6
TU-11-36	82.7	83.9	1.1	4.8	335	11.5
TU-11-36	108.3	118.5	10.2	1.9	135	4.6
TU-11-36	111.8	113.3	1.5	5.9	454	15.0
TU-11-36	150.7	151.1	0.4	5.7	447	14.6
TU-11-61	18.2	53.0	34.8	0.3	19	0.6
TU-11-61	38.6	53.0	14.4	0.4	26	1.0
TU-11-61	120.7	123.9	3.1	0.9	68	2.3
TU-11-64	3.3	103.6	100.3	0.5	36	1.2
TU-11-64	81.1	83.1	2.1	2.0	358	9.1
TU-12-139	49.7	208.7	159.0	0.4	22	0.9
TU-12-139	49.7	127.8	78.1	0.3	26	0.8
TU-12-139	90.8	105.7	15.0	0.8	71	2.3
TU-12-139	90.8	92.8	2.0	1.1	79	2.7
TU-12-139	94.3	97.3	3.0	1.7	146	4.6
TU-12-139	104.2	105.7	1.5	2.1	140	4.9
TU-12-139	111.6	113.3	1.7	1.1	78	2.6
TU-12-139	124.3	125.3	1.0	3.0	147	5.9
TU-12-139	139.0	187.2	48.2	0.7	21	1.2
TU-12-139	142.0	144.0	2.0	12.6	322	19.0
TU-12-139	166.5	168.0	1.5	2.0	51	3.1
TU-12-139	193.9	208.7	14.8	0.5	23	0.9
TU-12-139	198.3	203.1	4.8	0.9	58	2.0
TU-12-142	40.2	74.3	34.1	0.6	11	0.8
TU-12-142	54.4	56.4	2.0	0.5	46	1.4
TU-12-142	73.3	74.3	1.0	14.4	4	14.5
TU-12-142	91.3	101.2	9.9	0.8	71	2.2
TU-12-142	95.3	101.2	5.9	1.3	112	3.5
TU-12-142	95.3	95.8	0.5	4.9	414	13.2
TU-12-142	98.0	99.0	1.0	3.0	275	8.5
TU-12-142	100.7	101.2	0.5	2.6	246	7.6
TU-12-142	109.3	118.6	9.3	0.5	25	1.0
TU-12-142	116.0	118.6	2.6	0.9	59	2.1
TU-12-142	162.3	171.8	9.5	0.5	48	1.4
TU-12-142	163.0	163.5	0.5	5.1	567	16.4
TU-12-142	223.0	225.7	2.7	0.6	20	1.0
TU-12-146	56.0	118.5	62.5	0.6	33	1.3
TU-12-146	59.9	91.9	32.0	0.8	44	1.7
TU-12-146	84.1	86.7	2.6	1.5	90	3.3
TU-12-146	103.0	107.3	4.3	1.0	97	2.9
TU-12-148	62.8	95.5	32.7	0.2	20	0.6
TU-12-148	78.5	88.0	9.5	0.4	43	1.3
TU-12-148	78.5	79.6	1.1	0.8	137	3.6
TU-12-148	93.5	95.5	2.0	0.6	90	2.4




Almaden Minerals Ltd. NYSE MKT: AAM TSX: AMM Invest in our ideas. Profit from their potential.
 Suite 1103-750 West Pender Street, Vancouver, BC, Canada, V6C 2T8
 ph: 604.689.7644 + fax: 604.689.7645 + www.almadenminerals.com

Section 10400
 Looking NE (+/- 25m)
 Ixtaca Project

Scale: 1: 4000 Plan No. Date: 20-Jun-12

Gold Equivalent (AuEq) is calculated using silver to gold ratios of 50 to 1.



HoleID	To (m)	From (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Gold Eq (g/t)
TU-12-123	52.25	293.40	241.15	1.13	59.3	2.3
TU-12-123	67.70	72.70	5.00	1.04	131.5	3.7
TU-12-123	172.90	202.35	29.45	3.21	136.3	5.9
TU-12-123	226.60	240.50	13.90	2.58	132.5	5.2
TU-12-123	264.30	270.18	5.88	3.00	117.1	5.3
TU-12-126	76.0	86.5	10.5	0.1	14	0.4
TU-12-126	121.0	148.2	27.2	1.2	92	3.0
TU-12-126	132.3	139.5	7.2	3.4	247	8.3
TU-12-126	178.0	304.1	126.1	1.2	63	2.5
TU-12-126	209.0	215.0	6.0	1.6	192	5.4
TU-12-126	222.5	226.8	4.3	6.6	127	9.2
TU-12-126	238.5	249.0	10.5	3.6	162	6.9
TU-12-126	281.5	290.3	8.8	4.1	229	8.7
TU-12-126	321.5	331.4	9.9	0.9	3	1.0
TU-12-130	32.0	46.3	14.3	1.7	95	3.6
TU-12-130	42.1	44.6	2.5	8.9	467	18.2
TU-12-130	53.5	71.0	17.5	0.4	140	3.2
TU-12-130	55.5	56.0	0.5	6.3	3610	78.5
TU-12-130	63.5	66.0	2.5	0.7	154	3.7
TU-12-130	84.0	240.0	156.0	0.4	31	1.0
TU-12-130	188.0	189.1	1.1	5.0	804	21.1
TU-12-130	237.2	240.3	3.1	2.1	177	5.6
TU-12-133	38.80	181.00	142.20	0.40	41.2	1.2
TU-12-133	39.30	40.80	1.50	1.20	81.9	2.8
TU-12-133	56.00	62.30	6.30	0.33	53.3	1.4
TU-12-133	88.82	108.50	19.68	0.85	61.1	2.1
TU-12-133	96.75	102.75	6.00	1.84	112.1	4.1
TU-12-133	121.00	134.50	13.50	0.53	50.2	1.5
TU-12-133	144.75	170.30	25.55	0.92	113.3	3.2
TU-12-133	152.80	164.80	12.00	1.71	216.5	6.0
TU-12-133	199.20	200.20	1.00	0.84	110.1	3.1

Intervals Greater than 0.3 g/t AuEq

- 0.3 - 0.5
- 0.5 - 1.0
- 1.0 - 2.5
- 2.5 - 5.0
- 5.0 - 10.0
- >10.0

Assay results pending


Almaden Minerals Ltd. NYSE MKT: AAM TSE: AMM *Invest in our ideas. Profit from their potential.*
 Suite 1103-750 West Pender Street, Vancouver, BC, Canada, V6C 2T8
 ph: 604.689.7644 + fax: 604.689.7645 + www.almadenminerals.com

Section 10525
 Looking NE (+/- 12.5m)
 Ixtaca Project

Scale: 1: 4000	Plan No.	Date: 20-Jun-12
----------------	----------	-----------------

Gold Equivalent (AuEq) is calculated using silver to gold ratios of 50 to 1.

HoleID	To (m)	From (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Gold Eq (g/t)
TU-11-15	138.3	260.4	122.1	0.9	30	1.5
TU-11-15	139.7	144.2	4.5	16.4	67	17.7
TU-11-15	197.9	200.5	2.6	1.7	148	4.6
TU-11-15	258.7	259.9	1.2	3.0	201	7.0
TU-11-17	128.0	329.0	201.0	0.6	46	1.5
TU-11-17	183.4	191.1	7.8	1.5	123	3.9
TU-11-17	226.3	247.0	20.7	1.9	228	6.4
TU-11-17	238.7	247.0	8.3	2.7	417	11.0
TU-11-48	35.8	74.6	38.8	0.5	44	1.4
TU-11-48	37.0	44.0	7.0	1.7	148	4.7
TU-11-48	133.8	187.5	53.7	0.6	86	2.3
TU-11-48	168.6	185.5	16.9	1.6	212	5.8
TU-11-48	177.9	181.4	3.5	7.3	847	24.2
TU-11-48	179.1	180.4	1.3	18.7	2129	61.3
TU-11-51	39.3	137.9	98.6	0.9	76	2.5
TU-11-51	110.5	112.7	2.2	4.0	215	8.3
TU-11-79	160.0	178.2	18.2	0.4	12	0.6
TU-11-79	228.3	303.0	74.7	0.2	19	0.6
TU-11-79	264.0	286.5	22.5	0.5	33	1.1
TU-11-82	157.3	398.3	241.0	0.4	31	1.0
TU-11-82	221.82	238.14	16.3	1.3	80	2.9
TU-11-82	340.0	341.1	1.1	4.5	405	12.6
TU-11-82	359.3	384.7	25.4	1.2	92	3.0
TU-11-82	359.3	361.6	2.3	6.9	463	16.1
TU-11-82	438.0	439.8	1.8	1.5	53	2.6
TU-11-91	3.1	13.0	10.0	0.5	12	0.7
TU-11-91	28.8	36.0	7.3	0.3	11	0.6
TU-11-91	84.1	98.0	13.9	0.8	106	2.9
TU-11-91	152.2	296.6	144.4	0.4	43	1.3
TU-11-91	236.9	256.6	19.7	1.2	121	3.6
TU-11-91	250.7	256.6	5.9	2.7	247	7.7
TU-11-95	12.2	80.1	67.9	0.2	21	0.6
TU-11-95	74.6	79.6	5.1	0.9	89	2.7
TU-11-95	134.0	137.0	3.1	0.8	32	1.5
TU-11-95	149.3	167.2	18.0	0.5	36	1.2
TU-11-95	176.1	214.4	38.3	0.5	70	1.9
TU-11-95	209.7	214.4	4.7	0.9	194	4.8
TU-11-107	189.5	215.8	26.3	0.87	28	1.4
TU-11-107	189.5	193.7	4.2	1.78	62	3.0
TU-11-107	207.4	210.9	3.5	3.34	70	4.7
TU-11-107	224.0	244.3	20.3	0.54	18	0.9
TU-11-107	224.0	237.0	13.0	0.72	21	1.1
TU-11-107	399.0	423.5	24.5	0.40	29	1.0
TU-11-107	405.9	412.6	6.7	0.9	91	2.7
TU-12-138	43.50	87.27	43.77	0.59	4.3	0.7
TU-12-138	61.00	71.50	10.50	0.88	4.9	1.0
TU-12-138	84.00	87.27	3.27	2.07	10.5	2.3
TU-12-138	135.50	184.25	48.75	0.22	16.7	0.6
TU-12-138	135.50	137.10	1.60	0.34	35.5	1.1
TU-12-138	151.60	152.60	1.00	0.29	33.4	1.0
TU-12-138	179.95	182.50	2.55	2.98	216.4	7.3
TU-12-138	202.00	359.50	157.50	0.36	41.4	1.2
TU-12-138	202.00	206.80	4.80	0.20	32.0	0.8
TU-12-138	223.20	225.50	2.30	0.49	55.7	1.6
TU-12-138	242.00	247.00	5.00	0.22	32.0	0.9
TU-12-138	246.00	247.00	1.00	0.54	125.7	3.1
TU-12-138	264.30	359.50	95.20	0.54	61.1	1.8
TU-12-138	264.80	265.45	0.65	1.74	117.0	4.1
TU-12-138	279.00	280.00	1.00	0.31	71.3	1.7
TU-12-138	285.50	288.50	3.00	0.52	124.6	3.0
TU-12-138	292.50	302.00	9.50	1.27	234.3	6.0
TU-12-138	304.00	307.00	3.00	3.87	439.9	12.7
TU-12-138	333.60	338.35	4.75	1.67	77.2	3.2
TU-12-138	356.50	358.00	1.50	1.04	85.9	2.8
TU-12-144	45.50	92.60	47.10	0.52	3.73	0.6
TU-12-144	57.50	60.00	2.50	0.96	1.32	1.0
TU-12-144	67.00	69.00	2.00	3.28	6	3.4
TU-12-144	163.50	179.50	16.00	0.14	8.08	0.3
TU-12-144	169.50	171.10	1.60	0.41	36.47	1.1
TU-12-144	210.00	258.00	48.00	0.52	32.04	1.2
TU-12-144	227.40	235.80	8.40	1.68	59.33	2.9
TU-12-144	227.40	228.60	1.20	1.48	108.5	3.7
TU-12-144	234.00	235.80	1.80	3.03	70.63	4.5
TU-12-144	257.50	258.00	0.50	2.70	838	19.5




Almaden Minerals Ltd. NTRSE MKT-AARI TSM-AMM Invest in our ideas. Profit from their potential. Suite 1103-750 West Pender Street, Vancouver, BC, Canada, V6C 2T8 ph: 604.689.7644 + fax: 604.689.7645 + www.almadenminerals.com

Section 10650
Looking NE (+/- 12.5m)
Ixtaca Project

Scale: 1: 4000 Plan No. Date: 20-Jun-12

HoleID	To (m)	From (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Gold Eq (g/t)
TU-11-18	85.0	264.9	179.9	0.4	33	1.1
TU-11-18	116.9	127.7	10.8	1.7	115	3.9
TU-11-18	120.8	122.4	1.6	4.2	336	10.9
TU-11-18	181.7	182.6	1.0	6.7	349	13.6
TU-11-20	119.4	298.6	179.2	0.6	36	1.3
TU-11-20	140.0	142.1	2.1	3.2	303	9.3
TU-11-20	178.9	181.8	2.9	3.0	277	8.5
TU-11-20	188.0	199.1	11.1	1.4	84	3.0
TU-11-20	211.0	215.4	4.4	1.6	104	3.7
TU-11-20	239.1	240.0	0.9	1.5	422	10.0
TU-11-39	39.3	154.7	115.4	0.5	38	1.2
TU-11-39	116.2	135.8	19.6	1.1	102	3.1
TU-11-39	132.9	135.8	2.9	4.2	261	9.4
TU-11-39	134.6	135.8	1.2	7.3	487	17.0
TU-11-49	181.0	207.0	26.0	0.4	9	0.6
TU-11-49	213.5	225.9	12.4	0.4	15	0.7
TU-11-49	267.2	271.5	4.3	1.1	113	3.4
TU-11-49	302.0	360.2	58.2	0.5	38	1.3
TU-11-49	318.3	326.1	7.8	1.8	141	4.7
TU-11-49	367.4	375.5	8.1	0.5	50	1.5
TU-11-49	384.5	389.6	5.1	2.6	5	2.7
TU-11-54	102.0	130.8	28.8	0.4	26	0.9
TU-11-54	117.7	129.6	11.9	0.6	52	1.7
TU-11-54	381.2	381.9	0.7	2.2	141	5.1
TU-11-54	431.1	458.0	26.9	0.7	8	0.8
TU-11-54	431.1	434.6	3.6	3.8	28	4.4
TU-11-85	169.0	219.1	50.1	0.4	13	0.7
TU-11-85	219.1	463.7	244.6	0.5	27	1.1
TU-11-85	299.0	301.7	2.7	1.3	189	5.1
TU-11-85	351.3	377.7	26.4	1.3	104	3.4
TU-11-85	441.8	462.0	20.2	2.5	57	3.7
TU-11-85	443.9	455.1	11.2	3.4	87	5.1
TU-12-97	135.9	194.9	59.0	0.7	41	1.5
TU-12-97	149.3	151.9	2.5	8.6	506	18.7
TU-12-97	204.4	226.5	22.1	0.6	27	1.2
TU-12-97	250.8	259.5	8.7	0.5	20	0.9
TU-12-97	270.8	280.5	9.7	0.3	17	0.7
TU-12-102	120.5	135.5	15.0	0.3	17	0.6
TU-12-102	150.1	157.5	7.4	0.4	61	1.6
TU-12-102	185.3	200.2	14.9	0.2	21	0.6
TU-12-104	83.5	87.0	3.6	0.7	95	2.7
TU-12-104	152.0	263.3	111.3	0.6	28	1.2
TU-12-104	157.5	166.0	8.5	1.1	120	3.5
TU-12-149	90.0	133.0	43.0	0.6	15	0.9
TU-12-149	146.0	165.5	19.5	0.2	34	0.9
TU-12-149	172.5	177.5	5.0	0.5	47	1.4
TU-12-149	204.6	215.8	11.2	0.3	75	1.8
TU-12-149	224.5	314.7	90.2	0.4	34	1.1
TU-12-149	310.1	313.6	3.5	4.7	241	9.5





Almaden Minerals Ltd. NYSE MKT: AAM TSE: AAM Invest in our ideas. Profit from their potential.

Suite 1103-750 West Pender Street, Vancouver, BC, Canada, V6C 2T8
 ph: 604.689.7644 + fax: 604.689.7645 + www.almadenminerals.com

Section 10700
 Looking NE (+/- 12.5m)
 Ixtaca Project

Scale: 1: 4000 Plan No. Date: 20-Jun-12

Gold Equivalent (AuEq) is calculated using silver to gold ratios of 50 to 1.



HoleID	To (m)	From (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Gold Eq (g/t)
TU-12-140	36.9	95.0	58.1	0.5	6.7	0.7
TU-12-140	36.9	44.0	7.1	0.9	7	1.0
TU-12-140	91.0	95.0	4.0	1.0	38	1.8
TU-12-140	146.8	187.0	40.2	0.3	14	0.6
TU-12-140	146.8	149.2	2.4	0.1	70	1.5
TU-12-140	160.0	160.6	0.6	0.2	214	4.5
TU-12-140	163.4	165.8	2.4	0.7	39	1.5
TU-12-140	173.0	173.5	0.5	6.5	4	6.6
TU-12-143	27.42	79.70	52.28	0.48	4.53	0.6
TU-12-143	53.00	67.00	14.00	0.82	1.78	0.9
TU-12-143	59.00	63.50	4.50	1.07	1.69	1.1

Almaden Minerals Ltd. NYSE MKT: AAM TSX: AMM *Invest in our ideas. Profit from their potential.*
 Suite 1103-750 West Pender Street, Vancouver, BC, Canada, V6C 2T8
 ph: 604.689.7644 + fax: 604.689.7645 + www.almadenminerals.com

Section 10925
 Looking NE (+/- 12.5m)
 Ixtaca Project

Scale: 1: 4000 Plan No. Date: 20-Jun-12

Gold Equivalent (AuEq) is calculated using silver to gold ratios of 50 to 1.