



# Land Holdings in Mongolia as of June 30, 2011



This information should be read together with our news release of July 11th, 2011.  
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

# ATO District, Geology




## LEGEND

- Sedimentary rocks**
- O4 Quaternary sediments, lake, alluvium, lake-alluvium clay, gravel
  - Odp Quaternary sediments, deluvium and deluvium-proluvium sand, sandstone, gravel
  - K1 Lower Cretaceous conglomerate, graywacke, sandstone, aleurolite, siltstone, schist and clay
  - J2-3 Middle-Upper Jurassic sandstone, gravelstone, siltstone, conglomerate, tuff, tuff sandstone, tuff gravelstone, tuff breccia and gidrobreccia
  - T3 Upper Triassic sandstone, aleurolite, siltstone and conglomerate
  - P2 Upper Permian sandstone, conglomerate, aleurolite, siltstone and tuff
  - P1 Lower Permian rhyolite, dacite, ignimbrite, andesite, andesite-dacite porphyry, tuff and tuff sandstone
  - D1 Lower Devonian rhyolite, trachyrhyolite, trachyrhyolite porphyry, tuff, ignimbrite and limestone
- Intrusive rocks**
- J2-3gr Middle-Late Jurassic granite medium-fine grained, leucogranite, granite-porphyry and granodiorite
  - J2-3d Middle-Late Jurassic diorite, quartz diorite, microdiorite, gabbro and gabbrodiorite
  - J1gr Early Jurassic granite medium-large grained, alkaline and granodiorite medium grained
  - P2gr Late Permian granite fine-medium grained, biotite rarely coarse grained, plagiogranite, leucogranite and granodiorite
  - P2d Late Permian diorite medium grained, gabbrodiorite and gabbro
  - Rhyolite dyke
  - Granite-porphyry dyke
  - Diorite dyke
  - Syenite dyke
  - Quartz vein
- Contacts**
- Geological boundary, confirmed
  - Geological boundary, inferred
- Faults**
- Mapped
  - Inferred
  - Covered
  - Inferred based in aerophoto interpretation
- Strike and dip (inclined)
- Quartz float
- Local alteration**
- Q-silica, Se-sericite, Fe-limonite, Arg-argilic, Py-pyrite  
Sif-sulfide, Cl-chlorite
  - Cataclasite
  - Topographic contour, 20 m interval
  - Exploration licenses



# ATO Targets

Several weak chargeability anomalies indicate additional targets




This information should be read together with our news release of July 11th, 2011. Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.






# ATO – Plan Map with Section Lines




This information should be read together with our news release of July 11th, 2011.  
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.



# ATO – Section 3 SE




# ATO – Section 4 SE



This information should be read together with our news release of July 11th, 2011. Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.




# ATO – Section 5 SE







# ATO – Section 6 SE




This information should be read together with our news release of July 11th, 2011. Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.





# ATO – Section 7 SE




This information should be read together with our news release of July 11th, 2011. Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.






# ATO – Section 8 SE



This information should be read together with our news release of July 11th, 2011. Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.




# ATO – Section 9 SE








# ATO – Section 10 SE



This information should be read together with our news release of July 11th, 2011.  
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.




# ATO – Section 11 SE



This information should be read together with our news release of July 11th, 2011.  
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.




# ATO – Section 12 SE



This information should be read together with our news release of July 11th, 2011.  
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.



# ATO – Section 13 SE



This information should be read together with our news release of July 11th, 2011.  
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.





## Centerra Gold Inc. - ATO 2011 Drilling Results

### Drill Hole Locations to May 31, 2011.

Drill Hole	Location Easting	Location Northing	Elevation (m)	Length (m)	Collar Azimuth	Collar Dip
ATO-01	631,777.32	5,367,066.44	1,063.34	221.35	38	-60
ATO-02	631,722.55	5,366,994.44	1,067.18	242.20	35	-60
ATO-03	631,573.56	5,367,107.74	1,056.35	200.05	35	-60
ATO-04	631,396.57	5,367,216.18	1,048.66	200.30	35	-60
ATO-05	631,239.18	5,367,322.18	1,044.40	200.20	35	-60
ATO-06	631,459.65	5,367,115.77	1,052.70	209.00	35	-60
ATO-07	631,666.88	5,366,906.62	1,050.39	208.20	35	-60
ATO-08	631,455.61	5,366,461.22	1,028.08	176.20	35	-60
ATO-09	631,665.25	5,366,906.81	1,050.56	120.50	215	-60
ATO-10	631,678.23	5,367,022.88	1,059.70	201.70	305	-60
ATO-11	631,714.75	5,366,871.82	1,049.40	220.80	35	-60
ATO-12	631,768.59	5,366,955.36	1,062.12	201.40	35	-60
ATO-13	631,772.25	5,366,957.12	1,062.08	199.90	125	-60
ATO-14	631,823.58	5,367,027.82	1,063.44	199.80	125	-60
ATO-15	631,824.63	5,367,030.29	1,063.44	200.20	35	-60
ATO-16	631,616.02	5,366,942.69	1,050.44	199.90	35	-60
ATO-17	631,686.86	5,367,017.63	1,060.03	207.30	35	-60
ATO-18	631,520.86	5,367,200.93	1,065.77	199.80	305	-60
ATO-19	631,522.07	5,367,202.63	1,065.79	160.70	125	-60
ATO-20	631,523.23	5,367,200.88	1,065.91	208.90	35	-60
ATO-21	631,852.85	5,367,077.10	1,059.72	184.70	35	-60
ATO-22	631,733.74	5,366,904.29	1,052.20	118.70	215	-60
ATO-23	631,838.47	5,367,052.74	1,062.49	123.40	125	-60
ATO-24	631,790.69	5,367,086.89	1,061.67	239.20	125	-60
ATO-25	631,800.88	5,367,001.60	1,064.90	118.20	125	-60
ATO-26	631,753.63	5,367,038.53	1,065.89	214.80	125	-60
ATO-27	631,722.38	5,366,991.99	1,067.32	198.00	125	-60
ATO-28	631,687.10	5,366,937.46	1,053.34	193.80	125	-60
ATO-29	631,735.99	5,366,906.67	1,052.25	112.75	125	-60
ATO-30	631,566.61	5,367,244.48	1,053.69	172.80	35	-60
ATO-31	631,814.63	5,367,069.09	1,061.58	142.70	125	-60
ATO-32	631,671.57	5,367,022.73	1,058.56	298.70	125	-60
ATO-33	631,862.32	5,367,035.62	1,059.90	84.30	125	-60
ATO-34	631,764.51	5,367,105.18	1,062.22	220.80	125	-60
ATO-35	631,777.94	5,367,020.86	1,068.85	151.50	125	-60
ATO-36	631,827.16	5,366,985.31	1,059.49	90.80	125	-60
ATO-37	631,739.63	5,366,975.82	1,068.01	129.40	125	-60
ATO-38	631,729.29	5,367,054.43	1,063.29	229.70	125	-60
ATO-39	631,639.99	5,366,971.61	1,052.82	202.80	125	-60
ATO-40	631,712.77	5,366,921.82	1,053.09	103.80	125	-60
ATO-41	631,767.84	5,366,952.57	1,062.12	229.60	305	-60
ATO-42	631,868.92	5,367,104.94	1,056.66	94.40	125	-60
ATO-43	631,753.73	5,367,040.76	1,065.81	85.90	305	-60
ATO-44	631,697.29	5,367,008.42	1,061.21	234.30	125	-60
ATO-45	631,853.58	5,366,969.36	1,056.54	82.60	125	-60
ATO-46	631,827.57	5,366,987.10	1,059.99	299.80	305	-60
ATO-47	631,793.11	5,366,938.04	1,056.63	51.10	125	-60
ATO-48	631,725.61	5,366,996.18	1,067.72	94.80	305	-60
ATO-49	631,666.50	5,366,954.77	1,053.21	144.70	125	-60
ATO-50	631,737.12	5,366,908.93	1,052.41	199.80	305	-60
ATO-51	631,482.43	5,367,230.85	1,057.64	220.00	125	-60
ATO-52	631,822.91	5,367,136.23	1,056.42	205.80	125	-60
ATO-53	631,558.17	5,367,180.57	1,063.04	140.50	125	-60
ATO-54	631,848.24	5,367,119.36	1,056.84	150.20	125	-60
ATO-55	631,518.36	5,367,279.62	1,050.98	214.50	125	-60
ATO-56	631,797.07	5,367,152.64	1,055.83	219.30	125	-60
ATO-57	631,568.96	5,367,241.97	1,053.78	130.00	125	-60
ATO-58	631,898.71	5,367,010.66	1,056.71	232.80	305	-60
ATO-59	631,577.36	5,367,313.24	1,046.14	255.00	125	-60





## Centerra Gold Inc. - ATO 2011 Drilling Results

### Drill Hole Locations to May 31, 2011.

Drill Hole	Location Easting	Location Northing	Elevation (m)	Length (m)	Collar Azimuth	Collar Dip
ATO-60	631,475.51	5,367,162.29	1,060.07	180.00	125	-60
ATO-61	631,895.71	5,367,082.44	1,055.89	204.00	305	-60
ATO-62	631,770.93	5,366,953.42	1,062.12	401.00	305	-80
ATO-63	631,667.39	5,366,919.54	1,051.41	134.30	125	-60
ATO-64	631,807.65	5,367,114.41	1,058.73	170.30	125	-60
ATO-65	631,624.71	5,367,272.08	1,048.38	96.20	125	-60
ATO-66	631,855.13	5,367,080.71	1,059.54	98.30	125	-60
ATO-67	631,523.91	5,367,123.61	1,059.96	89.30	125	-60
ATO-68	631,441.52	5,367,112.57	1,049.49	116.30	125	-60
ATO-69	631,727.17	5,366,945.17	1,057.54	116.30	125	-60
ATO-70	631,542.61	5,367,261.38	1,053.34	215.30	125	-60
ATO-71	632,026.18	5,366,954.36	1,051.09	200.30	125	-60
ATO-72	631,407.85	5,367,064.97	1,043.92	200.30	125	-60
ATO-73	632,103.69	5,366,987.76	1,050.67	177.70	215	-60
ATO-74	631,506.22	5,367,213.16	1,065.25	200.30	125	-60
ATO-75	631,678.04	5,366,980.29	1,056.47	215.30	125	-60
ATO-76	631,500.18	5,367,145.18	1,064.27	141.30	125	-60
ATO-77	631,770.91	5,367,062.29	1,063.99	200.40	125	-60
ATO-78	631,465.38	5,367,095.55	1,052.65	86.30	125	-60
ATO-79	631,590.23	5,367,227.46	1,053.35	116.30	125	-60
ATO-80	631,761.55	5,366,997.35	1,070.08	140.20	125	-60
ATO-81	631,600.16	5,367,293.86	1,046.88	146.30	125	-60
ATO-82	631,551.12	5,367,328.53	1,045.03	200.30	125	-60
ATO-83	631,712.35	5,367,029.13	1,064.54	257.30	125	-60
ATO-84	631,583.83	5,367,159.47	1,057.99	89.30	125	-60
ATO-85	631,649.55	5,367,257.42	1,049.50	50.30	125	-60
ATO-86	631,546.70	5,367,107.56	1,056.32	50.30	125	-60
ATO-87	631,779.27	5,367,129.21	1,058.23	276.80	125	-60
ATO-88	631,643.53	5,366,930.66	1,051.01	146.30	125	-60
ATO-89	631,693.24	5,366,896.00	1,050.78	95.30	125	-60
ATO-90	631,652.52	5,366,998.93	1,055.88	251.30	125	-60
ATO-91	631,827.29	5,367,097.41	1,059.61	146.30	125	-60
ATO-92	632,001.90	5,366,974.04	1,051.83	241.80	125	-60
ATO-93	631,702.86	5,366,962.96	1,058.84	131.30	125	-60
ATO-94	632,073.59	5,366,923.44	1,050.65	101.30	125	-60
ATO-95	631,751.24	5,366,928.16	1,055.20	82.00	125	-60
ATO-96	632,074.29	5,366,925.24	1,050.70	261.50	305	-60
ATO-97	631,687.61	5,367,049.23	1,060.85	296.30	125	-60
ATO-98	631,746.75	5,367,080.08	1,064.43	266.10	125	-60
ATO-99	631,088.19	5,367,414.65	1,027.75	197.30	125	-60
ATO-100	632,059.74	5,367,006.63	1,050.52	225.90	125	-60
ATO-101	631,738.60	5,367,013.72	1,067.58	197.30	125	-60
ATO-102	631,992.20	5,366,907.64	1,050.90	116.00	125	-60
ATO-103	632,325.04	5,367,495.70	1,056.41	101.30	125	-60
ATO-104	632,093.87	5,367,053.36	1,049.00	158.30	125	-60
ATO-105	631,806.81	5,366,893.31	1,052.21	115.70	125	-60
ATO-106	631,788.63	5,366,978.30	1,062.97	110.30	125	-60
ATO-107	632,050.93	5,366,940.14	1,050.66	160.85	125	-60
ATO-108	631,795.60	5,367,044.51	1,065.29	170.30	125	-60
ATO-109	632,024.25	5,366,957.76	1,051.11	147.65	305	-60
ATO-110	631,842.34	5,367,010.13	1,059.42	98.30	125	-60
ATO-111	631,977.61	5,366,990.92	1,052.74	500.80	125	-60
ATO-112	631,488.29	5,367,077.41	1,052.21	59.30	125	-60
ATO-113	631,523.09	5,367,127.15	1,061.15	284.50	305	-80
ATO-114	631,569.11	5,367,245.20	1,053.73	107.30	305	-60
ATO-115	632,098.71	5,366,906.01	1,050.72	104.70	125	-60
ATO-116	632,105.92	5,366,971.24	1,050.62	139.20	125	-60
ATO-117	631,487.37	5,367,075.72	1,052.50	108.00	305	-60
ATO-118	631,704.41	5,367,427.07	1,039.29	99.20	125	-60
ATO-119	632,104.12	5,366,968.86	1,050.78	222.00	305	-60
ATO-120	631,810.85	5,366,961.35	1,058.60	281.30	305	-60
ATO-121	632,008.92	5,367,041.03	1,051.71	285.85	125	-60
ATO-122	631,839.16	5,367,054.87	1,062.83	224.30	305	-60
ATO-123	632,159.68	5,366,934.79	1,052.07	129.35	125	-60
ATO-124	631,877.58	5,367,060.22	1,057.79	224.30	305	-60



**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Pipe 1 - SE Section Lines**

Location	Drill Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %
PIPE 1	3 SE	ATO-63		0.00	58.00	58.0	2.01	8.67	0.64	0.56
			<i>includes</i>	15.30	44.30	29.0	3.29	10.77	0.94	0.21
				71.70	122.50	50.8	1.58	7.49	0.64	1.40
		<i>includes</i>	100.95	116.10	15.2	2.94	14.35	1.56	2.77	
		ATO-88		0.00	4.35	4.35	0.27	4.66	0.07	0.09
				50.70	58.15	7.45	0.13	1.78	0.13	0.42
				67.00	128.00	61.00	0.49	5.35	0.25	0.61
		ATO-89		0.00	65.55	65.55	1.39	10.38	0.38	1.29
			<i>includes</i>	26.90	45.75	18.85	1.61	14.99	0.66	2.21
	4 SE	ATO-28		27.25	85.15	57.90	4.07	8.45	0.59	0.88
			<i>includes</i>	27.25	80.65	53.40	4.35	9.01	0.64	0.74
		ATO-29		0.00	49.60	49.60	1.70	19.05	0.86	0.78
			<i>includes</i>	0.00	33.35	33.35	2.33	25.61	0.92	0.85
		ATO-39		58.80	61.75	2.95	0.13	4.55	0.02	0.11
				96.80	153.50	56.70	0.52	4.24	0.71	1.63
				162.30	180.35	18.05	0.28	5.63	0.46	0.46
		ATO-40		0.00	91.60	91.60	3.24	14.56	1.02	1.77
			<i>includes</i>	1.40	50.25	48.85	2.45	10.32	0.56	1.11
			<i>includes</i>	51.30	78.40	27.10	6.07	24.39	2.33	3.53
		ATO-49		0.00	5.15	5.15	0.98	10.02	0.21	0.02
				18.80	133.50	114.70	1.16	5.55	0.47	0.82
			<i>includes</i>	101.00	111.00	10.00	2.67	10.37	1.00	1.37
		ATO-50		0.00	113.50	113.50	3.91	10.81	0.87	1.08
			<i>includes</i>	1.00	23.00	22.00	3.09	10.22	0.46	0.41
			<i>includes</i>	25.00	83.00	58.00	5.78	14.16	1.18	1.10
				117.10	125.60	8.50	0.17	1.90	0.12	0.49
				145.55	156.70	11.15	0.32	4.98	0.79	1.66
	5 SE	ATO-69		0.00	100.60	100.60	2.06	9.47	1.18	1.52
			<i>includes</i>	0.00	10.50	10.50	2.25	15.78	1.71	0.11
			<i>includes</i>	26.00	39.00	13.00	1.30	1.10	0.42	0.90
			<i>includes</i>	40.00	73.00	33.00	3.28	13.47	1.87	2.59
		ATO-75		0.00	173.30	173.30	1.72	7.76	1.03	1.18
			<i>includes</i>	1.70	17.35	15.65	1.99	17.45	1.66	0.14
			<i>includes</i>	36.70	52.70	16.00	1.98	7.83	1.69	1.88
			<i>includes</i>	90.90	123.35	32.45	3.69	9.00	1.48	2.13
				178.50	191.00	12.50	0.21	2.04	0.06	0.55
				207.30	209.70	2.40	0.11	1.65	0.15	0.42
		ATO-90		0.00	3.70	3.70	1.28	11.51	0.31	0.50
				72.90	205.40	132.50	1.53	8.88	1.14	1.92
			<i>includes</i>	102.90	115.90	13.00	4.40	10.45	2.90	4.29
			<i>includes</i>	163.40	178.40	15.00	2.04	16.79	1.07	1.75
		ATO-93		0.00	131.30	131.30	2.11	9.29	1.06	0.95
<i>includes</i>	0.00		11.00	11.00	2.49	12.12	0.86	0.06		
<i>includes</i>	12.05		28.75	16.70	2.97	8.52	1.14	0.17		
<i>includes</i>	29.75		44.85	15.10	1.80	12.14	1.65	0.45		
<i>includes</i>	106.35		120.85	14.50	5.07	24.27	2.47	3.24		
ATO-95		0.00	69.15	69.15	1.62	8.55	0.67	0.80		
	<i>includes</i>	2.75	37.40	34.65	2.21	10.38	0.94	0.44		
	<i>includes</i>	42.05	52.40	10.35	1.97	9.27	0.69	1.76		
ATO-105		0.00	10.75	10.75	0.62	2.49	0.12	0.00		

Notes: Only holes drilled parallel to the SE section lines are included here.  
Mineralized intervals are greater than 0.10 g/t Au.  
Higher grade sub-intervals are greater than 1.00 g/t Au.  
Individual assays are top cut to 30 g/t Au prior to composite calculation.  
True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
This information should be read together with our news release of July 11, 2011.  
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
Tables are current as of June 1, 2011.





**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Pipe 1 - SE Section Lines**

Location	Drill Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %
PIPE 1	6 SE	ATO-10		0.00	14.55	14.55	0.85	11.27	0.52	0.12
		ATO-13		0.00	53.95	53.95	1.29	8.94	0.60	0.25
			<i>includes</i>	0.00	18.85	18.85	2.47	9.14	0.83	0.05
		ATO-27		0.00	132.90	132.90	2.85	8.66	1.12	1.32
			<i>includes</i>	0.00	126.00	126.00	2.99	8.98	1.18	1.36
		ATO-32		0.00	25.05	25.05	0.52	29.44	0.67	0.20
				38.05	229.90	191.85	1.23	5.65	0.83	1.35
			<i>includes</i>	140.20	157.20	17.00	3.66	16.63	3.69	4.85
		ATO-37		0.00	113.50	113.50	2.31	10.54	0.82	0.82
			<i>includes</i>	0.00	71.45	71.45	3.30	9.07	0.82	0.31
				119.40	122.45	3.05	0.23	2.80	0.79	0.84
		ATO-41		0.00	147.00	147.00	2.89	6.52	1.04	1.10
			<i>includes</i>	4.50	16.65	12.15	1.88	6.86	1.23	0.07
			<i>includes</i>	18.75	88.10	69.35	3.98	7.85	1.35	1.39
			<i>includes</i>	114.10	131.40	17.30	4.64	7.47	0.87	1.41
				150.60	160.00	9.40	0.39	2.90	0.42	1.06
				172.00	200.30	28.30	0.65	3.00	0.63	1.05
		ATO-44		0.00	182.50	182.50	0.77	5.97	0.64	1.11
			<i>includes</i>	9.90	24.60	14.70	1.84	14.24	1.37	0.34
			<i>includes</i>	130.80	141.60	10.80	1.75	24.76	0.73	2.22
				186.70	189.50	2.80	0.11	1.35	0.27	1.19
		ATO-47		0.00	19.20	19.20	0.43	8.87	0.16	0.07
		ATO-48		0.00	58.30	58.30	1.40	7.01	0.72	0.62
			<i>includes</i>	6.00	18.20	12.20	2.67	11.84	0.84	0.56
		ATO-62		0.00	196.00	196.00	2.09	8.32	0.81	1.58
		<i>includes</i>	19.40	35.85	16.45	2.26	6.19	0.68	0.82	
		<i>includes</i>	57.30	119.95	62.65	4.14	11.94	1.40	2.20	
			210.30	213.30	3.00	0.13	11.37	0.78	1.19	
	ATO-80		0.00	111.90	111.90	2.27	6.42	0.63	0.64	
		<i>includes</i>	0.00	19.00	19.00	1.59	8.79	0.70	0.02	
		<i>includes</i>	24.00	86.20	62.20	3.08	6.50	0.72	0.56	
	ATO-83		0.00	189.30	189.30	0.86	4.67	0.68	1.06	
		<i>includes</i>	1.30	12.55	11.25	3.30	14.62	1.52	0.12	
			195.50	214.00	18.50	0.17	1.36	0.43	0.00	
			217.60	231.50	13.90	0.11	1.22	0.32	1.52	
			241.00	248.40	7.40	0.13	3.12	0.64	1.83	
	ATO-97		0.00	12.00	12.00	1.44	11.78	0.38	0.27	
			15.00	27.60	12.60	0.14	7.17	0.06	0.21	
			85.80	91.80	6.00	0.25	0.10	0.12	0.13	
			102.05	104.95	2.90	0.22	1.85	0.29	0.21	
			132.40	228.10	95.70	0.96	5.91	0.85	1.36	
			234.40	265.95	31.55	0.26	1.24	0.11	0.63	
	ATO-101		0.00	90.90	90.90	1.59	5.05	0.90	1.04	
			100.50	131.10	30.60	0.74	9.48	1.05	2.11	
			140.10	160.50	20.40	0.42	0.73	0.06	0.31	
			167.30	174.10	6.80	0.12	0.65	0.02	0.21	
			177.50	184.50	7.00	0.13	3.59	0.43	1.36	
	ATO-106		0.00	61.40	61.40	1.24	5.22	0.60	0.09	
		<i>includes</i>	9.50	33.90	24.40	2.43	8.06	1.12	0.03	
			65.40	73.40	8.00	0.15	1.95	0.04	0.93	
		77.40	81.40	4.00	0.11	0.95	0.00	0.25		
		91.70	98.70	7.00	0.97	6.54	0.46	1.00		
ATO-120		0.00	210.70	210.70	1.76	7.88	1.22	1.76		
	<i>includes</i>	2.30	99.30	97.00	2.63	7.93	1.00	0.71		
	<i>includes</i>	134.25	168.05	33.80	2.08	11.30	1.78	2.62		
		224.60	229.60	5.00	0.22	7.40	1.33	4.11		
7 SE										

Notes: Only holes drilled parallel to the SE section lines are included here.  
Mineralized intervals are greater than 0.10 g/t Au.  
Higher grade sub-intervals are greater than 1.00 g/t Au.  
Individual assays are top cut to 30 g/t Au prior to composite calculation.  
True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
This information should be read together with our news release of July 11, 2011.  
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
Tables are current as of June 1, 2011.



**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Pipe 1 - SE Section Lines**

Location	Drill Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %
PIPE 1	8 SE	ATO-25		0.00	59.00	59.00	1.06	12.37	0.48	0.18
				65.95	104.30	38.35	2.10	5.07	1.26	3.61
		ATO-26		0.00	65.20	65.20	0.77	3.39	0.45	0.34
				81.45	194.75	113.30	0.76	3.85	0.86	2.11
				204.85	212.00	7.15	0.12	3.15	0.14	0.47
		ATO-35		0.00	136.90	136.90	0.94	5.37	1.04	0.99
			<i>includes</i>	26.95	60.60	33.65	2.04	6.33	1.50	1.13
		ATO-36		0.00	11.05	11.05	0.83	3.64	0.19	0.02
				46.80	85.80	39.00	0.77	8.53	0.84	1.54
		ATO-38		0.00	15.95	15.95	0.40	8.59	0.31	0.07
				54.60	78.90	24.30	0.23	1.17	0.36	0.29
				106.10	211.85	105.75	0.68	5.13	0.83	1.86
			<i>includes</i>	126.50	141.05	14.55	1.64	8.93	0.94	1.88
		ATO-43		0.00	23.90	23.90	0.70	18.08	1.16	0.13
		ATO-45		1.25	9.95	8.70	0.28	2.25	0.11	0.33
				13.70	26.10	12.40	0.12	1.08	0.01	0.63
				29.55	33.00	3.45	0.12	1.07	0.06	0.55
		ATO-46		0.00	9.40	9.40	1.85	4.57	0.38	0.03
				12.55	59.80	47.25	1.56	7.58	0.64	0.64
			<i>includes</i>	32.80	56.80	24.00	2.04	5.32	0.58	0.56
				64.30	77.30	13.00	2.43	7.51	1.18	2.27
			81.20	102.40	21.20	0.18	1.98	0.11	0.47	
			114.80	188.40	73.60	0.99	7.97	1.44	2.53	
	<i>includes</i>		125.35	141.35	16.00	2.10	13.60	2.10	3.16	
	<i>includes</i>	142.35	154.35	12.00	2.43	17.35	3.05	5.13		
	9 SE	ATO-14		0.00	78.05	78.05	1.72	6.33	0.99	1.20
			<i>incudes</i>	1.50	22.80	21.30	2.05	5.50	0.86	0.04
			<i>incudes</i>	66.95	78.05	11.10	5.48	10.53	2.91	5.86
				92.05	107.20	15.15	1.59	8.86	1.52	1.90
		ATO-77		0.00	12.00	12.00	1.07	348.00	4.84	0.08
				34.25	59.05	24.80	0.17	2.73	0.09	0.40
				64.80	70.05	5.25	1.99	3.88	0.73	0.96
				75.30	104.00	28.70	0.26	2.83	0.49	0.79
				112.40	179.40	67.00	0.88	5.52	0.89	1.24
			192.85	195.85	3.00	0.15	1.90	0.02	0.09	
		ATO-98		0.00	30.00	30.00	0.17	4.62	0.14	0.03
				36.40	40.20	3.80	0.15	4.59	0.05	0.04
				47.50	57.00	9.50	0.12	3.92	0.08	0.03
				90.30	179.00	88.70	0.60	7.45	1.09	1.31
				191.90	204.60	12.70	1.07	4.91	0.86	1.05
			213.10	256.30	43.20	0.73	3.30	0.51	0.59	
		ATO-108		0.00	63.60	63.60	0.66	3.43	0.46	0.24
			66.60	77.30	10.70	0.14	1.62	0.12	0.22	
			80.30	96.45	16.15	0.19	2.16	0.13	0.27	
			109.10	133.45	24.35	0.61	6.68	0.85	1.50	
ATO-110			0.00	73.05	73.05	3.52	12.57	1.89	1.59	
		87.00	91.10	4.10	0.16	1.65	0.01	0.01		

Notes: Only holes drilled parallel to the SE section lines are included here.  
Mineralized intervals are greater than 0.10 g/t Au.  
Higher grade sub-intervals are greater than 1.00 g/t Au.  
Individual assays are top cut to 30 g/t Au prior to composite calculation.  
True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
This information should be read together with our news release of July 11, 2011.  
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
Tables are current as of June 1, 2011.





**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Pipe 1 - SE Section Lines**

Location	Drill Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %		
PIPE 1	10 SE	ATO-23		0.00	65.10	65.10	0.66	8.42	1.12	1.48		
				75.30	96.90	21.60	2.65	9.30	1.03	1.08		
			<i>includes</i>	79.30	92.50	13.20	3.11	11.37	1.26	1.25		
		ATO-24		1.20	12.85	11.65	0.13	2.73	0.06	0.09		
				37.35	41.80	4.45	0.26	6.91	0.25	0.21		
				82.70	98.80	16.10	0.15	4.23	0.27	0.37		
				124.40	158.00	33.60	1.37	5.04	0.87	2.28		
			<i>includes</i>	126.40	143.40	17.00	2.37	6.57	1.34	3.27		
				161.00	165.50	4.50	0.16	1.47	0.06	0.22		
		ATO-31		10.20	25.20	15.00	0.18	2.59	0.17	0.05		
				48.50	55.65	7.15	0.12	3.68	0.19	0.58		
				79.30	102.55	23.25	0.22	4.66	0.47	0.65		
		ATO-33		0.00	46.80	46.80	4.95	11.35	1.10	0.25		
			<i>includes</i>	1.20	39.40	38.20	5.94	12.72	1.28	0.26		
				61.45	71.60	10.15	0.15	8.27	0.46	0.79		
		ATO-34		0.00	31.10	31.10	0.30	4.69	0.19	0.02		
				103.90	133.70	29.80	0.14	1.97	0.12	0.23		
				144.60	155.40	10.80	0.15	2.44	0.35	0.55		
				161.40	215.10	53.70	1.49	4.14	0.98	1.56		
		ATO-58		0.00	70.15	70.15	2.02	12.10	0.96	1.12		
			<i>includes</i>	25.25	40.00	14.75	4.41	24.53	2.27	2.80		
	<i>includes</i>		42.20	55.40	13.20	2.42	12.82	1.13	1.73			
	<i>includes</i>		77.55	91.85	14.30	4.83	14.84	1.34	1.37			
	<i>includes</i>		77.55	184.80	107.25	2.95	7.49	1.43	2.45			
	ATO-87	<i>no significant results</i>										
	ATO-122		1.40	28.00	26.60	0.20	1.47	0.17	0.08			
			43.70	49.70	6.00	0.11	1.55	0.15	0.15			
			55.70	60.70	5.00	0.22	3.76	0.26	0.54			
			64.00	68.90	4.90	0.10	2.33	0.13	0.38			
	11 SE	ATO-64		0.00	3.75	3.75	0.17	4.11	0.15	0.06		
				14.10	23.10	9.00	0.14	2.43	0.25	0.12		
				49.10	79.55	30.45	0.22	8.13	0.50	0.67		
				83.90	91.15	7.25	0.15	3.42	0.49	0.67		
				104.55	142.30	37.75	4.11	30.91	3.02	3.07		
			<i>includes</i>	105.80	135.15	29.35	5.11	38.26	3.79	3.82		
		ATO-66	<i>no significant results</i>									
		ATO-87		1.50	16.10	14.60	0.24	6.92	0.35	0.04		
				101.60	137.00	35.40	0.17	3.25	0.25	0.81		
				143.50	198.10	54.60	1.36	9.05	1.78	3.70		
			<i>includes</i>	178.40	191.00	12.60	2.43	12.83	2.89	5.02		
				204.95	209.20	4.25	0.34	23.97	0.03	0.71		
		ATO-91		218.80	246.00	27.20	0.15	1.34	0.13	0.48		
			0.00	15.80	15.80	0.14	5.17	0.43	0.45			
			35.70	81.50	45.80	0.19	3.54	0.13	0.31			
ATO-124		0.00	12.15	12.15	1.10	4.39	0.62	0.10				
		34.80	58.80	24.00	0.19	2.99	0.11	0.28				
		91.50	125.10	33.60	0.14	2.14	0.31	0.74				

**Notes:** Only holes drilled parallel to the SE section lines are included here.  
Mineralized intervals are greater than 0.10 g/t Au.  
Higher grade sub-intervals are greater than 1.00 g/t Au.  
Individual assays are top cut to 30 g/t Au prior to composite calculation.  
True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
This information should be read together with our news release of July 11, 2011.  
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
Tables are current as of June 1, 2011.



**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Pipe 1 - SE Section Lines**

Location	Drill Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %
PIPE 1	12 SE	ATO-42		2.30	9.30	7.00	0.13	6.16	0.05	0.06
				51.30	69.30	18.00	0.11	5.76	0.00	0.01
		ATO-52		0.00	4.20	4.20	0.20	3.57	0.14	0.14
				36.60	54.20	17.60	0.14	6.03	0.17	0.18
				57.80	67.40	9.60	0.14	6.35	0.24	0.27
				101.40	134.90	33.50	0.41	6.61	0.37	0.33
		ATO-54		1.20	18.55	17.35	0.16	3.12	0.10	0.06
				62.75	70.80	8.05	0.12	4.97	0.18	0.32
		ATO-56		26.80	32.95	6.15	0.13	3.37	0.10	0.19
				119.85	122.85	3.00	0.12	2.70	0.26	0.63
				133.35	187.85	54.50	0.39	5.27	0.56	0.67
		ATO-61		58.35	70.35	12.00	0.13	3.93	0.12	0.17
				105.60	115.20	9.60	0.22	6.37	0.64	0.67
				118.40	138.00	19.60	0.12	2.68	0.36	0.63
				154.00	170.40	16.40	0.42	3.80	0.15	0.81
				173.60	176.80	3.20	0.14	0.55	0.04	0.34

**Notes:** Only holes drilled parallel to the SE section lines are included here.  
 Mineralized intervals are greater than 0.10 g/t Au.  
 Higher grade sub-intervals are greater than 1.00 g/t Au.  
 Individual assays are top cut to 30 g/t Au prior to composite calculation.  
 True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
 This information should be read together with our news release of July 11, 2011.  
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
 Tables are current as of June 1, 2011.





**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Pipe 2 - SE Section Lines**

Location	Drill Section	Drill Hole	From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %
PIPE 2	4 SE	ATO-68	no significant results						
		ATO-78	0.00	77.10	77.10	0.17	3.98	0.27	0.55
		ATO-112	no significant results						
		ATO-117	0.00	68.30	68.30	0.14	4.53	0.55	0.79
	6 SE	ATO-60	0.00	5.40	5.40	0.24	0.08	0.45	3.49
			11.90	17.20	5.30	0.16	0.10	0.58	2.75
			21.70	24.70	3.00	0.17	0.11	0.17	2.55
			27.70	78.35	50.65	0.44	0.26	0.31	5.25
			82.40	144.00	61.60	2.09	4.73	0.22	14.48
			157.20	162.20	5.00	0.10	0.28	0.11	1.29
		ATO-67	0.00	4.70	4.70	0.21	0.13	0.26	3.25
			10.70	54.20	43.50	0.22	0.17	0.08	1.95
		ATO-76	1.55	103.30	101.75	0.50	0.83	0.13	5.49
			106.30	132.00	25.70	2.10	3.63	0.06	18.25
		ATO-86	26.40	32.80	6.40	0.13	0.10	0.01	0.45
		ATO-113	0.00	110.50	110.50	0.53	0.81	0.41	5.31
			157.85	166.90	9.05	1.04	1.41	0.03	4.27
			173.90	227.30	53.40	1.65	2.31	0.05	11.60
			243.90	254.75	10.85	0.58	1.03	0.02	2.40
			260.95	279.70	18.75	0.45	0.46	0.02	1.64
	8 SE	ATO-18	0.00	52.95	52.95	0.48	3.96	0.51	0.24
			56.10	71.80	15.70	0.17	3.02	0.47	0.33
		ATO-19	0.00	54.70	54.70	0.17	1.88	0.20	0.19
			80.25	128.40	48.15	0.17	17.20	3.07	6.30
		ATO-51	0.00	50.25	50.25	0.36	3.71	0.47	0.10
		ATO-53	0.00	38.80	38.80	0.36	2.32	0.37	0.08
		ATO-74	0.00	26.00	26.00	0.54	2.87	0.24	0.24
			31.20	85.10	53.90	1.21	5.09	0.63	0.83
			128.30	170.05	41.75	0.10	2.94	0.57	1.28
		ATO-84	0.00	4.00	4.00	0.22	0.11	0.32	4.40
	10 SE	ATO-55	0.00	57.85	57.85	0.18	2.67	0.33	0.68
			62.85	88.20	25.35	0.51	3.69	0.64	1.26
			132.00	172.95	40.95	2.27	9.91	1.94	7.59
		ATO-57	0.00	82.40	82.40	0.21	2.32	0.33	0.31
		ATO-70	0.00	48.20	48.20	0.25	3.20	0.80	0.61
			76.70	89.80	13.10	0.51	2.70	0.42	0.67
		ATO-79	0.00	54.00	54.00	1.70	3.92	0.47	0.18
	ATO-114	0.00	90.00	90.00	0.43	5.12	0.74	1.47	
	12 SE	ATO-59	0.00	4.50	4.50	0.39	2.87	0.10	0.33
			75.70	80.70	5.00	1.89	2.07	0.19	0.31
		ATO-65	no significant results						
		ATO-81	0.00	12.80	12.80	0.25	1.35	0.24	0.28
		ATO-82	0.00	13.25	13.25	0.43	1.95	0.26	0.34
			16.95	20.65	3.70	0.23	2.50	0.13	0.53
			24.35	47.00	22.65	0.14	5.15	0.66	0.52
		ATO-85	0.00	2.50	2.50	0.43	3.55	0.18	0.04

Notes: Only holes drilled parallel to the SE section lines are included here.  
Mineralized intervals are greater than 0.10 g/t Au.  
Higher grade sub-intervals are greater than 1.00 g/t Au.  
Individual assays are top cut to 30 g/t Au prior to composite calculation.  
True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
This information should be read together with our news release of July 11, 2011.  
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
Tables are current as of June 1, 2011.



**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Pipe 4 - SE Section Lines**

Location	Drill Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %	
PIPE 4	9 SE	ATO-102		11.00	40.80	29.80	0.27	2.82	0.18	0.11	
				44.60	101.00	56.40	0.89	8.10	0.09	0.06	
				105.00	108.70	3.70	0.12	4.88	0.01	0.00	
	11 SE	ATO-71		0.00	123.40	123.40	1.35	11.38	0.43	0.76	
			<i>includes</i>	79.60	90.60	11.00	2.91	15.75	1.80	3.87	
				152.40	155.40	3.00	0.26	2.35	0.08	0.25	
				159.90	180.00	20.10	0.54	7.47	0.18	0.64	
		ATO-92		3.20	186.60	183.40	2.15	12.95	0.32	0.52	
			<i>includes</i>	6.20	21.90	15.70	2.20	95.69	0.24	1.10	
			<i>includes</i>	33.60	50.00	16.40	2.39	11.20	0.11	0.27	
			<i>includes</i>	90.00	124.50	34.50	7.56	8.21	1.02	1.21	
				191.00	199.90	8.90	0.18	1.10	0.16	0.20	
				204.30	208.50	4.20	0.10	0.91	0.10	0.28	
				214.60	222.00	7.40	0.32	1.19	0.07	0.15	
		ATO-94		1.50	91.30	89.80	0.66	8.88	0.17	0.17	
		ATO-96		3.40	159.80	156.40	0.79	4.07	0.22	0.44	
			<i>includes</i>	54.90	82.00	27.10	1.83	6.07	0.30	0.58	
				185.00	217.00	32.00	0.33	1.94	0.52	0.92	
		ATO-107		2.60	92.50	89.90	0.58	5.05	0.14	0.21	
				100.30	129.20	28.90	0.24	6.96	0.05	0.10	
		ATO-109		1.50	139.50	138.00	1.07	8.06	0.48	0.54	
		ATO-111		6.50	171.50	165.00	1.21	5.66	0.42	0.73	
			<i>includes</i>	115.70	132.00	16.30	6.97	13.37	3.24	4.88	
				191.00	244.50	53.50	0.20	3.62	0.32	0.43	
				252.00	288.00	36.00	1.59	14.50	2.35	4.90	
		ATO-115		359.80	362.10	2.30	0.17	1.51	0.00	0.01	
				10.20	20.00	9.80	0.38	14.24	0.08	0.33	
				29.30	83.50	54.20	1.41	21.30	0.04	0.09	
		13 SE	ATO-100		39.60	139.25	99.65	1.16	4.67	0.32	0.60
				<i>includes</i>	71.90	82.00	10.10	2.74	6.21	0.35	0.63
				142.25	171.00	28.75	2.05	12.80	1.08	2.74	
				188.50	211.60	23.10	0.37	9.35	0.06	0.11	
				216.20	220.80	4.60	0.17	11.61	0.02	0.06	
	ATO-116			5.40	116.00	110.60	2.27	50.34	0.25	0.35	
			<i>includes</i>	23.00	57.00	34.00	5.89	13.14	0.65	0.83	
	ATO-119			10.70	109.00	98.30	0.77	5.31	0.21	0.38	
				113.00	173.90	60.90	1.68	2.65	0.53	0.85	
			<i>includes</i>	119.00	137.20	18.20	2.67	4.73	1.03	1.59	
				177.00	204.30	27.30	0.50	2.73	0.89	1.12	
	ATO-121			42.00	46.00	4.00	0.22	25.85	0.00	0.02	
				52.10	60.60	8.50	8.76	0.14	0.40	3.87	
				63.80	69.60	5.80	0.17	2.84	0.03	0.10	
				74.80	89.00	14.20	0.11	2.37	0.01	0.03	
				93.00	132.20	39.20	0.36	1.73	0.25	0.44	
				139.60	144.50	4.90	0.17	1.41	0.02	0.08	
				154.70	182.00	27.30	0.19	3.53	0.77	1.19	
				185.00	195.00	10.00	0.14	0.76	0.05	0.06	
			201.00	203.50	2.50	0.10	1.02	0.15	0.20		
		232.80	238.80	6.00	0.10	6.23	0.69	1.56			
	ATO-123		26.00	87.65	61.65	0.61	42.74	0.01	0.02		
15 SE	ATO-104		61.00	142.40	81.40	0.83	4.81	0.09	0.19		
		<i>includes</i>	68.80	84.40	15.60	2.34	1.93	0.11	0.17		

Notes: Only holes drilled parallel to the SE section lines are included here.  
Mineralized intervals are greater than 0.10 g/t Au.  
Higher grade sub-intervals are greater than 1.00 g/t Au.  
Individual assays are top cut to 30 g/t Au prior to composite calculation.  
True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
This information should be read together with our news release of July 11, 2011.  
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
Tables are current as of June 1, 2011.





## Centerra Gold Inc. - ATO 2011 Drilling Results Pipe 1 - NE Section Lines

Location	Drill Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %		
PIPE 1	10 NE	ATO-16		0.00	3.40	3.40	0.22	1.96	0.05	0.05		
		ATO-17		0.00	46.05	46.05	0.85	16.29	0.49	0.28		
	12 NE	ATO-01			0.00	19.65	19.65	0.22	10.79	0.26	0.05	
					34.15	42.00	7.85	0.18	4.58	0.03	0.23	
					48.00	52.60	4.60	0.38	5.45	0.18	0.26	
					140.10	173.35	33.25	0.24	1.69	0.12	0.74	
					182.50	187.15	4.65	1.62	3.53	0.39	1.63	
		ATO-02				0.00	89.90	89.90	0.94	2.99	0.42	0.54
				<i>includes</i>		0.00	28.70	28.70	1.54	7.19	0.53	0.06
						100.50	102.70	2.20	2.87	1.20	0.30	0.17
						139.70	169.00	29.30	0.23	3.64	0.52	1.31
		ATO-07				0.00	7.70	7.70	0.93	7.34	0.25	0.20
						13.90	130.10	116.20	1.36	8.01	0.27	0.37
				<i>includes</i>		22.10	69.90	47.80	2.34	14.30	0.28	0.28
						133.90	201.60	67.70	0.86	2.50	0.15	0.26
		ATO-09				0.00	15.30	15.30	0.38	5.52	0.18	0.46
						20.10	30.90	10.80	0.20	2.23	0.20	0.66
						39.65	43.60	3.95	0.12	1.77	0.25	0.29
		14 NE	ATO-11			0.00	120.20	120.20	3.12	14.63	0.84	1.29
					<i>includes</i>		37.05	56.90	19.85	3.22	10.87	0.61
				<i>includes</i>		58.90	97.00	38.10	5.91	22.25	1.66	2.44
				<i>includes</i>		101.40	114.70	13.30	3.76	13.57	0.77	0.45
						165.25	220.80	55.55	0.36	3.50	0.40	1.49
	ATO-12					0.00	79.90	79.90	2.24	6.70	1.09	0.83
				<i>includes</i>		0.00	73.30	73.30	2.40	6.89	1.13	0.77
						87.30	195.35	108.05	0.54	2.78	0.32	0.83
	ATO-15					0.00	35.45	35.45	1.07	3.85	0.53	0.08
				<i>incudes</i>		0.90	13.00	12.10	2.73	7.08	1.18	0.03
						50.55	58.55	8.00	0.21	2.93	0.19	0.44
						64.60	75.00	10.40	0.13	6.42	0.31	0.65
				<i>includes</i>		103.50	194.60	91.10	2.59	19.32	2.22	2.48
	ATO-21					72.00	78.40	6.40	0.22	4.65	0.17	0.24
						86.40	89.60	3.20	0.37	1.85	0.01	0.07
	ATO-22					0.00	72.30	72.30	1.16	8.22	0.30	0.59
				<i>includes</i>		1.60	22.60	21.00	2.16	12.71	0.58	0.54
	15 NE		ATO-08	<i>no significant results</i>								

**Notes:** Only holes drilled parallel to the NE section lines are included here.  
Mineralized intervals are greater than 0.10 g/t Au.  
Higher grade sub-intervals are greater than 1.00 g/t Au.  
Individual assays are top cut to 30 g/t Au prior to composite calculation.  
True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
This information should be read together with our news release of July 11, 2011.  
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
Tables are current as of June 1, 2011.



## Centerra Gold Inc. - ATO 2011 Drilling Results

### Pipe 2 - NE Section Lines

Location	Drill Section	Drill Hole	From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %
<b>PIPE 2</b>	1 NE	ATO-04	<i>no significant results</i>						
	3 NE	ATO-06	0.00	60.10	60.10	0.22	5.04	0.48	0.18
		ATO-20	0.00	93.55	93.55	1.59	8.29	1.61	1.67
			102.50	117.05	14.55	0.61	9.59	1.31	2.26
			125.05	157.80	32.75	0.10	3.27	0.68	1.50
	ATO-30	0.00	34.30	34.30	0.23	3.17	0.70	0.49	
		146.80	151.00	4.20	0.67	4.70	0.25	1.01	
	6 NE	ATO-03	<i>no significant results</i>						

### Pipe 3 - NE Section Lines

Location	Drill Section	Drill Hole	From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %
<b>PIPE 3</b>	7 NE	ATO-05	<i>no significant results</i>						

### Pipe 4 - NE Section Lines

Location	Drill Section	Drill Hole	From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %
<b>PIPE 4</b>	23 NE	ATO-73	19.80	35.95	16.15	1.44	65.58	0.39	0.78
			42.70	166.80	124.10	0.75	3.73	0.31	0.49

Notes: Only holes drilled parallel to the NE section lines are included here.  
 Mineralized intervals are greater than 0.10 g/t Au.  
 Higher grade sub-intervals are greater than 1.00 g/t Au.  
 Individual assays are top cut to 30 g/t Au prior to composite calculation.  
 True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
 This information should be read together with our news release of July 11, 2011.  
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101  
 Tables are current as of June 1, 2011.





**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Intercepts for All Holes Shown on Cross Section: 3 SE**

Location	Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %
PIPE 1	3 SE	ATO-07 *		0.00	7.70	7.70	0.93	7.34	0.25	0.20
				13.90	53.90	40.00	1.74	10.68	0.27	0.30
			<i>includes</i>	22.10	42.40	20.30	1.74	13.00	0.31	0.27
			<i>includes</i>	43.65	53.90	10.25	3.13	14.05	0.25	0.33
		ATO-09 *		0.00	7.55	7.55	0.64	9.14	0.23	0.24
		ATO-11 *		0.00	51.90	51.90	1.28	12.12	0.29	0.66
			<i>includes</i>	37.05	51.90	14.85	2.76	12.93	0.47	1.34
		ATO-16		0.00	3.40	3.40	0.22	1.96	0.05	0.05
		ATO-22 *		22.60	72.30	49.70	0.80	6.13	0.12	0.64
		ATO-63		0.00	58.00	58.00	2.01	8.67	0.64	0.56
			<i>includes</i>	15.30	44.30	29.00	3.29	10.77	0.94	0.21
				71.70	122.50	50.80	1.58	7.49	0.64	1.40
			<i>includes</i>	100.95	116.10	15.15	2.94	14.35	1.56	2.77
		ATO-88		0.00	4.35	4.35	0.27	4.66	0.07	0.09
				50.70	58.15	7.45	0.13	1.78	0.13	0.42
				67.00	128.00	61.00	0.49	5.35	0.25	0.61
		ATO-89		0.00	65.55	65.55	1.39	10.38	0.38	1.29
<i>includes</i>	26.90		45.75	18.85	1.61	14.99	0.66	2.21		

**Notes:** \* Partial mineralized interval, only intercept within section corridor +/- 15m, along section line.  
 Mineralized intervals are greater than 0.10 g/t Au.  
 Higher grade sub-intervals are greater than 1.00 g/t Au.  
 Individual assays are top cut to 30 g/t Au prior to composite calculation.  
 True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
 This information should be read together with our news release of July 11, 2011.  
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
 Tables are current as of June 1, 2011.



**Centerra Gold Inc. - ATO 2011 Drilling Results**  
Intercepts for All Holes Shown on Cross Section: 4 SE

Location	Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %
PIPE 1	4 SE	ATO-07 *		53.90	115.90	62.00	1.40	7.83	0.27	0.39
			<i>includes</i>	58.90	69.90	11.00	3.27	21.88	0.32	0.15
		ATO-11 *		51.90	113.70	61.80	4.78	17.22	1.31	1.87
			<i>includes</i>	58.90	97.00	38.10	5.91	22.25	1.66	2.44
		ATO-22 *		0.00	22.60	22.60	1.96	12.81	0.71	0.47
			<i>includes</i>	1.60	22.60	21.00	2.09	13.37	0.75	0.50
		ATO-28		27.25	85.15	57.90	4.07	8.45	0.59	0.88
			<i>includes</i>	27.25	80.65	53.40	4.35	9.01	0.64	0.74
		ATO-29		0.00	49.60	49.60	1.70	19.05	0.86	0.78
			<i>includes</i>	0.00	33.35	33.35	2.33	25.61	0.92	0.85
		ATO-39		58.80	61.75	2.95	0.13	4.55	0.02	0.11
				96.80	153.50	56.70	0.52	4.24	0.71	1.63
				162.30	180.35	18.05	0.28	5.63	0.46	0.46
		ATO-40		0.00	91.60	91.60	3.24	14.56	1.02	1.77
			<i>includes</i>	1.40	50.25	48.85	2.45	10.32	0.56	1.11
			<i>includes</i>	51.30	78.40	27.10	6.07	24.39	2.33	3.53
		ATO-49		0.00	5.15	5.15	0.98	10.02	0.21	0.02
				18.80	133.50	114.70	1.16	5.55	0.47	0.82
			<i>includes</i>	101.00	111.00	10.00	2.67	10.37	1.00	1.37
		ATO-50		0.00	113.50	113.50	3.91	10.81	0.87	1.08
<i>includes</i>	1.00		23.00	22.00	3.09	10.22	0.46	0.41		
<i>includes</i>	25.00		83.00	58.00	5.78	14.16	1.18	1.10		
	117.10		125.60	8.50	0.17	1.90	0.12	0.49		
	145.55		156.70	11.15	0.32	4.98	0.79	1.66		
PIPE 2	4 SE	ATO-68	<i>no significant results on section</i>							
		ATO-78		0.00	77.10	77.10	0.17	3.98	0.27	0.55
		ATO-112	<i>no significant results on section</i>							
		ATO-117		0.00	68.30	68.30	0.14	4.53	0.55	0.79

**Notes:** \* Partial mineralized interval, only intercept within section corridor +/- 15m, along section line.  
 Mineralized intervals are greater than 0.10 g/t Au.  
 Higher grade sub-intervals are greater than 1.00 g/t Au.  
 Individual assays are top cut to 30 g/t Au prior to composite calculation.  
 True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
 This information should be read together with our news release of July 11, 2011.  
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
 Tables are current as of June 1, 2011.





**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Intercepts for All Holes Shown on Cross Section: 5 SE**

Location	Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %	
PIPE 1	5 SE	ATO-07 *		115.90	130.10	14.20	0.14	1.29	0.30	0.43	
				133.90	177.10	43.20	0.65	2.64	0.15	0.30	
		ATO-16	<i>no significant results on section</i>								
		ATO-11 *		165.25	171.30	6.05	0.20	4.00	0.65	3.05	
				0.00	100.60	100.60	2.06	9.47	1.18	1.52	
		ATO-69	<i>includes</i>	0.00	10.50	10.50	2.25	15.78	1.71	0.11	
			<i>includes</i>	26.00	39.00	13.00	1.30	1.10	0.42	0.90	
			<i>includes</i>	40.00	73.00	33.00	3.28	13.47	1.87	2.59	
		ATO-75		0.00	173.30	173.30	1.72	7.76	1.03	1.18	
			<i>includes</i>	1.70	17.35	15.65	1.99	17.45	1.66	0.14	
			<i>includes</i>	36.70	52.70	16.00	1.98	7.83	1.69	1.88	
			<i>includes</i>	90.90	123.35	32.45	3.69	9.00	1.48	2.13	
				178.50	191.00	12.50	0.21	2.04	0.06	0.55	
			207.30	209.70	2.40	0.11	1.65	0.15	0.42		
		ATO-90		0.00	3.70	3.70	1.28	11.51	0.31	0.50	
				72.90	205.40	132.50	1.53	8.88	1.14	1.92	
			<i>includes</i>	102.90	115.90	13.00	4.40	10.45	2.90	4.29	
			<i>includes</i>	163.40	178.40	15.00	2.04	16.79	1.07	1.75	
		ATO-93		0.00	131.30	131.30	2.11	9.29	1.06	0.95	
			<i>includes</i>	0.00	11.00	11.00	2.49	12.12	0.86	0.06	
			<i>includes</i>	12.05	28.75	16.70	2.97	8.52	1.14	0.17	
			<i>includes</i>	29.75	44.85	15.10	1.80	12.14	1.65	0.45	
			<i>includes</i>	106.35	120.85	14.50	5.07	24.27	2.47	3.24	
ATO-95		0.00	69.15	69.15	1.62	8.55	0.67	0.80			
	<i>includes</i>	2.75	37.40	34.65	2.21	10.38	0.94	0.44			
	<i>includes</i>	42.05	52.40	10.35	1.97	9.27	0.69	1.76			
ATO-105		0.00	10.75	10.75	0.62	2.49	0.12	0.00			
PIPE 2	5SE	ATO-06	<i>no significant results on section</i>								

**Notes:** \* Partial mineralized interval, only intercept within section corridor +/- 15m, along section line.  
Mineralized intervals are greater than 0.10 g/t Au.  
Higher grade sub-intervals are greater than 1.00 g/t Au.  
Individual assays are top cut to 30 g/t Au prior to composite calculation.  
True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
This information should be read together with our news release of July 11, 2011.  
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
Tables are current as of June 1, 2011.



# Centerra Gold Inc. - ATO 2011 Drilling Results

Intercepts for All Holes Shown on Cross Section: 6 SE

Location	Section	Drill Hole	From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %	
PIPE 1	6 SE	ATO-01	no significant results on section							
		ATO-02 *	0.00	25.10	25.10	1.57	7.66	0.47	0.05	
		ATO-07	no significant results on section							
		ATO-10	0.00	14.55	14.55	0.85	11.27	0.52	0.12	
		ATO-12 *	0.00	35.50	35.50	1.61	7.46	1.20	0.27	
		ATO-13		0.00	53.95	53.95	1.29	8.94	0.60	0.25
			includes	0.00	18.85	18.85	2.47	9.14	0.83	0.05
		ATO-16	no significant results on section							
		ATO-17 *	0.00	27.60	27.60	1.26	17.90	0.75	0.19	
		ATO-27		0.00	132.90	132.90	2.85	8.66	1.12	1.32
			includes	0.00	126.00	126.00	2.99	8.98	1.18	1.36
		ATO-32		0.00	25.05	25.05	0.52	29.44	0.67	0.20
				38.05	229.90	191.85	1.23	5.65	0.83	1.35
			includes	140.20	157.20	17.00	3.66	16.63	3.69	4.85
		ATO-37		0.00	113.50	113.50	2.31	10.54	0.82	0.82
			includes	0.00	71.45	71.45	3.30	9.07	0.82	0.31
				119.40	122.45	3.05	0.23	2.80	0.79	0.84
		ATO-41		0.00	147.00	147.00	2.89	6.52	1.04	1.10
			includes	4.50	16.65	12.15	1.88	6.86	1.23	0.07
			includes	18.75	88.10	69.35	3.98	7.85	1.35	1.39
			includes	114.10	131.40	17.30	4.64	7.47	0.87	1.41
				150.60	160.00	9.40	0.39	2.90	0.42	1.06
		ATO-44		172.00	200.30	28.30	0.65	3.00	0.63	1.05
				0.00	182.50	182.50	0.77	5.97	0.64	1.11
			includes	9.90	24.60	14.70	1.84	14.24	1.37	0.34
			includes	130.80	141.60	10.80	1.75	24.76	0.73	2.22
			186.70	189.50	2.80	0.11	1.35	0.27	1.19	
		ATO-47	0.00	19.20	19.20	0.43	8.87	0.16	0.07	
ATO-48		0.00	58.30	58.30	1.40	7.01	0.72	0.62		
	includes	6.00	18.20	12.20	2.67	11.84	0.84	0.56		
ATO-62		0.00	196.00	196.00	2.09	8.32	0.81	1.58		
	includes	19.40	35.85	16.45	2.26	6.19	0.68	0.82		
	includes	57.30	119.95	62.65	4.14	11.94	1.40	2.20		
		210.30	213.30	3.00	0.13	11.37	0.78	1.19		
PIPE 2	6 SE	ATO-03	no significant results on section							
		ATO-06	no significant results on section							
		ATO-60		0.00	5.40	5.40	0.24	0.08	0.45	3.49
				11.90	17.20	5.30	0.16	0.10	0.58	2.75
				21.70	24.70	3.00	0.17	0.11	0.17	2.55
				27.70	78.35	50.65	0.44	0.26	0.31	5.25
				82.40	144.00	61.60	2.09	4.73	0.22	14.48
			157.20	162.20	5.00	0.10	0.28	0.11	1.29	
		ATO-67		0.00	4.70	4.70	0.21	0.13	0.26	3.25
				10.70	54.20	43.50	0.22	0.17	0.08	1.95
		ATO-76		1.55	103.30	101.75	0.50	0.83	0.13	5.49
				106.30	132.00	25.70	2.10	3.63	0.06	18.25
		ATO-86	26.40	32.80	6.40	0.13	0.10	0.01	0.45	
		ATO-113		0.00	110.50	110.50	0.53	0.81	0.41	5.31
				157.85	166.90	9.05	1.04	1.41	0.03	4.27
				173.90	227.30	53.40	1.65	2.31	0.05	11.60
				243.90	254.75	10.85	0.58	1.03	0.02	2.40
	260.95	279.70	18.75	0.45	0.46	0.02	1.64			

Notes: \* Partial mineralized interval, only intercept within section corridor +/- 15m, along section line.  
 Mineralized intervals are greater than 0.10 g/t Au.  
 Higher grade sub-intervals are greater than 1.00 g/t Au.  
 Individual assays are top cut to 30 g/t Au prior to composite calculation.  
 True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
 This information should be read together with our news release of July 11, 2011.  
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
 Tables are current as of June 1, 2011.



**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Intercepts for All Holes Shown on Cross Section: 7 SE**

Location	Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %
PIPE 1	7 SE	ATO-02 *		25.10	85.15	60.05	0.70	1.26	0.43	0.77
		ATO-80		0.00	111.90	111.90	2.27	6.42	0.63	0.64
			<i>includes</i>	0.00	19.00	19.00	1.59	8.79	0.70	0.02
			<i>includes</i>	24.00	86.20	62.20	3.08	6.50	0.72	0.56
		ATO-83		0.00	189.30	189.30	0.86	4.67	0.68	1.06
			<i>includes</i>	1.30	12.55	11.25	3.30	14.62	1.52	0.12
				195.50	214.00	18.50	0.17	1.36	0.43	0.00
				217.60	231.50	13.90	0.11	1.22	0.32	1.52
				241.00	248.40	7.40	0.13	3.12	0.64	1.83
		ATO-97		0.00	12.00	12.00	1.44	11.78	0.38	0.27
				15.00	27.60	12.60	0.14	7.17	0.06	0.21
				85.80	91.80	6.00	0.25	0.10	0.12	0.13
				102.05	104.95	2.90	0.22	1.85	0.29	0.21
				132.40	228.10	95.70	0.96	5.91	0.85	1.36
				234.40	265.95	31.55	0.26	1.24	0.11	0.63
		ATO-101		0.00	90.90	90.90	1.59	5.05	0.90	1.04
				100.50	131.10	30.60	0.74	9.48	1.05	2.11
				140.10	160.50	20.40	0.42	0.73	0.06	0.31
				167.30	174.10	6.80	0.12	0.65	0.02	0.21
				177.50	184.50	7.00	0.13	3.59	0.43	1.36
		ATO-106		0.00	61.40	61.40	1.24	5.22	0.60	0.09
			<i>includes</i>	9.50	33.90	24.40	2.43	8.06	1.12	0.03
				65.40	73.40	8.00	0.15	1.95	0.04	0.93
				77.40	81.40	4.00	0.11	0.95	0.00	0.25
				91.70	98.70	7.00	0.97	6.54	0.46	1.00
		ATO-120		0.00	210.70	210.70	1.76	7.88	1.22	1.76
			<i>includes</i>	2.30	99.30	97.00	2.63	7.93	1.00	0.71
			<i>includes</i>	134.25	168.05	33.80	2.08	11.30	1.78	2.62
				224.60	229.60	5.00	0.22	7.40	1.33	4.11
		ATO-12 *		35.50	79.90	44.40	2.75	6.09	0.99	1.28
			<i>includes</i>	35.50	73.30	37.80	3.15	6.36	1.05	1.24
	87.30		94.95	7.65	0.22	1.96	0.19	0.65		
PIPE 2	7 SE	ATO-03	<i>no significant results on section</i>							
		ATO-06	<i>no significant results on section</i>							

**Notes:** \* Partial mineralized interval, only intercept within section corridor +/- 15m, along section line.  
Mineralized intervals are greater than 0.10 g/t Au.  
Higher grade sub-intervals are greater than 1.00 g/t Au.  
Individual assays are top cut to 30 g/t Au prior to composite calculation.  
True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
This information should be read together with our news release of July 11, 2011.  
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
Tables are current as of June 1, 2011.





**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Intercepts for All Holes Shown on Cross Section: 8 SE**

Location	Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %		
PIPE 1	8 SE	ATO-02 *		85.15	89.90	4.75	0.60	0.17	0.16	0.32		
				100.50	102.70	2.20	2.87	1.20	0.30	0.17		
				139.70	144.05	4.35	0.53	1.10	0.57	0.23		
		ATO-12 *		96.55	150.50	53.95	0.79	3.75	0.43	1.22		
		ATO-17	<i>no significant results on section</i>									
		ATO-25		0.00	59.00	59.00	1.06	12.37	0.48	0.18		
				65.95	104.30	38.35	2.10	5.07	1.26	3.61		
		ATO-26		0.00	65.20	65.20	0.77	3.39	0.45	0.34		
				81.45	194.75	113.30	0.76	3.85	0.86	2.11		
				204.85	212.00	7.15	0.12	3.15	0.14	0.47		
		ATO-35		0.00	136.90	136.90	0.94	5.37	1.04	0.99		
			<i>includes</i>	26.95	60.60	33.65	2.04	6.33	1.50	1.13		
		ATO-36		0.00	11.05	11.05	0.83	3.64	0.19	0.02		
				46.80	85.80	39.00	0.77	8.53	0.84	1.54		
		ATO-38		0.00	15.95	15.95	0.40	8.59	0.31	0.07		
				54.60	78.90	24.30	0.23	1.17	0.36	0.29		
				106.10	211.85	105.75	0.68	5.13	0.83	1.86		
			<i>includes</i>	126.50	141.05	14.55	1.64	8.93	0.94	1.88		
		ATO-43		0.00	23.90	23.90	0.70	18.08	1.16	0.13		
		ATO-45		1.25	9.95	8.70	0.28	2.25	0.11	0.33		
				13.70	26.10	12.40	0.12	1.08	0.01	0.63		
				29.55	33.00	3.45	0.12	1.07	0.06	0.55		
		ATO-46		0.00	9.40	9.40	1.85	4.57	0.38	0.03		
				12.55	59.80	47.25	1.56	7.58	0.64	0.64		
			<i>includes</i>	32.80	56.80	24.00	2.04	5.32	0.58	0.56		
				64.30	77.30	13.00	2.43	7.51	1.18	2.27		
				81.20	102.40	21.20	0.18	1.98	0.11	0.47		
	114.80		188.40	73.60	0.99	7.97	1.44	2.53				
<i>includes</i>	125.35		141.35	16.00	2.10	13.60	2.10	3.16				
<i>includes</i>	142.35	154.35	12.00	2.43	17.35	3.05	5.13					
PIPE 2	8 SE	ATO-03	<i>no significant results on section</i>									
		ATO-04	<i>no significant results on section</i>									
		ATO-06	<i>no significant results on section</i>									
		ATO-18		0.00	52.95	52.95	0.48	3.96	0.51	0.24		
				56.10	71.80	15.70	0.17	3.02	0.47	0.33		
		ATO-19		0.00	54.70	54.70	0.17	1.88	0.20	0.19		
				80.25	128.40	48.15	0.17	17.20	3.07	6.30		
		ATO-20 *		0.00	42.40	42.40	2.64	10.46	1.44	0.20		
		ATO-51		0.00	50.25	50.25	0.36	3.71	0.47	0.10		
		ATO-53		0.00	38.80	38.80	0.36	2.32	0.37	0.08		
		ATO-74		0.00	26.00	26.00	0.54	2.87	0.24	0.24		
				31.20	85.10	53.90	1.21	5.09	0.63	0.83		
				128.30	170.05	41.75	0.10	2.94	0.57	1.28		

Notes: \* Partial mineralized interval, only intercept within section corridor +/- 15m, along section line.  
Mineralized intervals are greater than 0.10 g/t Au.  
Higher grade sub-intervals are greater than 1.00 g/t Au.  
Individual assays are top cut to 30 g/t Au prior to composite calculation.  
True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
This information should be read together with our news release of July 11, 2011.  
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
Tables are current as of June 1, 2011.



**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Intercepts for All Holes Shown on Cross Section: 9 SE**

Location	Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %
PIPE 1	9 SE	ATO-01		0.00	19.65	19.65	0.22	10.79	0.26	0.05
		ATO-02 *		144.05	169.00	24.95	0.17	4.08	0.51	1.50
		ATO-12 *		150.50	195.35	44.85	0.30	1.81	0.22	0.43
		ATO-14		0.00	78.05	78.05	1.72	6.33	0.99	1.20
			<i>incudes</i>	1.50	22.80	21.30	2.05	5.50	0.86	0.04
			<i>incudes</i>	66.95	78.05	11.10	5.48	10.53	2.91	5.86
				92.05	107.20	15.15	1.59	8.86	1.52	1.90
		ATO-15 *		0.00	29.45	29.45	1.26	4.40	0.61	0.07
			<i>incudes</i>	0.90	13.00	12.10	2.73	7.08	1.18	0.03
		ATO-77		0.00	12.00	12.00	1.07	348.00	4.84	0.08
				34.25	59.05	24.80	0.17	2.73	0.09	0.40
				64.80	70.05	5.25	1.99	3.88	0.73	0.96
				75.30	104.00	28.70	0.26	2.83	0.49	0.79
				112.40	179.40	67.00	0.88	5.52	0.89	1.24
			192.85	195.85	3.00	0.15	1.90	0.02	0.09	
		ATO-98		0.00	30.00	30.00	0.17	4.62	0.14	0.03
				36.40	40.20	3.80	0.15	4.59	0.05	0.04
				47.50	57.00	9.50	0.12	3.92	0.08	0.03
				90.30	179.00	88.70	0.60	7.45	1.09	1.31
				191.90	204.60	12.70	1.07	4.91	0.86	1.05
			213.10	256.30	43.20	0.73	3.30	0.51	0.59	
		ATO-108		0.00	63.60	63.60	0.66	3.43	0.46	0.24
				66.60	77.30	10.70	0.14	1.62	0.12	0.22
				80.30	96.45	16.15	0.19	2.16	0.13	0.27
				109.10	133.45	24.35	0.61	6.68	0.85	1.50
		ATO-110		0.00	73.05	73.05	3.52	12.57	1.89	1.59
	87.00		91.10	4.10	0.16	1.65	0.01	0.01		
PIPE 2	9 SE	ATO-03	<i>no significant results on section</i>							
		ATO-20		39.40	79.15	39.75	0.89	6.99	1.80	1.59
				82.15	93.55	11.40	0.18	2.95	0.84	2.10

**Notes:** \* Partial mineralized interval, only intercept within section corridor +/- 15m, along section line.  
Mineralized intervals are greater than 0.10 g/t Au.  
Higher grade sub-intervals are greater than 1.00 g/t Au.  
Individual assays are top cut to 30 g/t Au prior to composite calculation.  
True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
This information should be read together with our news release of July 11, 2011.  
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
Tables are current as of June 1, 2011.



**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Intercepts for All Holes Shown on Cross Section: 10 SE**

Location	Section	Drill Hole	From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %	
PIPE 1	10 SE	ATO-01	48.00	52.60	4.60	0.38	5.45	0.18	0.26	
		ATO-02	<i>no significant results on section</i>							
		ATO-15	50.55	58.55	8.00	0.21	2.93	0.19	0.44	
			64.60	75.00	10.40	0.13	6.42	0.31	0.65	
		ATO-17	<i>no significant results on section</i>							
		ATO-23	0.00	65.10	65.10	0.66	8.42	1.12	1.48	
			75.30	96.90	21.60	2.65	9.30	1.03	1.08	
			<i>includes</i>	79.30	92.50	13.20	3.11	11.37	1.26	1.25
		ATO-24	1.20	12.85	11.65	0.13	2.73	0.06	0.09	
			37.35	41.80	4.45	0.26	6.91	0.25	0.21	
			82.70	98.80	16.10	0.15	4.23	0.27	0.37	
			124.40	158.00	33.60	1.37	5.04	0.87	2.28	
			<i>includes</i>	126.40	143.40	17.00	2.37	6.57	1.34	3.27
		ATO-31	10.20	25.20	15.00	0.18	2.59	0.17	0.05	
			48.50	55.65	7.15	0.12	3.68	0.19	0.58	
		ATO-33	79.30	102.55	23.25	0.22	4.66	0.47	0.65	
			0.00	46.80	46.80	4.95	11.35	1.10	0.25	
			<i>includes</i>	1.20	39.40	38.20	5.94	12.72	1.28	0.26
		ATO-34	61.45	71.60	10.15	0.15	8.27	0.46	0.79	
			0.00	31.10	31.10	0.30	4.69	0.19	0.02	
			103.90	133.70	29.80	0.14	1.97	0.12	0.23	
			144.60	155.40	10.80	0.15	2.44	0.35	0.55	
		ATO-58	161.40	215.10	53.70	1.49	4.14	0.98	1.56	
			0.00	70.15	70.15	2.02	12.10	0.96	1.12	
			<i>includes</i>	25.25	40.00	14.75	4.41	24.53	2.27	2.80
			<i>includes</i>	42.20	55.40	13.20	2.42	12.82	1.13	1.73
			77.55	184.80	107.25	2.95	7.49	1.43	2.45	
		ATO-87	<i>includes</i>	77.55	91.85	14.30	4.83	14.84	1.34	1.37
			<i>includes</i>	106.80	133.80	27.00	6.03	9.94	2.37	4.15
		ATO-122	<i>no significant results on section</i>							
ATO-122	1.40	28.00	26.60	0.20	1.47	0.17	0.08			
	43.70	49.70	6.00	0.11	1.55	0.15	0.15			
	55.70	60.70	5.00	0.22	3.76	0.26	0.54			
	64.00	68.90	4.90	0.10	2.33	0.13	0.38			
ATO-20	102.05	117.05	15.00	0.61	9.59	1.31	2.26			
	125.05	157.80	32.75	0.10	3.27	0.68	1.50			
ATO-30	0.00	34.30	34.30	0.23	3.17	0.70	0.49			
ATO-55	0.00	57.85	57.85	0.18	2.67	0.33	0.68			
	62.85	88.20	25.35	0.51	3.69	0.64	1.26			
	132.00	172.95	40.95	2.27	9.91	1.94	7.59			
ATO-57	0.00	82.40	82.40	0.21	2.32	0.33	0.31			
ATO-70	0.00	48.20	48.20	0.25	3.20	0.80	0.61			
	76.70	89.80	13.10	0.51	2.70	0.42	0.67			
ATO-79	0.00	54.00	54.00	1.70	3.92	0.47	0.18			
ATO-114	0.00	90.00	90.00	0.43	5.12	0.74	1.47			

Notes: \* Partial mineralized interval, only intercept within section corridor +/- 15m, along section line.

Mineralized intervals are greater than 0.10 g/t Au.

Higher grade sub-intervals are greater than 1.00 g/t Au.

Individual assays are top cut to 30 g/t Au prior to composite calculation.

True widths for mineralized zones are about 20% to 50% of stated down hole interval.

This information should be read together with our news release of July 11, 2011.

Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Tables are current as of June 1, 2011.





**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Intercepts for All Holes Shown on Cross Section: 11 SE**

Location	Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %
PIPE 1	11 SE	ATO-21		no significant results on section						
		ATO-15 *		103.50	147.70	44.20	4.13	28.87	3.37	4.33
			includes	108.70	147.70	39.00	4.64	32.15	3.77	4.84
		ATO-21		no significant results on section						
		ATO-64		0.00	3.75	3.75	0.17	4.11	0.15	0.06
				14.10	23.10	9.00	0.14	2.43	0.25	0.12
				49.10	79.55	30.45	0.22	8.13	0.50	0.67
				83.90	91.15	7.25	0.15	3.42	0.49	0.67
				104.55	142.30	37.75	4.11	30.91	3.02	3.07
			includes	105.80	135.15	29.35	5.11	38.26	3.79	3.82
		ATO-66		no significant results on section						
		ATO-87		1.50	16.10	14.60	0.24	6.92	0.35	0.04
				101.60	137.00	35.40	0.17	3.25	0.25	0.81
				143.50	198.10	54.60	1.36	9.05	1.78	3.70
			includes	178.40	191.00	12.60	2.43	12.83	2.89	5.02
				204.95	209.20	4.25	0.34	23.97	0.03	0.71
			218.80	246.00	27.20	0.15	1.34	0.13	0.48	
		ATO-91		0.00	15.80	15.80	0.14	5.17	0.43	0.45
				35.70	81.50	45.80	0.19	3.54	0.13	0.31
		ATO-124		0.00	12.15	12.15	1.10	4.39	0.62	0.10
				34.80	58.80	24.00	0.19	2.99	0.11	0.28
	91.50		125.10	33.60	0.14	2.14	0.31	0.74		
PIPE 4	11 SE	ATO-71		0.00	123.40	123.40	1.35	11.38	0.43	0.76
			includes	79.60	90.60	11.00	2.91	15.75	1.80	3.87
				152.40	155.40	3.00	0.26	2.35	0.08	0.25
				159.90	180.00	20.10	0.54	7.47	0.18	0.64
		ATO-73 *		108.20	166.80	58.60	0.50	2.05	0.15	0.25
		ATO-92		3.20	186.60	183.40	2.15	12.95	0.32	0.52
			includes	6.20	21.90	15.70	2.20	95.69	0.24	1.10
			includes	33.60	50.00	16.40	2.39	11.20	0.11	0.27
			includes	90.00	124.50	34.50	7.56	8.21	1.02	1.21
				191.00	199.90	8.90	0.18	1.10	0.16	0.20
				204.30	208.50	4.20	0.10	0.91	0.10	0.28
			214.60	222.00	7.40	0.32	1.19	0.07	0.15	
		ATO-94		1.50	91.30	89.80	0.66	8.88	0.17	0.17
		ATO-96		3.40	159.80	156.40	0.79	4.07	0.22	0.44
			includes	54.90	82.00	27.10	1.83	6.07	0.30	0.58
			185.00	217.00	32.00	0.33	1.94	0.52	0.92	
		ATO-107		2.60	92.50	89.90	0.58	5.05	0.14	0.21
				100.30	129.20	28.90	0.24	6.96	0.05	0.10
		ATO-109		1.50	139.50	138.00	1.07	8.06	0.48	0.54
		ATO-111		6.50	171.50	165.00	1.21	5.66	0.42	0.73
			includes	115.70	132.00	16.30	6.97	13.37	3.24	4.88
	191.00		244.50	53.50	0.20	3.62	0.32	0.43		
	252.00		288.00	36.00	1.59	14.50	2.35	4.90		
ATO-115		359.80	362.10	2.30	0.17	1.51	0.00	0.01		
		10.20	20.00	9.80	0.38	14.24	0.08	0.33		
		29.30	83.50	54.20	1.41	21.30	0.04	0.09		

**Notes:** \* Partial mineralized interval, only intercept within section corridor +/- 15m, along section line.  
Mineralized intervals are greater than 0.10 g/t Au.  
Higher grade sub-intervals are greater than 1.00 g/t Au.  
Individual assays are top cut to 30 g/t Au prior to composite calculation.  
True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
This information should be read together with our news release of July 11, 2011.  
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
Tables are current as of June 1, 2011.



**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Intercepts for All Holes Shown on Cross Section: 12 SE**

Location	Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %	
PIPE 1	12 SE	ATO-01 *		143.00	162.85	19.85	0.33	2.07	0.16	0.96	
				165.85	173.35	7.50	0.14	1.44	0.08	0.39	
				182.50	187.15	4.65	0.31	3.53	0.39	1.63	
				190.25	193.35	3.10	0.11	1.7	0.04	0.27	
		ATO-15 *		147.70	194.60	46.90	1.14	10.32	1.13	0.75	
			<i>includes</i>	147.70	167.75	20.05	1.67	12.36	1.41	1.07	
		ATO-21		72.00	78.40	6.40	0.22	4.65	0.17	0.24	
				86.40	89.60	3.20	0.37	1.85	0.01	0.07	
		ATO-42		2.30	9.30	7.00	0.13	6.16	0.05	0.06	
				51.30	69.30	18.00	0.11	5.76	0.00	0.01	
		ATO-52		0.00	4.20	4.20	0.20	3.57	0.14	0.14	
				36.60	54.20	17.60	0.14	6.03	0.17	0.18	
				57.80	67.40	9.60	0.14	6.35	0.24	0.27	
				101.40	134.90	33.50	0.41	6.61	0.37	0.33	
		ATO-54		1.20	18.55	17.35	0.16	3.12	0.10	0.06	
				62.75	70.80	8.05	0.12	4.97	0.18	0.32	
		ATO-56		26.80	32.95	6.15	0.13	3.37	0.10	0.19	
				119.85	122.85	3.00	0.12	2.70	0.26	0.63	
				133.35	187.85	54.50	0.39	5.27	0.56	0.67	
		ATO-61		58.35	70.35	12.00	0.13	3.93	0.12	0.17	
				105.60	115.20	9.60	0.22	6.37	0.64	0.67	
				118.40	138.00	19.60	0.12	2.68	0.36	0.63	
				154.00	170.40	16.40	0.42	3.80	0.15	0.81	
				173.60	176.80	3.20	0.14	0.55	0.04	0.34	
PIPE 2	12 SE	ATO-30		146.80	151.00	4.20	0.67	4.70	0.25	1.01	
		ATO-59		0.00	4.50	4.50	0.39	2.87	0.10	0.33	
				75.70	80.70	5.00	1.89	2.07	0.19	0.31	
		ATO-65	<i>no significant results</i>								
		ATO-81		0.00	12.80	12.80	0.25	1.35	0.24	0.28	
		ATO-82		0.00	13.25	13.25	0.43	1.95	0.26	0.34	
				16.95	20.65	3.70	0.23	2.50	0.13	0.53	
				24.35	47.00	22.65	0.14	5.15	0.66	0.52	
		ATO-85		0.00	2.50	2.50	0.43	3.55	0.18	0.04	

**Notes:** \* Partial mineralized interval, only intercept within section corridor +/- 15m, along section line.  
 Mineralized intervals are greater than 0.10 g/t Au.  
 Higher grade sub-intervals are greater than 1.00 g/t Au.  
 Individual assays are top cut to 30 g/t Au prior to composite calculation.  
 True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
 This information should be read together with our news release of July 11, 2011.  
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
 Tables are current as of June 1, 2011.



**Centerra Gold Inc. - ATO 2011 Drilling Results**  
**Intercepts for All Holes Shown on Cross Section: 13 SE**

Location	Section	Drill Hole		From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %
PIPE 1	13SE	ATO-01	no significant results on section							
		ATO-21	no significant results on section							
PIPE 4	13 SE	ATO-73 *		19.80	35.95	16.15	1.44	65.58	0.39	0.78
				42.70	45.70	3.00	0.37	3.53	0.14	0.27
		ATO-100		39.60	139.25	99.65	1.16	4.67	0.32	0.60
			<i>includes</i>	71.90	82.00	10.10	2.74	6.21	0.35	0.63
				142.25	171.00	28.75	2.05	12.80	1.08	2.74
				188.50	211.60	23.10	0.37	9.35	0.06	0.11
		ATO-116		216.20	220.80	4.60	0.17	11.61	0.02	0.06
			<i>includes</i>	5.40	116.00	110.60	2.27	50.34	0.25	0.35
		ATO-119	<i>includes</i>	23.00	57.00	34.00	5.89	13.14	0.65	0.83
				10.70	109.00	98.30	0.77	5.31	0.21	0.38
				113.00	173.90	60.90	1.68	2.65	0.53	0.85
		ATO-121	<i>includes</i>	119.00	137.20	18.20	2.67	4.73	1.03	1.59
				177.00	204.30	27.30	0.50	2.73	0.89	1.12
				42.00	46.00	4.00	0.22	25.85	0.00	0.02
				52.10	60.60	8.50	8.76	0.14	0.40	3.87
				63.80	69.60	5.80	0.17	2.84	0.03	0.10
				74.80	89.00	14.20	0.11	2.37	0.01	0.03
				93.00	132.20	39.20	0.36	1.73	0.25	0.44
				139.60	144.50	4.90	0.17	1.41	0.02	0.08
				154.70	182.00	27.30	0.19	3.53	0.77	1.19
				185.00	195.00	10.00	0.14	0.76	0.05	0.06
ATO-123		201.00	203.50	2.50	0.10	1.02	0.15	0.20		
		232.80	238.80	6.00	0.10	6.23	0.69	1.56		
		26.00	87.65	61.65	0.61	42.74	0.01	0.02		

**Notes:** \* Partial mineralized interval, only intercept within section corridor +/- 15m, along section line.  
 Mineralized intervals are greater than 0.10 g/t Au.  
 Higher grade sub-intervals are greater than 1.00 g/t Au.  
 Individual assays are top cut to 30 g/t Au prior to composite calculation.  
 True widths for mineralized zones are about 20% to 50% of stated down hole interval.  
 This information should be read together with our news release of July 11, 2011.  
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.  
 Tables are current as of June 1, 2011.