



### Centerra Gold Inc. - Oksut Gold Project

#### **Drill Results**

Period May 27th, 2017 to June 30th, 2017

Drill Hole	Target	From (ı	m)	To (m)	Core Length (m)	Au (g/t)	Oxidation				
ODD0277	Keltepe NW Step out	No Significant intercepts									
ODD0278	Keltepe NW Step out	No Significant intercepts									
ODD0279	Güneytepe Infill		0.0	19.3	19.3	0.29	oxide				
			36.0	76.7	40.7	0.44	oxide				
			76.7	145.0	68.3	0.90	sulphide/oxide				
		includes	103.0	124.1	21.1	1.85	sulphide/oxide				
ODD0280	Güneytepe Infill		3.0	9.0	6.0	0.27	oxide				
			19.0	126.5	107.5	0.74	oxide				
		includes	25.0	51.7	26.7	1.72	oxide				

Notes: Mineralized intervals are greater than 0.20 g/t Au.

Higher grade sub-intervals are greater than 1.00 g/t Au.

Minimum 5m width and maximum of 5m internal dilution.

True widths for mineralized zones are about 60% to 90% of stated down hole interval.

Oxidation assignment is a visual discrimination from core logging.

This information should be read together with our news release of July 31, 2017.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Tables are current as of July 11th, 2017.






#### Centerra Gold Inc. - Oksut Gold Project, Turkey **Diamond Drill Hole Locations** Period May 27th, 2017 to June 30th, 2017

Drill Hole	Target	Location Easting *	Location Northing *	Elevation (m)	Length (m)	Collar Azimuth **	Collar Dip
ODD0277	Keltepe NW step out	718,555	4,241,000	1,623.89	153.0	240	-45
ODD0278	Keltepe NW step out	718,556	4,241,000	1,623.89	90.0	77	-60
ODD0279	Guneytepe Infill	719,278	4,239,783	1,656.37	145.0	0	-90
ODD0280	Guneytepe Infill	719,322	4,239,821	1,669.25	136.0	60	-65

\* Datum is UTM ED50 Zone 36
\*\* Azimuths are relative to grid

# centerragolo

## Öksüt Gold Project - Drill Hole Plan Map



# centerragolo

## Öksüt Gold Project – Güneytepe Section AB

