



Centerra Gold Inc. - 2013 Kumtor Project Drilling Results

Period July 1st, 2013 to September 30th, 2013


Page 1 of 1

Drill Hole	Location	Section	From (m)	To (m)	Core Length (m)	Au (g/t)
GD1720	Saddle Zone	86	<i>No significant intercept</i>			
D1721	Saddle Zone	74	141.5	144.5	3.00	3.22
			152.1	155.1	3.00	2.29
			181.4	195.0	13.60	1.67
			219.6	223.6	4.00	3.10
			350.2	355.1	4.90	1.81

Notes: Significant mineralized intervals are greater than 1.00 g/t Au
 Individual assays are top cut to 60 g/t Au prior to composite calculation
 Lower cut-off for higher grade sub-intervals is 7.0 g/t Au
 True widths for mineralized zones are about 70% to 95% of stated down hole interval
 This information should be read together with our news release of October 30, 2013.
 David Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101
 Tables are current as of September 30, 2013.




Central Pit – Drillhole Location Plan Map



This information should be read together with our news release of October 30, 2013.

David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.


Central Pit – Longitudinal Section



This information should be read together with our news release of October 30, 2013.

David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.


Central Pit – Plan Map



This information should be read together with our news release of October 30, 2013.

David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Central Pit Section 74



This information should be read together with our news release of October 30, 2013. David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Centerra Gold Inc. - ATO Deposit
July 1st to September 30th, 2013

Location	Section	Drill Hole	From (m)	To (m)	Core Length (m)	Au (g/t)	Ag (g/t)	Pb %	Zn %
PIPE 4	19 SE	ATO-260	106.10	113.55	7.45	0.29	149.27	0.01	0.01
			130.75	181.65	50.90	0.51	56.57	0.02	0.06
		ATO-261	<i>No Significant Intercepts</i>						

Notes:

Mineralized intervals are greater than 0.10 g/t Au.

Higher grade sub-intervals are greater than 1.00 g/t Au.

Individual assays are top cut to 30 g/t Au prior to composite calculation.

True widths for mineralized zones are about 20% to 50% of stated down hole interval.

This information should be read together with our news release of October 30, 2013.

David Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Tables are current as of September 30, 2013.




Centerra Gold Inc. - ATO Drill Hole Locations
July 1st to September 30th, 2013

Drill Hole	Location Easting	Location Northing	Elevation (m)	Length (m)	Collar Azimuth	Collar Dip
ATO-260	632,212.01	5,367,120.62	1,051.21	200.20	125	-60
ATO-261	632,261.12	5,367,086.74	1,054.21	200.10	125	-80


UTM Zone 49, WGS84

ATO Deposit – Drillhole Plan Map



This information should be read together with our news release of October 30, 2013.
 David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

ATO Deposit – Section 19SE



This information should be read together with our news release of October 30, 2013.

David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.



Centerra Gold Inc. - Oksut Project
Keltepe (Ortacam North) and Guneytepe (Ortacam) Drill Results

Period July 1st, 2013 to September 30th, 2013

Page 1 of 2

Drill Hole	Target	Section Line	From (m)	To (m)	Core Length (m)	Au (g/t)	Oxidation	
ODD120	Keltepe Infill	450_KT	235.0	244.0	9.0	0.27	oxide	
			269.6	274.6	5.0	0.40	oxide	
			458.5	487.5	29.0	0.25	oxide	
ODD121	Guneytepe Step-Out	210_GT	No Significant Intercepts					
ODD122	Keltepe Infill	250_KT	135.2	146.4	11.2	0.32	oxide	
ODD122A	Keltepe Infill	250_KT	No Significant Intercepts					
ODD123	Keltepe Infill	250_KT	68.7	138.6	69.9	1.15	oxide/partially oxidised	
			<i>includes</i> 73.7	80.5	6.8	2.93	oxide/partially oxidised	
			<i>and</i> 89.0	95.0	6.0	4.30	oxide	
			<i>and</i> 102.0	123.0	21.0	1.04	oxide/partially oxidised	
ODD124	Keltepe Infill	700_KT	238.1	262.1	24.0	0.46	oxide	
			362.6	373.7 (EOH)	11.1	0.35	oxide	
ODD125	Keltepe Infill	300_KT	90.1	151.6	61.5	1.10	oxide/sulphide	
			<i>includes</i> 104.4	122.3	17.9	2.16	oxide	
			<i>and</i> 133.1	144.4	11.3	1.03	oxide	
ODD126	Keltepe Infill	450_KT	98.0	252.2	154.2	2.72	oxide/partially oxidised	
			<i>includes</i> 108.8	123.0	14.2	6.85	oxide	
			<i>and</i> 133.2	209.0	75.8	3.63	oxide/partially oxidised	
			<i>and</i> 220.6	235.8	15.2	1.48	oxide/partially oxidised	
			258.3	273.7	15.4	0.25	oxide	
ODD127	Keltepe Infill	250_KT	91.4	102.6	11.2	0.83	oxide	
			<i>includes</i> 94.4	101.5	7.1	1.14	oxide	
			115.6	131.9	16.3	0.29	oxide	
			162.8	200.2	37.4	0.37	oxide/sulphide	
ODD128	Keltepe Infill	350_KT	117.0	195.5	78.5	1.53	oxide/partially oxidised	
			<i>includes</i> 118.6	137.0	18.4	3.34	oxide	
			<i>and</i> 144.0	169.4	25.4	6.67	oxide	
ODD129	Keltepe Infill	600_KT	226.6	355.6	129.0	0.69	oxide	
			<i>includes</i> 229.9	234.9	5.0	1.46	oxide	
			<i>and</i> 240.9	247.9	7.0	1.41	oxide	
			<i>and</i> 253.3	260.3	7.0	1.42	oxide	
			<i>and</i> 268.3	273.3	5.0	3.56	oxide	
ODD130	Keltepe Infill	300_KT	No Significant Intercepts					
ODD131	Keltepe Infill	400_KT	No Significant Intercepts					
ODD132	Keltepe Infill	650_KT	35.0	53.0	18.0	1.03	oxide	
			<i>includes</i> 39.0	49.0	10.0	1.46	oxide	
			94.0	194.0	93.0	1.64	oxide	
			<i>includes</i> 119.6	156.8	37.2	3.57	oxide	
			201.0	255.4	54.4	0.95	oxide	
<i>includes</i> 218.0	253.0	35.0	1.30	oxide				
ODD133	Keltepe Infill	650_KT	53.5	224.0	170.5	0.76	oxide	
			<i>includes</i> 99.0	116.0	17.0	1.00	oxide	
			<i>and</i> 129.0	159.0	30.0	1.64	oxide	
			<i>and</i> 212.0	217.7	5.7	1.14	oxide	
			224.0	246.6	22.6	0.42	sulphide	
			246.6	273.1	26.5	0.62	oxide/sulphide	
ODD134	Keltepe Infill	300_KT	91.8	138.5	46.7	0.73	oxide	
			<i>includes</i> 117.0	123.0	6.0	1.67	oxide	
ODD135	Keltepe Infill	400_KT	46.0	51.0	5.0	0.31	oxide	
			89.0	177.0	88.0	0.80	oxide	
			<i>includes</i> 103.0	120.0	17.0	1.14	oxide	
			<i>and</i> 135.0	148.0	13.0	1.58	oxide	
			191.0	213.0	22.0	0.54	oxide	
225.0	234.0	9.0	0.43	oxide				
ODD136	Keltepe Infill	600_KT	5.0	21.0	16.0	0.20	oxide	
			35.0	191.0	156.0	0.57	oxide	
			<i>includes</i> 79.0	96.4	17.4	1.16	oxide	
			<i>and</i> 143.0	148.0	5.0	1.27	oxide	
			215.0	264.0	49.0	0.22	oxide	

Notes: Mineralized intervals are greater than 0.20 g/t Au.

Higher grade sub-intervals are greater than 1.00 g/t Au.

Minimum 5m width and maximum of 5m internal dilution.

Reported core lengths may not be representative of true widths.

Oxidation assignment is a visual discrimination from core logging.

This information should be read together with our news release of October 30th, 2013.

David Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Tables are current as of September 30, 2013.



Centerra Gold Inc. - Oksut Project
Keltepe (Ortacam North) and Guneytepe (Ortacam) Drill Results
 Period July 1st, 2013 to September 30th, 2013

Drill Hole	Target	Section Line	From (m)	To (m)	Core Length (m)	Au (g/t)	Oxidation	
ODD137	Keltepe Infill	300_KT	90.0	117.0	25.3	0.62	oxide	
			<i>includes</i> 93.0	101.0	8.0	1.12	oxide	
			227.8	301.7	73.9	0.71	oxide	
			<i>includes</i> 268.7	283.8	15.1	1.40	oxide	
ODD138	Keltepe Infill	400_KT	92.1	159.7	67.6	2.72	oxide	
			<i>includes</i> 104.2	126.0	21.8	5.07	oxide	
			<i>and</i> 132.0	159.7	27.7	2.26	oxide	
ODD138A	Keltepe Infill	400_KT	150.0	199.0	49.0	0.66	oxide	
			<i>includes</i> 150.0	165.0	15.0	1.53	oxide	
			275.4	316.0	40.6	1.15	oxide	
			<i>includes</i> 295.4	316.0	20.6	1.83	oxide	
			316.0	357.6	41.6	0.69	sulphide	
			<i>includes</i> 316.0	327.0	11.0	1.66	sulphide	
ODD139	Keltepe Infill	750_KT	376.0	384.7 (EOH)	8.7	0.41	sulphide	
			11.6	26.6	15.0	0.27	oxide	
			41.9	62.9	21.0	0.57	oxide	
			86.6	214.0	127.4	0.41	oxide	
			241.0	284.6	43.6	0.67	oxide	
<i>includes</i> 242.0	253.9	11.9	1.43	oxide				
ODD140	Keltepe Infill	600_KT	<i>No Significant Intercepts</i>					
ODD141	Keltepe Infill	650_KT	<i>No Significant Intercepts</i>					
ODD142	Keltepe Infill	350_KT	96.2	204.6	108.4	1.51	oxide	
			<i>includes</i> 96.2	138.0	41.8	2.63	oxide	
			<i>and</i> 144.0	167.0	23.0	1.69	oxide	
			218.6	344.0	124.2	1.09	oxide	
			<i>includes</i> 224.6	236.0	11.4	1.55	oxide	
			<i>and</i> 247.6	278.4	30.8	1.98	oxide	
<i>and</i> 284.0	303.0	19.0	1.30	oxide				
ODD143	Keltepe Infill	550_KT	6.0	40.4	34.4	0.41	oxide	
			118.2	181.0	62.8	0.30	oxide	
ODD144	Keltepe Infill	700_KT	56.6	105.0	48.4	0.52	oxide	
			111.2	211.0	99.8	0.45	oxide/partially oxidised/sulphide	
			220.0	234.4	14.4	0.21	oxide	
			245.0	293.0	48.0	0.33	oxide	
			300.8	358.5 (EOH)	57.7	0.47	oxide	
ODD145	Keltepe Infill	450_KT	36.1	55.0	18.9	0.43	oxide	
			213.0	218.0	5.0	0.73	oxide	
			262.0	270.0	8.0	0.24	oxide	
ODD146	Keltepe Infill	500_KT	194.0	201.8	7.8	0.27	oxide	
			232.5	264.5	32.0	0.25	oxide	
			272.5	281.5	9.0	0.26	oxide	
			289.8	315.3	25.5	0.23	oxide	
			342.0	349.5	7.5	0.22	sulphide	
ODD147	Keltepe Infill	300_KT	71.4	85.5	14.1	0.40	oxide	
			209.2	251.5	42.3	0.54	oxide	
			257.0	279.0	22.0	0.38	oxide/partially oxidised	
ODD148	Keltepe Infill	700_KT	103.4	116.6	13.2	0.31	oxide	
			126.6	221.0	94.4	0.84	oxide	
			<i>includes</i> 133.1	143.3	10.2	1.65	oxide	
			<i>and</i> 166.0	195.0	29.0	1.33	oxide	

Notes: Mineralized intervals are greater than 0.20 g/t Au.

Higher grade sub-intervals are greater than 1.00 g/t Au.

Minimum 5m width and maximum of 5m internal dilution.

Reported core lengths may not be representative of true widths.

Oxidation assignment is a visual discrimination from core logging.

This information should be read together with our news release of October 30th, 2013.

David Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Tables are current as of September 30, 2013.





Centerra Gold Inc. - Oksut Gold Project
Keltepe (Ortacam North) and Guneytepe (Ortacam) Drill Hole Locations
 July 1st, 2013 to September 30th, 2013

Drill Hole	Deposit Area	Location Northing	Location Easting	Elevation (m)	Length (m)	Azimuth *	Dip
ODD0120	Keltepe Infill	4,240,412	719,358	1,809	487.90	257	-45
ODD0121	Guneytepe Step-Out	4,239,909	719,800	1,845	119.30	60	-45
ODD0122	Keltepe Infill	4,240,203	719,356	1,774	234.30	257	-60
ODD0122A	Keltepe Infill	4,240,203	719,356	1,774	309.00	257	-60
ODD0123	Keltepe Infill	4,240,285	719,689	1,777	310.10	257	-60
ODD0124	Keltepe Infill	4,240,695	719,532	1,846	373.70	257	-60
ODD0125	Keltepe Infill	4,240,337	719,696	1,863	311.00	257	-60
ODD0126	Keltepe Infill	4,240,472	719,505	1,844	384.50	257	-50
ODD0127	Keltepe Infill	4,240,203	719,356	1,774	225.40	77	-75
ODD0128	Keltepe Infill	4,240,393	719,699	1,869	380.80	257	-50
ODD0129	Keltepe Infill	4,240,621	719,608	1,848	383.20	257	-60
ODD0130	Keltepe Infill	4,240,266	719,403	1,795	266.00	257	-60
ODD0131	Keltepe Infill	4,240,385	719,404	1,821	320.00	257	-60
ODD0132	Keltepe Infill	4,240,588	719,309	1,803	314.70	257	-50
ODD0133	Keltepe Infill	4,240,625	719,402	1,815	343.10	257	-50
ODD0134	Keltepe Infill	4,240,330	719,656	1,863	282.60	257	-60
ODD0135	Keltepe Infill	4,240,402	719,452	1,819	291.50	257	-60
ODD0136	Keltepe Infill	4,240,565	719,356	1,759	314.00	257	-60
ODD0137	Keltepe Infill	4,240,318	719,598	1,866	323.40	257	-60
ODD0138	Keltepe Infill	4,240,443	719,646	1,856	159.70	257	-60
ODD0138A	Keltepe Infill	4,240,445	719,650	1,860	384.70	257	-60
ODD0139	Keltepe Infill	4,240,692	719,313	1,820	284.60	257	-60
ODD0140	Keltepe Infill	4,240,529	719,209	1,781	162.00	257	-60
ODD0141	Keltepe Infill	4,240,571	719,210	1,777	188.40	257	-50
ODD0142	Keltepe Infill	4,240,365	719,592	1,860	364.60	257	-50
ODD0143	Keltepe Infill	4,240,497	719,305	1,793	233.70	257	-50
ODD0144	Keltepe Infill	4,240,642	719,335	1,814	358.50	257	-50
ODD0145	Keltepe Infill	4,240,442	719,405	1,823	372.00	257	-50
ODD0146	Keltepe Infill	4,240,535	719,615	1,844	362.00	257	-60
ODD0147	Keltepe Infill	4,240,296	719,551	1,837	327.80	257	-60
ODD0148	Keltepe Infill	4,240,636	719,286	1,805	305.80	257	-50


Datum is UTM ED50 Zone 36
 * Azimuths are relative to grid

Oksut Geology Map and Drillhole Locations



This information should be read together with our news release of October 30, 2013.
David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Keltepe Prospect Drill Hole Locations and Geology




This information should be read together with our news release of October 30, 2013.

David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.


Oksut Project – Q3 2013

Section 250_KT




This information should be read together with our news release of October 30, 2013.
 David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Section 300_KT



This information should be read together with our news release of October 30, 2013.
 David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.


Oksut Project – Q3 2013 Section 350_KT



This information should be read together with our news release of October 30, 2013.
David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Oksut Project – Q3 2013


Section 400_KT



This information should be read together with our news release of October 30, 2013.
David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Oksut Project – Q3 2013


Section 450_KT



This information should be read together with our news release of October 30, 2013.
 David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Oksut Project – Q3 2013


Section 500_KT



This information should be read together with our news release of October 30, 2013.
David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Oksut Project – Q3 2013


Section 550_KT



This information should be read together with our news release of October 30, 2013.

David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.


Oksut Project – Q3 2013 Section 600_KT



This information should be read together with our news release of October 30, 2013.
David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Oksut Project – Q3 2013


Section 650_KT



This information should be read together with our news release of October 30, 2013.
 David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Oksut Project – Q3 2013


Section 700_KT



This information should be read together with our news release of October 30, 2013.
 David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.


Oksut Project – Q3 2013

Section 750_KT



This information should be read together with our news release of October 30, 2013.
 David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.


Guneytepe Prospect Drill Hole Locations and Geology



This information should be read together with our news release of October 30, 2013.
 David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Oksut Project – Q3 2013

Section 210_GT



This information should be read together with our news release of October 30, 2013.
David A. Groves, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.