

**Complete Assay Results as at July 14, 2009**  
**TABLE 1 - Larder Lake Assay Results – Bear Lake Area**

<b>Hole no.</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Core Length (m)</b>	<b>True Width (m)</b>	<b>Au (g/t)</b>	<b>Mineralization Type</b>
NFX07-11*	587.5	592.7	5.2	4.3	10.4	Carbonate-type
Including	588.0	589.5	1.5	1.2	20.8	
	664.6	674.8	10.2	8.4	8.0	Flow-type
Including	667.0	673.0	6.0	4.9	13.3	
Including	668.8	673.0	4.2	3.4	18.6	
NFX07-14*	470.9	479.8	8.9	8.6	0.5	Carbonate-type
	647.5	652.7	7.0	6.8	0.5	Flow-type
NFX07-15*	593.0	598.5	5.5	4.5	1.2	Carbonate-type
	701.0	711.7	10.7	8.8	3.9	Flow-type
Including	705.6	709.7	4.1	3.4	7.0	
NFX07-16*	658.0	664.0	6.0	4.7	1.8	Flow-type
Including	662.2	662.7	0.5	0.4	4.2	
NFX07-17A*	600.5	601.0	0.5	0.3	12.2	Graphitic Fault Zone
	686.5	691.3	4.8	4.2	6.0	Carbonate-type
Including	690.0	691.3	1.3	1.1	9.7	
	736.9	745.0	8.1	7.2	4.9	Flow-type
Including	738.0	741.0	3.0	2.7	11.4	
NFX08-24A*	678.3	680.2	1.9	1.3	9.1	Carbonate-type
	713.8	721.0	7.2	5.1	1.3	Carbonate-type
NFX08-24AW*	716.3	722.9	6.6	4.7	1.6	Carbonate-type
including	718.2	718.9	0.7	0.5	5.5	
	854.2	860.0	5.8	4.1	3.0	Flow-type
including	856.8	858.2	1.4	1.0	10.2	
NFX08-25*	587.5	619.0	31.6	25.9	0.3	Carbonate-type
NFX08-25W*	688.2	689.3	1.1	0.9	1.6	Flow-type
NFX08-29*	435.5	489.0	53.5	46.3	0.3	Carbonate-type
NFX08-35*	164.1	164.8	0.7	0.5	7.2	Sediments
	137.8	142.6	4.8	3.4	18.3	Flow-type
Including	137.8	138.3	0.5	0.4	163.5	
NFX08-38*	555.2	558.1	2.9	2.5	6.5	Flow-type
Including	555.2	557.1	1.9	1.7	8.9	
NFX08-44*	685.7	700.8	15.1	11.6	13.6	Carbonate-type
Including	692.6	697.0	4.4	3.4	41.9	
Including	692.6	693.1	0.5	0.4	338.5	
NFX08-44W*	689.5	702.5	13.0	10.0	2.6	Carbonate-type
including	689.5	691.0	1.5	1.2	7.1	
and	697.3	700.5	3.2	2.5	5.1	
NFX08-44W2*	687.0	688.5	1.5	1.2	8.5	Carbonate-type
	695.0	703.5	8.5	6.5	10.6	Carbonate-type
including	695.0	698.5	3.5	2.7	18.3	
and	700.5	703.5	3.0	2.6	8.2	

**TABLE 1 (cont') - Larder Lake Assay Results – Bear Lake Area**

NFX08-45*	564.0	569.6	5.6	4.4	2.1	Carbonate-type
including	569.0	569.6	0.6	0.5	4.3	
and	564.0	565.0	1.0	0.8	4.0	
	686.6	687.7	1.1	0.9	4.4	Flow-type
NFX08-47*	912.5	914.5	2.0	1.6	2.5	Carbonate-type
	586.0	590.0	4.0	3.2	0.4	Flow-type
NFX08-49*	888.5	898.0	9.5	7.2	19.4	Carbonate-type
including	888.5	895.0	6.5	4.9	27.9	
or	893.5	895.0	1.5	1.1	76.1	
<b>NFX08-49W2</b>	<b>1033.5</b>	<b>1040.2</b>	<b>6.7</b>	<b>6.5</b>	<b>9.9</b>	<b>Flow-type</b>
including	<b>1035.0</b>	<b>1038.0</b>	<b>3.0</b>	<b>2.9</b>	<b>19.9</b>	
NFX08-52*	579.0	580.0	1.0	0.8	16.3	Sediments
NFX08-53*	1042.5	1048.8	6.3	4.6	0.5	Carbonate-type
NFX08-53W3*	1094.0	1095.0	1.0	0.7	10.5	Carbonate-type
NFX08-54A*	1140.3	1141.7	1.4	1.0	1.9	Sediments
NFX08-55*	769.0	771.2	2.2	1.7	2.8	Carbonate-type
<b>NFX08-56A</b>	<b>1221.5</b>	<b>1222.6</b>	<b>1.1</b>	<b>0.6</b>	<b>23.4</b>	<b>Flow-type</b>
NFX08-57A*	1350.0	1353.5	3.5	2.3	4.9	Carbonate-type
including	1350.0	1351.5	1.5	1.0	7.5	
NFX08-57AW*	1636.5	1638.0	1.5	1.0	15.1	Flow-type
<b>NFX08-58</b>	1025.5	1107.6	82.1	49.4	1.3	<b>Carbonate-type</b>
including	<b>1067.4</b>	<b>1075.9</b>	<b>8.5</b>	<b>6.0</b>	<b>6.5</b>	
or	<b>1067.4</b>	<b>1070.4</b>	<b>3.0</b>	<b>2.1</b>	<b>15.9</b>	
and	1038.7	1040.7	2.0	1.2	6.0	
NFX08-58W2*	1066.0	1069.9	3.9	2.4	20.4	Carbonate-type
including	1067.5	1068.6	1.1	0.7	66.2	
<b>BLG08-59*</b>	<b>1133.0</b>	<b>1136.5</b>	<b>3.5</b>	<b>2.1</b>	<b>10.5</b>	<b>Carbonate-type</b>
including	<b>1133.0</b>	<b>1134.5</b>	<b>1.5</b>	<b>0.9</b>	<b>22.9</b>	
	1405.0	1408.0	3.0	1.8	2.9	Carbonate-type
including	1406.0	1407.0	1.0	0.6	8.4	
<b>BLG08-59W</b>	1451.5	1452.6	1.1	0.7	1.5	<b>Flow-type</b>
	<b>1466.8</b>	<b>1469.6</b>	<b>2.8</b>	<b>1.7</b>	<b>6.7</b>	<b>Flow-type</b>
including	<b>1466.8</b>	<b>1468.2</b>	<b>1.4</b>	<b>0.8</b>	<b>12.1</b>	

**TABLE 1 (cont') - Larder Lake Assay Results – Bear Lake Area**

BLG09-63*	664.5	669.5	5.0	3.9	1.0	Carbonate-type
	750.0	758.6	8.6	6.8	1.1	Flow-type
BLG09-63W*	664.5	670.0	5.5	4.3	1.1	Carbonate-type
BLG09-64*	619.5	624.6	5.1	4.9	9.9	Carbonate-type
including	622.3	624.6	2.3	2.2	14.9	
	754.0	759.0	5.0	4.8	5.4	Flow-type
including	754.0	756.5	2.5	2.4	10.0	
BLG09-65*	673.5	680.2	6.8	5.8	6.2	Carbonate-type
including	677.2	680.2	3.0	2.6	10.0	
BLG09-66*	615.5	625.1	9.6	9.0	8.4	Carbonate-type
including	615.5	618.2	2.7	2.5	10.6	
and	622.0	625.1	3.1	2.9	14.8	
	723.6	729.2	5.6	5.3	7.1	Flow-type
	726.0	729.2	3.2	3.0	10.5	
<b>BLG09-67</b>	<b>719.7</b>	<b>727.2</b>	<b>7.5</b>	<b>6.5</b>	<b>10.4</b>	<b>Carbonate-type</b>
including	<b>724.5</b>	<b>727.2</b>	<b>2.7</b>	<b>2.3</b>	<b>17.9</b>	
<b>BLG09-67W!</b>	<b>717.5</b>	<b>725.4</b>	<b>7.9</b>	<b>6.8</b>	<b>22.5</b>	<b>Carbonate-type</b>
including	<b>718.7</b>	<b>723.0</b>	<b>4.3</b>	<b>3.7</b>	<b>37.5</b>	
<b>BLG09-69</b>	<b>586.0</b>	<b>593.0</b>	<b>7.0</b>	<b>6.8</b>	<b>16.3</b>	<b>Carbonate-type</b>
and	<b>672.5</b>	<b>674.0</b>	<b>1.5</b>	<b>1.4</b>	<b>20.6</b>	<b>Altered ultramafic</b>
	<b>750.7</b>	<b>752.9</b>	<b>2.2</b>	<b>2.1</b>	<b>11.7</b>	<b>Flow-type</b>
<b>BLG09-70</b>	<b>475.5</b>	<b>480.0</b>	<b>4.5</b>	<b>4.4</b>	<b>11.0</b>	<b>Carbonate-type</b>
	666.3	673.3	7.0	6.8	0.7	<b>Flow-type</b>

\* Holes previously released

! Assays pending in other parts of the hole

Holes # 26 to 28, 30, 31, 32, 34, 36, 39, 42A, 43, 43W, 10(deepening), 50, 51 and 68: No significant gold value

Holes #33, 37, 40, 41: Abandoned due to technical problems before reaching their respective targets

Holes #53, 53W, 53W2, 53W3, 54A, 54AW, 58, 58W, 65W: Abandoned due to technical problems before reaching flow-type mineralization

Holes # 42A, 43, 43W, 44, 44W, 44W2, 51, 52, 55, 56A: Stopped in strongly sheared zone between flow-type and carbonate-type mineralized zones