

Table 1: Weighted Average Composite Grade Intervals, Holes TPD184-223

Hole ID	From(m)	To(m)	Length(m)	Gold(g/t)	Cu (%)	Comment
TPD184	43.00	44.50	1.5	0.605	0.095	Step-out
	75	76.5	1.5	0.517	0.102	
	94.5	96	1.5	0.532	0.015	
	132	135	3	1.076	0.014	
	150	151.5	1.5	0.682	0.005	
	163.5	165	1.5	1.454	0.019	
	184.5	186	1.5	3.811	0.010	
TPD185	14.5	17.5	3	0.622	0.016	Infill
	19	20.5	1.5	2.430	0.014	
	90	91.5	1.5	0.531	0.008	
	112.5	114	1.5	13.90*	0.004	
	174	175.5	1.5	1.758	0.008	
	196.5	199.5	3	2.167	0.010	
	220.5	228	7.5	0.692	0.022	
	243	244.5	1.5	1.393	0.030	
	279	285	6	0.998	0.069	
	321	322.5	1.5	0.566	0.004	
	327	343.5	16.5	2.814	0.129	
	352.5	360	7.5	0.730	0.246	
	399	406.5	7.5	1.685	0.081	
	460.5	463.5	3	1.150	0.027	
TPD186	1	2.5	1.5	0.735	0.154	Step-out
	51	52.5	1.5	1.129	0.039	
	124.5	126	1.5	0.528	0.096	
	130.5	132	1.5	0.725	0.188	
	219	220.5	1.5	0.896	0.001	
TPD187	135	136.5	1.5	1.560	0.083	Step-out
	169.5	171	1.5	1.054	0.012	
TPD188	25	26.5	1.5	1.402	0.010	Infill
	32.5	34	1.5	7.583	0.011	
	109.5	114	4.5	0.599	0.026	
	178.5	180	1.5	2.016	0.009	
TPD189	117	118.5	1.5	0.609	0.034	Exploration

	136.5	138	1.5	0.870	0.024	
	150	151.5	1.5	0.609	0.012	
TPD190	26.5	28	1.5	1.569	0.000	Step-out
	50.5	52	1.5	0.644	0.001	
	53.5	55	1.5	0.685	0.000	
	64.5	66	1.5	0.678	0.000	
	73.5	75	1.5	1.102	0.000	
	79.5	81	1.5	0.969	0.000	
	109.5	115.5	6	3.864	0.005	
	120	121.5	1.5	0.725	0.000	
	139.5	144	4.5	0.896	0.000	
	183	186	3	0.891	0.000	
	201	208.5	7.5	0.826	0.017	
	211.5	216	4.5	1.417	0.019	
TPD191	201	202.5	1.5	1.190	0.015	Step-out
TPD192	0	1	1	1.145	0.001	Step-out
	14.5	16	1.5	6.445	0.003	
	37.5	39	1.5	1.545	0.004	
	51	61.5	10.5	1.928	0.019	
	64.5	66	1.5	1.046	0.000	
	78	79.5	1.5	1.052	0.002	
	93	115.5	22.5	2.831	0.000	
incl	111	115.5	4.5	51.43*	0.005	
	142.5	147	4.5	0.796	0.000	
	171	172.5	1.5	0.624	0.008	
	180	181.5	1.5	0.518	0.080	
	205.5	207	1.5	0.636	0.050	
	274.5	277.5	3	0.451	0.000	
TPD193	99	100.5	1.5	1.032	0.023	Step-out
	114	118.5	4.5	0.837	0.054	
	189	190.5	1.5	2.295	1.394	
	210	211.5	1.5	0.777	0.448	
	237	243	6	1.326	0.163	
	258	264	6	0.812	0.173	
	279	285	6	3.702	0.647	
incl	280.5	282	1.5	24.80*	1.818	
	334.5	336	1.5	1.501	0.499	

	343.5	345	1.5	0.733	0.226	
	360	366	6	1.106	0.682	
	375	379.5	4.5	0.683	0.067	
	385.5	387	1.5	0.548	0.260	
	408	412.5	4.5	4.097	0.331	
Incl	409.5	411	1.5	14.20*	0.713	
	420	421.5	1.5	0.691	0.110	
TPD194	26.5	29.5	3	0.701	0.039	Infill
	31	35.5	4.5	0.474	0.026	
	81	85.5	4.5	1.081	0.022	
	144	148.5	4.5	0.795	0.162	
	172.5	174	1.5	0.727	0.133	
	187.5	189	1.5	0.552	0.091	
	192	205.5	13.5	1.289	0.142	
	225	237	12	0.834	0.058	
	246	279	33	0.585	0.081	
	283.5	381	97.5	0.587	0.029	
	391.5	393	1.5	1.109	0.111	
	397.5	399	1.5	1.214	0.196	
	408	412.5	4.5	0.954	0.147	
	454.5	456	1.5	0.848	0.215	
	463.5	465	1.5	0.658	0.161	
	468	474	6	0.842	0.153	
	483	484.5	1.5	1.209	0.007	
	504	505.5	1.5	0.804	0.042	
	516	517.5	1.5	0.528	0.097	
	525	526.5	1.5	0.779	0.167	
	528	529.5	1.5	0.713	0.068	
	541.5	544.5	3	0.982	0.080	
	547.5	549	1.5	0.818	0.073	
	556.5	558	1.5	1.150	0.134	
TPD195	259.5	261	1.5	0.773	0.007	Infill
	373.5	375	1.5	0.532	0.158	
	399	400.5	1.5	0.699	0.145	
	412.5	415.5	3	0.966	0.058	
	439.5	444	4.5	1.386	0.135	
	453	454.5	1.5	4.516	0.181	
	472.5	474	1.5	1.537	0.078	
	480	481.5	1.5	0.858	0.125	

	484.5	501	16.5	1.151	0.080	
	508.5	519	10.5	1.277	0.165	
	525	534	9	1.133	0.163	
	543	559.5	16.5	1.496	0.015	
	565.5	570	4.5	1.316	0.029	
	574.5	576	1.5	0.514	0.045	
	601.5	616.5	15	0.987	0.030	
	624	642	18	0.696	0.010	
TPD196	300	301.5	1.5	0.550	0.003	Infill
	379.5	384	4.5	0.941	0.000	
	394.5	396	1.5	0.788	0.007	
TPD197	93	94.5	1.5	0.551	0.000	Step-out
	123	124.5	1.5	0.534	0.088	
	130.5	132	1.5	0.519	0.033	
	292.5	301.5	9	1.272	0.000	
	309	315	6	3.944	0.017	
	333	345	12	5.051	0.039	
incl.	340.5	343.5	3	19.15*	0.109	
	369	372	3	7.637	0.048	
incl.	370.5	372	1.5	15.90*	0.089	
	393	397.5	4.5	0.451	0.000	
TPD198	10	11.5	1.5	0.865	0.010	Infill
	20.5	22	1.5	0.964	0.020	
	44.5	46	1.5	1.170	0.014	
	50.5	52	1.5	0.837	0.011	
	70.5	72	1.5	0.536	0.096	
	168	174	6	0.637	0.406	
	178.5	180	1.5	0.861	0.150	
	211.5	216	4.5	0.539	0.420	
	223.5	228	4.5	0.639	0.355	
	244.5	246	1.5	0.579	0.165	
	252	267	15	0.758	0.218	
	301.5	307.5	6	0.790	0.279	
	333	334.5	1.5	1.674	0.122	
	339	343.5	4.5	5.269	0.628	
	349.5	351	1.5	0.556	0.143	
	366	391.5	25.5	0.864	0.154	
	402	412.7	10.7	0.963	0.056	

TPD201	16	19	3	0.523	0.035	Infill
	64.5	67.5	3	0.611	0.008	
	130.5	132	1.5	0.852	0.102	
	178.5	180	1.5	0.644	0.028	
	231	232.5	1.5	1.996	0.014	
	342	343.5	1.5	0.729	0.185	
	348	357	9	0.729	0.155	
	390	396	6	1.379	0.094	
	400.5	471	70.5	1.254	0.090	
TPD202	28	29.5	1.5	0.774	0.007	Exploration
	43	44.5	1.5	1.568	0.004	
	255	256.5	1.5	1.012	0.002	
	315	316.5	1.5	0.794	0.011	
	328.5	330	1.5	2.849	0.032	
TPD203	122	123.5	1.5	4.795	0.091	Step-out
	143	144.5	1.5	2.592	0.173	
	171.5	180.5	9	1.079	0.103	
	189.5	191	1.5	0.734	0.569	
	200	201.5	1.5	1.398	0.610	
	212	219.5	7.5	0.844	0.467	
	236	240.5	4.5	1.219	0.081	
	245	246.5	1.5	0.957	0.003	
TPD204	14.5	16	1.5	1.375	0.021	Exploration
	118.5	121.5	3	0.571	0.035	
	187.5	190.5	3	0.640	0.480	
	216	217.5	1.5	14.80*	0.117	
TPD205	282.5	284	1.5	0.736	0.067	Step-out
	288.5	291.5	3	0.600	0.145	
	296	297.5	1.5	0.933	0.137	
	306.5	324.5	18	2.078	0.226	
	329	332	3	1.293	0.059	
	333.5	335	1.5	0.540	0.028	
	344	351.5	7.5	5.012	0.587	
incl.	348.5	351.5	3	26.45*	1.279	
	378.5	381.5	3	0.721	0.203	
TPD206	67.5	69	1.5	2.384	0.030	Exploration

TPD207	87	88.5	1.5	1.258	0.003	Exploration
TPD208	129.5	131	1.5	0.976	0.006	Exploration
TPD209	7	8.5	1.5	0.801	0.008	Step-out
	22	26.5	4.5	0.488	0.006	
	87	88.5	1.5	0.533	0.006	
	106.5	108	1.5	0.625	0.003	
	148.5	153	4.5	0.782	0.001	
	162	172.5	10.5	1.391	0.001	
	192	193.5	1.5	0.834	0.005	
	226.5	228	1.5	0.988	0.001	
	250.5	253.5	3	3.821	0.007	
TPD210	165.5	167	1.5	1.693	0.228	Exploration
TPD211	13	16	3	1.784	0.007	Step-out
	23.5	28	4.5	0.454	0.026	
	37	41.5	4.5	4.451	0.326	
Incl.	37	38.5	1.5	22.40*	0.444	
	59	60.5	1.5	0.645	0.042	
	137	140	3	0.877	0.038	
	159.5	161	1.5	0.586	0.091	
	252.5	255.5	3	1.030	0.087	
	306.5	308	1.5	3.052	0.064	
	324.5	329	4.5	0.577	0.143	
	360.5	371	10.5	0.731	0.108	
	380	395	15	0.676	0.147	
	411.5	413	1.5	1.160	0.146	
	429.5	431	1.5	0.627	0.209	
	435.5	453.5	18	0.664	0.243	
	467	468.5	1.5	0.530	0.142	
TPD212	17.5	23.5	6	0.834	0.001	Step-out
	32.5	34	1.5	0.710	0.002	
	43	44.5	1.5	0.614	0.002	
	62.5	67.5	5	0.587	0.008	
	139.5	141	1.5	1.031	0.027	
	142.5	144	1.5	0.547	0.010	

TPD213	19	32.5	13.5	0.820	0.004	Step-out
	97.5	99	1.5	1.701	0.005	
	100.5	103.5	3	0.721	0.004	
	109.5	111	1.5	0.990	0.002	
	115.5	121.5	6	1.131	0.025	
	165	171	6	0.612	0.007	
	180	183	3	0.665	0.000	
	202.5	204	1.5	0.500	0.000	
	207	208.5	1.5	0.652	0.000	
	213	220.5	7.5	0.643	0.000	
	225	234	9	0.531	0.002	
	243	244.5	1.5	0.593	0.000	
	250.5	252	1.5	0.514	0.000	
	267	271.5	4.5	1.226	0.000	
	280.5	283.5	3	0.692	0.000	
	286.5	289.5	3	1.566	0.000	
	306	307.5	1.5	1.572	0.000	
TPD214	7	10	3	10.496	0.000	Step-out
Incl.	7	8.5	1.5	13.90*	0.001	
	23.5	40.5	17	1.121	0.001	
	58.5	60	1.5	1.385	0.001	
	84	85.5	1.5	0.514	0.001	
	117	118.5	1.5	0.530	0.000	
	183	184.5	1.5	1.095	0.037	
	217.5	231	13.5	0.775	0.000	
	237	250.5	13.5	0.916	0.004	
	262.5	267	4.5	0.802	0.001	
	271.5	274.5	3	1.234	0.001	
	277.5	279	1.5	0.523	0.003	
	285	286.5	1.5	0.628	0.003	
	303	304.5	1.5	1.028	0.000	
TPD215	0	1	1	2.268	0.015	Infill
	10	42	32	0.827	0.118	
	48	58.5	9	0.866	0.143	
	61.5	66	4.5	0.727	0.086	
	148.5	150	1.5	0.507	0.003	
TPD216	1	4	3	0.554	0.012	Infill
	17.5	19	1.5	0.794	0.058	

	25	34	9	0.839	0.027	
	38.5	48	9.5	0.535	0.080	
	52.5	58.5	6	1.287	0.016	
	75	76.5	1.5	1.186	0.034	
	85.5	88.5	3	0.631	0.062	
	93	94.5	1.5	0.691	0.074	
	100.5	105	4.5	0.857	0.037	
	121.5	123	1.5	0.818	0.242	
	138	139.5	1.5	0.814	0.044	
	144	145.5	1.5	0.500	0.086	
	148.5	151.5	3	0.913	0.075	
	154.5	156	1.5	0.654	0.059	
	165	177	12	0.905	0.064	
	186	201	15	0.987	0.139	
	204	205.5	1.5	0.580	0.154	
	211.5	328.5	117	1.490	0.095	
Incl.	286.5	292.5	6	11.410	0.226	
and	286.5	288	1.5	17.70*	0.187	
and	291	292.5	1.5	18.20*	0.253	
	333	336	3	0.759	0.115	
	345	349.5	4.5	0.786	0.104	
	352.5	366	13.5	0.626	0.087	
	370.5	373.5	3	0.869	0.126	
	406.5	408	1.5	0.567	0.019	
	429	430.5	1.5	0.864	0.111	
	433.5	436.5	3	0.572	0.062	
	456	457.5	1.5	1.460	0.031	
	477	534	57	1.396	0.040	
TPD217	0	7	7	0.569	0.007	Step-out
	25	26.5	1.5	0.521	0.005	
	31	32.5	1.5	1.527	0.009	
	67	70.5	3.5	0.729	0.002	
	94.5	96	1.5	0.557	0.002	
TPD217A	0	2.5	2.5	0.477	0.003	Step-out
	7	11.5	4.5	0.550	0.016	
	28	31	3	1.534	0.006	
	44.5	46	1.5	0.787	0.004	
	49.75	51	1.25	0.817	0.000	
	82.5	87	4.5	0.654	0.000	

	100.5	102	1.5	2.215	0.026	
	105	108	3	0.608	0.014	
	138	139.5	1.5	0.748	0.019	
	151.5	153	1.5	0.926	0.004	
	207	210	4.5	1.229	0.009	
	222	226.5	4.5	0.784	0.001	
	253.5	255	1.5	0.575	0.000	
	337.5	345	7.5	2.365	0.029	
TPD218	0	4	4	1.555	0.011	Infill
	10	20.5	10.5	0.745	0.097	
	35.5	41.5	6	2.334	0.056	
	54	72	19.5	1.036	0.208	
TPD219	274.5	276	1.5	0.755	0.000	Exploration
TPD220	0	2.5	2.5	1.193	0.023	Infill
	28	29.5	1.5	0.719	0.100	
	51	52.5	1.5	2.310	0.151	
	58.5	60	1.5	2.333	0.385	
	73.5	82.5	9	0.771	0.129	
	103.5	105	1.5	0.851	0.202	
	115.5	118.5	3	0.806	0.146	
	123	127.5	4.5	0.689	0.139	
	135	172.5	37.5	1.245	0.112	
	181.5	204	22.5	0.790	0.076	
	208.5	228	19.5	0.655	0.080	
	289.5	291	1.5	1.998	0.367	
	307.5	325.5	18	2.018	0.245	
Incl.	322.5	324	1.5	52.00*	0.850	
	340.5	346.5	6	0.863	0.136	
	358.5	360	1.5	0.550	0.058	
	435	439.5	4.5	0.626	0.139	
	454.5	483	28.5	0.912	0.075	
	492	493.5	1.5	0.640	0.055	
	499.5	517.5	18	0.756	0.096	
	522	523.5	1.5	0.980	0.061	
TPD221	32.5	34	1.5	0.650	0.005	Step-out
	93	94.5	1.5	0.817	0.030	
	196.5	198	1.5	1.517	0.006	

TPD222	198.00	202.50	4.5	1.108	0.000	Step-out
TPD223	20.50	21.00	0.5	0.802	0.016	Infill
	69.00	70.50	1.5	0.631	0.066	
	81.00	82.50	1.5	0.606	0.067	
	87.00	97.50	10.5	0.890	0.077	
	103.50	123.00	19.5	2.118	0.041	
Incl.	106.50	108.00	1.5	14.10*	0.041	
	139.50	141.00	1.5	0.736	0.080	
	153.00	156.00	3	1.422	0.139	
	166.50	168.00	1.5	0.568	0.086	
	169.50	174.00	4.5	0.941	0.037	
	181.50	183.00	1.5	0.897	0.088	
	195.00	198.00	3	0.510	0.059	
	202.50	214.50	12	3.744	0.082	
	220.50	222.00	1.5	0.647	0.052	
	225.00	226.50	1.5	0.511	0.068	
	228.00	229.50	1.5	0.505	0.052	
	247.50	249.00	1.5	1.008	0.018	
	291.00	295.50	4.5	0.479	0.052	
	312.00	319.50	7.5	0.785	0.073	
	325.50	330.00	4.5	4.362	0.051	
Incl.	328.50	330.00	1.5	14.90*	0.059	
	346.50	348.00	1.5	0.788	0.141	
	360.00	379.50	19.5	1.886	0.034	
Incl.	378.00	379.50	1.5	20.10*	0.010	
	393.00	400.50	7.5	0.749	0.024	
	445.50	451.50	6	1.420	0.015	
	457.50	463.50	6	0.548	0.046	
	465.00	466.50	1.5	0.652	0.019	
	471.00	477.00	6	0.573	0.019	
	484.50	486.00	1.5	0.839	0.028	
	490.50	495.00	4.5	0.601	0.026	

* High gold assay Infill intervals top-cut to 12.0g/t consistent with NI-43-101 resource model