

PIT	From (m)	To (m)	Reading 1 P2O5%	Reading 2 P2O5%	Reading 3 P2O5%	Average of readings P2O5%	Composite interval (XRF)
PIT 01	0.00	1.00	19.54	18.32	20.34	19.40	5m @ 22.79% P2O5 (from surface and open in depth)
	1.00	2.00	23.21	22.65	22.98	22.95	
	2.00	3.00	21.54	20.86	21.06	21.15	
	3.00	4.00	30.12	28.09	28.69	28.97	
	4.00	5.00	22.13	21.35	21.02	21.50	
PIT-02	0,00	1,00	12.89	13.45	13.38	13.24	5m @ 19.05% P2O5 (from surface and open in depth)
	1,00	2,00	17.86	16.96	17.32	17.38	
	2,00	3,00	21.55	22.45	22.11	20.04	
	3,00	4,00	19.78	19.86	21.03	20.22	
	4,00	5,00	22.43	22.89	21.76	22.36	
PIT-3	0,00	1,00	14.66	13.02	12.71	13.46	5m @ 15.42% P2O5 (from surface and open in depth)
	1,00	2,00	15.7	17.98	17.65	17.11	
	2,00	3,00	15.46	16.05	16.29	15.93	
	3,00	4,00	13.82	12.92	13.33	13.36	
	4,00	5,00	16.47	16.5	18.74	17.24	
PIT-04	0,00	1,00	1.5	1.62	1.95	1.69	5m @ 2.55% P2O5 (from surface)
	1,00	2,00	2.14	2.22	2.05	2.14	
	2,00	3,00	1.94	2.24	1.69	1.96	
	3,00	4,00	1.85	1.94	2.21	2.00	
	4,00	5,00	5.61	4.77	4.47	4.95	
	5,00	6,00	19.58	21.95	21.05	20.86	1.5m @ 22.98% P2O5 (from 5 meters and open in depth)
	6,00	6.5	24.5	23.88	26.93	25.10	