

Sample #	Material sampled	width m	Au ppm	Ag ppm	Pb %	Zn %	
LUP-001	minor quartz stringers, wallrock to fault	2.10	1.58	2.3	0.00	0.02	
LUP-002	quartz stringers in altered volcanic rocks	3.00	1.14	2.2	0.04	0.02	
LUP-003	wallrock to vein	1.50	0.10	2.5	0.39	0.03	
LUP-004	quartz vein/fault	1.20	4.87	67.5	0.40	0.01	
LUP-005	wallrock to vein	1.20	0.10	2.4	0.14	0.03	
		3.90	1.57	Contiguous samples			
LUP-006	quartz stringers to 10cm strong iron-oxides	1.60	11.79	35.6	0.81	0.09	
LUP-007	quartz stringers to 10cm strong iron-oxides	1.90	0.98	16.4	0.48	0.05	
		3.50	5.92	Contiguous samples			
LUP-008	silicified rock between LUP-003 and LUP-007	2.00	0.23	1.5	0.15	0.09	
LUP-009	wallrock to vein with quartz stringers	0.40	0.07	19.4	0.23	0.11	
LUP-010	vein in silicified felsic volcanic rock	0.75	4.53	47.6	0.05	0.01	
LUP-011	wallrock to vein with quartz stringers	1.10	0.03	19.9	0.06	0.00	
		2.25	1.53	Contiguous samples			
LUP-012	quartz vein	0.70	0.27	9.5	0.07	0.00	
LUP-013	quartz vein	0.65	0.26	412.8	0.78	0.97	
LUP-014	altered volcanic rock with iron oxides	0.50	0.13	18.4	0.02	0.22	
LUP-015	quartz vein 4cm & quartz stringers	1.00	1.79	9.4	0.03	0.01	
LUP-016	5-10cm qtz vein and quartz stringers	0.50	0.39	118.6	0.13	0.02	
LUP-017	quartz stockwork in volcanic rocks	2.40	1.00	14.0	0.06	0.00	
LUP-018	quartz veins & stringers, strong iron-oxides	1.60	0.09	<0.1	0.13	0.02	
LUP-019	quartz veins & stringers, strong iron-oxides	3.60	1.19	4.1	0.22	0.01	
LUP-020	quartz veins & stringers, strong iron-oxides	2.15	1.85	8.8	0.40	0.01	
LUP-021	quartz veins & stringers, strong iron-oxides	1.35	0.09	1.5	0.10	0.00	
LUP-022	quartz veins & stringers, strong iron-oxides	2.05	0.77	2.4	0.24	0.01	
LUP-023	quartz veins & stringers, strong iron-oxides	1.95	0.08	<0.1	0.24	0.03	
LUP-024	quartz veins & stringers, strong iron-oxides	2.20	0.08	<0.1	0.12	0.02	
LUP-025	quartz veins & stringers, strong iron-oxides	1.20	0.05	1.1	0.35	0.05	
		16.10	0.65	Contiguous samples			
LUP-026	fault, iron oxides, trace chalcedonic silica	3.60	0.59	149.5	0.33	0.11	
LUP-027	fault, iron oxides, trace chalcedonic silica	1.00	0.03	3.4	0.02	0.04	
		4.60					
LUP-028	Fault, iron oxide, including 10cm quartz vein	0.70	0.26	6.0	0.12	0.14	
LUP-029	quartz veining/fault, roof of Santo Nino mine	0.90	2.58	102.8	1.10	2.29	
LUP-030	quartz vein; roof of Santo Nino Mine	0.90	8.37	5337.5	2.91	3.92	
LUP-031	3 x 15cm quartz veins	1.50	0.58	38.8	0.03	0.01	
LUP-032	40 cm quartz vein and stringers	3.10	1.35	113.0	0.12	0.01	

* all samples are continuous rock chips and represent true widths.