

Table 1 – New significant drilling results, Comtois project

COMTOIS - RESOURE AREA							
Drill Hole	Section	From (m)	To (m)	Core length	Gold (g/t Au)	High grade interval	Weighted average
West of Bell							
COM-11-841	1222E	16.5	18.0	1.5	1.2	1.2 g.t Au over 1.5m	
Bell Area							
COM-12-850	1225E	57.5	59.0	1.5	0.5		15.1 g/t Au over 3.0m
		59.0	60.5	1.5	29.8	29.8 g/t Au over 1.5m	
COM-12-848	1300E	226.5	228.0	1.5	0.3		4.9 g/t Au over 3.0m
		228.0	229.5	1.5	9.5	9.5 g.t Au over 1.5m	
		391.4	391.9	0.5	9.4	9.4 g/t Au over 0.5m	3.0 g/t Au over 1.6m
		391.9	393.0	1.1	0.1		
East of Bell							
COM-11-842	1400E	127.0	127.5	0.5	11.2	11.2 g/t Au over 0.5m	3.0 g/t Au over 2.0m
		127.5	129.0	1.5	0.3		
COM-11-811	1512.5E	143.4	144.0	0.6	7.5		2.0 g/t Au over 5.3m
		144.0	145.5	1.5	0.7		
		145.5	147.0	1.5	0.1		
		147.0	148.2	1.2	0.2		
		148.2	148.7	0.5	9.5	9.5 g/t Au over 0.5m	
West of Osborne							
COM-11-800	1975E	455.9	456.4	0.5	27.8	27.8 g/t Au over 0.5m	6.2 g/t Au over 3.1m
		456.4	457.2	0.8	1.2		
		457.2	457.7	0.5	3.3		
		457.7	459.0	1.3	2.0		

COMTOIS - RESOURE AREA								
Drill Hole	Section	From (m)	To (m)	Core length	Gold (g/t Au)	High grade interval	Weighted average	
Osborne Area								
COM-11-827A	2250E	162.7	163.3	0.6	5.4		1.5 g/t Au over 19.1m	
		163.3	164.1	0.8	0.3			
		164.1	164.6	0.5	1.4			
		164.6	165.1	0.5	2.7			
		165.1	165.9	0.8	0.4			
		165.9	166.6	0.7	1.9			
		166.6	167.1	0.5	0.3			
		167.1	168.0	0.9	0.5			
		168.0	169.0	1.0	0.1			
		169.0	170.0	1.0	0.0			
		170.0	171.5	1.5	0.1			
		171.5	172.5	1.0	0.8			
		172.5	173.6	1.1	1.5			
		173.6	175.0	1.4	0.6			
		175.0	176.0	1.0	0.8			
		176.0	177.0	1.0	1.8			
		177.0	177.9	0.9	0.7			
		177.9	178.7	0.8	6.3			
		178.7	179.3	0.6	0.9			
179.3	180.0	0.7	0.1					
180.0	180.7	0.7	2.6					
180.7	181.2	0.5	3.6					
181.2	181.8	0.6	8.0	8.0 g.t Au over 0.6m				
COM-11-824	2250E	145.9	146.6	0.7	1.0		1.4 g/t Au over 16.8m	
		146.6	147.4	0.8	1.3			
		147.4	148.3	0.9	3.4			
		148.3	148.8	0.5	3.7			
		148.8	149.6	0.8	1.5			
		149.6	150.3	0.7	0.2			
		150.3	151.0	0.7	0.2			
		151.0	151.5	0.5	10.1	10.1 g.t Au over 0.5m		
		151.5	152.1	0.6	0.1			
		152.1	153.0	0.9	0.1			
		153.0	154.0	1.0	0.1			
		156.0	156.7	0.7	1.3			
		160.3	161.1	0.8	0.4			
		161.1	162.1	1.0	0.1			
162.1	162.7	0.6	15.8	15.8 g/t Au over 0.6m				
East of Osborne								
COM-11-826	2775E	425.0	426.0	1.0	0.5		177.5 g/t Au over 2.0m	
		426.0	427.0	1.0	354.5	354.5 g/t Au with 1.1 % Zn over 1.0m		

COMTOIS - RESOURE AREA								
Drill Hole	Section	From (m)	To (m)	Core length	Zinc (% Zn)	Lead (% Pb)	High grade interval	Weighted average
West of Bell								
COM-12-847	1160E	153.0	154.5	1.5	0.2	0.0		0.4 % Zn over 8.3m
		154.5	156.0	1.5	0.1	0.0		
		156.0	157.0	1.0	0.1	0.0		
		157.0	158.0	1.0	0.9	0.1		
		158.0	159.0	1.0	0.0	0.0		
		159.0	159.7	0.7	0.2	0.0		
		159.7	160.8	1.1	0.1	0.1		
		160.8	161.3	0.5	3.0	1.4	3.0 % Zn and 1.4 % Pb over 0.5m	

COMTOIS EXPLORATION - OUTSIDE RESOURCE AREA							
Drill Hole	Section	From (m)	To (m)	Core length	Gold (g/t Au)	High grade interval	Weighted average
POTENTIAL EASTERN EXTENSION							
COM-12-853	G1400E	140.8	141.3	0.5	1.3	1.3 g/t Au over 0.5m	3.9 g/t over 1.0m
		186.0	186.5	0.5	0.2		
		186.5	187.0	0.5	7.6	7.6 g/t Au over 0.5m	
COM-12-855	G1400E	29.1	29.6	0.5	0.2		1.8 g/t Au over 3.7m
		29.6	30.8	1.2	0.2		
		30.8	31.3	0.5	12.0	12.0 g/t Au over 0.5m	
		31.3	32.8	1.5	0.2		
COM-12-854	G1500E	133.0	134.5	1.5	0.6		1.2 g/t Au over 7.5m
		134.5	135.5	1.0	0.9		
		135.5	136.0	0.5	1.9	1.9 g/t Au over 0.5m	
		172.5	173.6	1.1	0.4		
		173.6	174.2	0.6	0.6		
		174.2	174.7	0.5	12.9	12.9 g/t Au over 0.5m	
		174.7	176.0	1.3	0.7		
		176.0	177.0	1.0	0.5		
COM-12-849	G1600E	85.5	86.5	1.0	0.7		1.0 g.t Au over 4.8m
		86.5	87.5	1.0	0.1		
		87.5	88.0	0.5	0.3		
		88.0	89.0	1.0	0.1		
		89	89.8	0.8	0.1		
		89.8	90.3	0.5	7.5	7.5 g/t Au over 0.5m	
		102.5	103.0	0.5	1.0	1.0 g/t Au over 0.5m	
		123.0	124.5	1.5	1.1	1.1 g/t Au over 1.5m	
COM-11-823	G1900E	187.5	189.0	1.5	3.0	3.0 g/t Au over 1.5m	1.6 g/t Au over 3.0m
		189.0	190.5	1.5	0.2		
COM-11-828	G1900E	53.0	54.0	1.0	2.2	2.2 g.t Au over 1.0m	

COMTOIS EXPLORATION - OUTSIDE RESOURCE AREA							
Drill Hole	Section	From (m)	To (m)	Core length	Gold (g/t Au)	High grade interval	Weighted average
POTENTIAL WESTERN EXTENSION							
COM-12-860	2600N	337.5	338.5	1.0	1.2	1.2 g/t Au over 1.0m	1.0g/t Au over 1.9m
		338.5	339.1	0.6	0.7		

Gold grades (g/t Au) are expressed uncut and over core length.

In most cases, core length and true width are close to being the same given the dip of the drill hole and the strike and dip of the mineralized zone.

Identification of the mineralized zone is based on a preliminary interpretation using plan and cross-sectional representations.

Values were rounded at 1 decimal point.




Figure 1. – Comtois Property – New Drilling Results (April 2012)