



 Pit Shells containing 10,197,000 tons at 1.53% Li_2O Measured and 9,442,000 tons at 1.45% Li_2O Indicated for a total M&I of **19,639,000 at 1.49% Li_2O**
 PEA NI 43-101 October 2, 2012 amended February 27, 2013

 Pit Shells containing 11,294,000 tons at 1.58% Li_2O Measured and 13,785,000 tons at 1.50% Li_2O Indicated for a total M&I of **25,070,000 at 1.54% Li_2O**
 NI 43-101 resource estimate July 11, 2011

Additional drilling completed September 2013



SECTION 10+50 E



- WHA 2013 Geology**
- Casing
 - Spodumene bearing pegmatite
 - Pegmatite
 - Amphibolite
 - Felsic Intrusion
 - Gneiss QZ-FP-BO
 - Metasediments
 - Schist
 - Ultramafic
 - Quartz vein

- Teneur Li2O %**
- [0 , 0.5]
 - [0.5 , 1.5]
 - [1.5 , 4.5]

NEMASKA


LITHIUM

WHABOUCHI DEPOSIT

Section Azimuth: 330	1:2250
----------------------	--------

September 20, 2013

SECTION 11+00 E



WHA 2013 Geology

- Casing
- Spodumene bearing pegmatite
- Pegmatite
- Amphibolite
- Felsic Intrusion
- Gneiss QZ-FP-BO
- Metasediments
- Schist
- Ultramafic
- Quartz vein

- Teneur Li₂O %**
- [0 , 0.5]
 - [0.5 , 1.5]
 - [1.5 , 4.5]




WHABOUCHI DEPOSIT

Section Azimuth: 330 | 1:2250

September 30, 2013

SECTION 11+50 E



WHA 2013 Geology

- Casing
- Spodumene bearing pegmatite
- Pegmatite
- Amphibolite
- Felsic Intrusion
- Gneiss QZ-FP-BO
- Metasediments
- Schist
- Ultramafic
- Quartz vein

- Teneur Li2O %**
- [0 , 0.5]
 - [0.5 , 1.5]
 - [1.5 , 4.5]

NEMASKA


LITHIUM

WHABOUCHI DEPOSIT

Section Azimuth: 330	1:2250
----------------------	--------

September 20, 2013

SECTION 12+00 E



- WHA 2013 Geology**
- Casing
 - Spodumene bearing pegmatite
 - Pegmatite
 - Amphibolite
 - Felsic Intrusion
 - Gneiss QZ-FP-BO
 - Metasediments
 - Schist
 - Ultramafic
 - Quartz vein

- Teneur Li2O %**
- [0 , 0.5]
 - [0.5 , 1.5]
 - [1.5 , 4.5]

NEMASKA


LITHIUM

WHABOUCHI DEPOSIT

Section Azimuth: 330	1:2250
----------------------	--------

September 20, 2013

SECTION 12+50 E



WHA 2013 Geology

- Casing
- Spodumene bearing pegmatite
- Pegmatite
- Amphibolite
- Felsic Intrusion
- Gneiss QZ-FP-BO
- Metasediments
- Schist
- Ultramafic
- Quartz vein

- Teneur Li2O %**
- [0 , 0.5]
 - [0.5 , 1.5]
 - [1.5 , 4.5]

NEMASKA


LITHIUM

WHABOUCHI DEPOSIT

Section Azimuth: 330	1:2250
----------------------	--------

September 20, 2013

SECTION 13+00 E



WHA 2013 Geology

- Casing
- Spodumene bearing pegmatite
- Pegmatite
- Amphibolite
- Felsic Intrusion
- Gneiss QZ-FP-BO
- Metasediments
- Schist
- Ultramafic
- Quartz vein

- Teneur Li₂O %
- [0 , 0.5]
 - [0.5 , 1.5]
 - [1.5 , 4.5]

NEMASKA


LITHIUM

WHABOUCHI DEPOSIT

Section Azimuth: 330	1:2250
----------------------	--------

September 20, 2013

SECTION 13+50 E



WHA 2013 Geology

- Casing
- Spodumene bearing pegmatite
- Pegmatite
- Amphibolite
- Felsic Intrusion
- Gneiss QZ-FP-BO
- Metasediments
- Schist
- Ultramafic
- Quartz vein

- Teneur Li2O %**
- [0 , 0.5]
 - [0.5 , 1.5]
 - [1.5 , 4.5]

NEMASKA


LITHIUM

WHABOUCHI DEPOSIT

Section Azimuth: 330	1:2250
----------------------	--------

September 30, 2013

SECTION 14+00 E



WHA 2013 Geology

- Casing
- Spodumene bearing pegmatite
- Pegmatite
- Amphibolite
- Felsic Intrusion
- Gneiss QZ-FP-BO
- Metasediments
- Schist
- Ultramafic
- Quartz vein

- Teneur Li₂O %**
- [0 , 0.5]
 - [0.5 , 1.5]
 - [1.5 , 4.5]

NEMASKA

LITHIUM

WHABOUCHI DEPOSIT

Section Azimuth: 330	1:2250
----------------------	--------

September 20, 2013