


# FIGURE 1 EAST-WEST LONG SECTION RW & SOUTH WALL ZONES

LOOKING NORTH



## PALMER VMS PROJECT


### LEGEND

- ZONE I
- ZONE II
- ZONE III
- Footwall Mineralization
- ⊕ 2014 Intersection
- RW ZONE
- RW ZONE (oxide)
- NSV Zone I
- NSV Zone II & III
- NSV RW Zone

NSV - no significant values  
 (24.2m) length indicated is drill core length (not true thickness)  
 All intercepts are length x density weighted



**FIGURE 2**  
**Geology Section**  
**421050 E**  
 Palmer Project  
 Glacier Creek Prospect  
 100 m Section Width



27.5 m @ 2.6% Cu, 3.6% Zn  
 incl. 4.5 m @ 4.6% Cu, 0.8% Zn  
 incl. 5.3m @ 0.8% Cu, 13.6% Zn

10.4 m @ 0.3% Cu, 4.2% Zn

21.3 m @ 2.8% Cu, 0.5% Zn  
 incl. 11.1 m @ 3.9% Cu, 0.5% Zn

4.8 m @ 0.85% Cu, 21.6% Zn

24.7 m @ 0.3% Cu, 1.9% Zn

2.3 m @ 3.6% Cu, 4.7% Zn

3.4 m @ 0.2% Cu, 2.0% Zn

89.0 m @ 0.8% Cu, 5.0% Zn \*  
 incl. 37.4 m @ 1.2% Cu, 6.0% Zn  
 incl. 7.4 m @ 2.1% Cu, 10.2% Zn

Up to 84.4 g/t Ag & 0.55% Zn  
 in drill cuttings

**Projected Sulphide Horizon**

\* denotes new 2014 drill hole intersection  
 See table for Pb, Au, Ag values.

**Legend**

- 0-5% Cu Assay
- 0-10% Zn Assay
- Topping Direction
- Hanging-wall basalt
- Hanging-wall FP basalt
- Mixed sedimentary & volcanic rocks
- Massive sulfide zone
- Sulfide stringer zone
- QSP-altered (FP) volcaniclastic rocks
- QSP-chlorite altered (MZ) basalt
- Strain Zone - FP Lenticle
- Footwall FP basalt

0 100 200 m

# FIGURE 3 RW ZONE PLAN SECTION PALMER PROJECT, ALASKA

## LEGEND

- ⊕ 2014 Intersection
- RW ZONE
- RW ZONE (oxide)
- RW Zone Footwall Stringer Sulphide
- NSV RW ZONE
- NSV RW ZONE (oxide)

● Drill Hole Number  
0.5, 9.2, 0.2, 22 = % Cu, % Zn, g/t Au, g/t Ag

NSV - no significant values  
(24.2m) length indicated is drill core length (not true thickness)  
All intercepts are length x density weighted

