


**Figure 1: Surface map outlining the 2.5km long Boston-Richardson Antiform Structure (the “Structure”) on the Goldboro Gold Property (the “Property”). The Structure hosts of the known gold mineralization at the Property. Map shows drill campaigns as Phases 2A to 2E; location of the current Measured and Indicated Mineral resources over a 225m strike length of the Structure; and the location of planned Mineral Resource estimates to be completed early in 2009.**



**Table 1: Table outlining diamond drill hole results from the 2008 Phase 2A drill campaign.**

Goldboro 2008 Phase 2A Diamond Drill Hole Assay Highlights							
Section	Hole	From	To	Interval	Au gpt	Zone Identification	MS Checks
8775E	<b>BR08-01</b>	<b>10.00</b>	<b>12.00</b>	<b>2.00</b>	<b>4.26</b>	<b>BR - S. Limb</b>	Initial AAS
	<b>BR08-01</b>	<b>64.00</b>	<b>98.00</b>	<b>34.00</b>	<b>1.79</b>	<b>123 Zone - Hinge/N. Limb</b>	Initial AAS & MS
	including	64.00	77.00	13.00	3.52		Initial AAS
	including	64.50	71.00	6.50	6.30		Initial AAS
	including	65.50	68.50	3.00	11.97		Initial AAS
	including	65.50	66.00	0.50	44.10		Initial AAS
	and <i>initially reported</i>	93.00 93.00	98.00 98.00	5.00 5.00	1.58 9.24		Metallic Screen <i>Initial AAS</i>
8775E	<b>BR08-02</b>	<b>75.50</b>	<b>101.00</b>	<b>25.50</b>	<b>2.77</b>	<b>123 Zone - S. Limb</b>	Initial AAS & MS
	including	75.50	76.00	0.50	8.25		Initial AAS
	and	81.50	82.00	0.50	48.10		Initial AAS
	and	86.00	101.00	15.00	2.73		Metallic Screen
	<i>initially reported</i>	86.00	101.00	15.00	3.09		<i>Initial AAS</i>
	including	93.50	101.00	7.50	3.59		Metallic Screen
	including	93.50	95.50	2.00	6.04		Metallic Screen
	including	99.50	101.00	1.50	7.89		Metallic Screen
		<b>128.50</b>	<b>137.50</b>	<b>9.00</b>	<b>7.48</b>	<b>56 Zone - S. Limb</b>	Initial AAS
		<b>161.00</b>	<b>190.50</b>	<b>29.50</b>	<b>9.07</b>	<b>78 Zone - Hinge/N. Limb</b>	Initial AAS
	including	170.00	184.50	14.50	17.81		Initial AAS
	including	170.00	170.50	0.50	425.00		Initial AAS
	and	173.00	178.00	5.00	4.43		Initial AAS
	including	173.00	175.50	2.50	6.75		Initial AAS
	including	174.50	175.00	0.50	16.90		Initial AAS
and	180.00	184.50	4.50	4.09		Initial AAS	
including	181.50	182.00	0.50	19.90		Initial AAS	
8763E	<b>BR08-03</b>	<b>105.00</b>	<b>116.00</b>	<b>11.00</b>	<b>2.04</b>	<b>123 Zone - S. Limb</b>	Metallic Screen
	<i>initially reported</i>	106.00	116.00	10.00	0.73		<i>Initial AAS</i>
		<b>143.00</b>	<b>152.50</b>	<b>9.50</b>	<b>2.09</b>	<b>56 Zone - S. Limb</b>	Metallic Screen
	<i>initially reported</i>	143.00	152.50	9.50	3.36		<i>Initial AAS</i>
	including	143.00	147.00	4.00	4.45		Metallic Screen
	including	143.75	146.00	2.25	6.99		Metallic Screen
		<b>183.50</b>	<b>192.00</b>	<b>8.50</b>	<b>0.69</b>	<b>56 Zone - N. Limb</b>	Metallic Screen
<i>initially reported</i>	183.50	192.00	8.50	0.58		<i>Initial AAS</i>	
8800E	<b>BR08-04</b>	<b>99.00</b>	<b>110.50</b>	<b>11.50</b>	<b>2.79</b>	<b>123 Zone - S. Limb/Hinge</b>	Metallic Screen
	<i>initially reported</i>	99.00	110.50	11.50	2.05		<i>Initial AAS</i>
	including	99.00	102.00	3.00	4.27		Metallic Screen
	<i>initially reported</i>	99.00	102.00	3.00	3.61		<i>Initial AAS</i>
	and	103.00	105.50	2.50	3.01		Metallic Screen
	<i>initially reported</i>	103.00	105.50	2.50	2.46		<i>Initial AAS</i>
	and	108.00	109.50	1.50	6.10		Metallic Screen
	<i>initially reported</i>	108.00	109.50	1.50	2.71		<i>Initial AAS</i>
	<b>117.50</b>	<b>133.50</b>	<b>16.00</b>	<b>0.36</b>	<b>123 Zone - N. Limb</b>		
8800E	<b>BR08-05</b>	<b>119.00</b>	<b>134.00</b>	<b>15.00</b>	<b>0.91</b>	<b>123 Zone - S. Limb</b>	Metallic Screen
	including	119.00	127.00	8.00	1.32		Metallic Screen
	<i>initially reported</i>	119.00	127.50	8.50	1.27		<i>Initial AAS</i>
		<b>147.00</b>	<b>152.50</b>	<b>5.50</b>	<b>0.96</b>	<b>56 Zone - S. Limb</b>	Metallic Screen
	<i>initially reported</i>	147.00	152.50	5.50	1.74		<i>Initial AAS</i>
		<b>206.00</b>	<b>228.00</b>	<b>22.00</b>	<b>2.91</b>	<b>78 Zone - N. Limb</b>	Metallic Screen
	including	218.00	228.00	10.00	4.99		Metallic Screen
	including	218.50	220.50	2.00	9.00		Metallic Screen
and	222.50	227.00	4.50	6.22		Metallic Screen	
<i>initially reported</i>	206.00	228.00	22.00	4.07		<i>Initial AAS</i>	

**Goldboro 2008 Phase 2A Diamond Drill Hole Assay Highlights**

Section	Hole	From	To	Interval	Au gpt	Zone Identification	MS Checks
8825E	<b>BR08-06</b>	<b>115.50</b>	<b>125.50</b>	<b>10.00</b>	<b>1.01</b>	<b>123 Zone - S. Limb</b>	Metallic Screen
		<i>initially reported</i>	115.50	125.50	10.00	0.91	
		<b>145.50</b>	<b>150.50</b>	<b>5.00</b>	<b>4.53</b>	<b>56 Zone - S. Limb</b>	Metallic Screen
	including	147.00	149.50	2.50	7.16		Metallic Screen
	<i>initially reported</i>	145.50	150.50	5.00	3.29		<i>Initial AAS</i>
		<b>162.50</b>	<b>168.00</b>	<b>5.50</b>	<b>1.47</b>	<b>78 Zone - S. Limb</b>	Metallic Screen
	<i>initially reported</i>	162.50	168.00	5.50	1.14		<i>Initial AAS</i>
	<b>202.50</b>	<b>217.50</b>	<b>15.00</b>	<b>1.97</b>	<b>910 Zone - N. Limb</b>	Metallic Screen	
including	208.50	212.50	4.00	4.11		Metallic Screen	
<i>initially reported</i>	202.50	217.50	15.00	2.49		<i>Initial AAS</i>	
8825E	<b>BR08-07</b>	<b>122.50</b>	<b>140.50</b>	<b>18.00</b>	<b>1.76</b>	<b>123 Zone - Hinge</b>	Metallic Screen
		including	126.50	128.00	1.50	5.21	
	including	126.50	127.00	0.50	10.20		Metallic Screen
	and	138.00	140.00	2.00	6.60		Metallic Screen
	including	138.50	139.50	1.00	11.98		Metallic Screen
	<i>initially reported</i>	122.50	144.00	21.50	1.68		<i>Initial AAS</i>
		<b>176.00</b>	<b>184.00</b>	<b>8.00</b>	<b>0.95</b>	<b>123 Zone - N. Limb</b>	Metallic Screen
<i>initially reported</i>	176.00	184.00	8.00	0.80		<i>Initial AAS</i>	
8850E	<b>BR08-08</b>	<b>150.50</b>	<b>158.00</b>	<b>7.50</b>	<b>1.56</b>	<b>123 Zone - S. Limb</b>	Metallic Screen
		<i>initially reported</i>	150.50	157.50	7.00	1.23	
		<b>170.50</b>	<b>173.50</b>	<b>3.00</b>	<b>1.04</b>	<b>56 Zone - S. Limb</b>	Metallic Screen
	<i>initially reported</i>	170.50	177.50	7.00	0.70		<i>Initial AAS</i>
		<b>188.50</b>	<b>198.00</b>	<b>9.50</b>	<b>3.06</b>	<b>78 Zone - Hinge</b>	Metallic Screen
	including	188.50	191.00	2.50	5.17		Metallic Screen
	including	189.00	189.50	0.50	16.55		Metallic Screen
	and	193.00	195.00	2.00	6.19		Metallic Screen
	<i>initially reported</i>	188.50	198.00	9.50	3.74		<i>Initial AAS</i>
	<b>215.50</b>	<b>218.50</b>	<b>3.00</b>	<b>1.14</b>	<b>56 Zone - N. Limb</b>	Metallic Screen	
<i>initially reported</i>	215.50	218.50	3.00	1.05		<i>Initial AAS</i>	
8850E	<b>BR08-09</b>	<b>145.00</b>	<b>156.00</b>	<b>11.00</b>	<b>2.67</b>	<b>123 Zone - S. Limb</b>	Metallic Screen
		including	145.00	146.50	1.50	10.39	
		146.00	146.50	0.50	27.90		Metallic Screen
	<i>initially reported</i>	145.00	156.00	11.00	1.68		<i>Initial AAS</i>
		<b>198.50</b>	<b>205.00</b>	<b>6.50</b>	<b>2.12</b>	<b>123 Zone - N. Limb</b>	Metallic Screen
	including	198.50	98.75	0.25	20.60		Metallic Screen
	and	202.50	203.00	0.50	7.60		Metallic Screen
	198.50	205.00	6.50	2.19		<i>Initial AAS</i>	
8875E - 8900E	<b>BR08-10</b>	<b>194.00</b>	<b>195.50</b>	<b>1.50</b>	<b>1.47</b>	<b>123 Zone - S. Limb</b>	Metallic Screen
		<b>214.00</b>	<b>215.50</b>	<b>1.50</b>	<b>13.87</b>	<b>56 Zone - S. Limb</b>	Metallic Screen
	including	215.00	215.50	0.50	36.10		Metallic Screen
	<i>initially reported</i>	210.00	215.50	5.50	14.16		<i>Initial AAS</i>
	<i>initially reported</i>	215.00	215.50	0.50	141.50		<i>Initial AAS</i>
		<b>222.00</b>	<b>226.50</b>	<b>4.50</b>	<b>3.33</b>	<b>78 Zone - S. Limb/Hinge</b>	Metallic Screen
	including	224.50	226.50	2.00	6.57		Metallic Screen
	including	224.50	225.00	0.50	17.65		Metallic Screen
	<i>initially reported</i>	222.00	226.50	4.50	1.57		<i>Initial AAS</i>
		<b>289.00</b>	<b>292.50</b>	<b>3.50</b>	<b>3.56</b>	<b>56 Zone - N. Limb</b>	Metallic Screen
	including	290.00	290.50	0.50	20.70		Metallic Screen
	<i>initially reported</i>	289.00	292.50	3.50	2.58		<i>Initial AAS</i>
	<b>323.50</b>	<b>330.50</b>	<b>7.00</b>	<b>1.11</b>	<b>123 Zone - N. Limb</b>	Metallic Screen	
<i>initially reported</i>	323.50	330.50	7.00	2.34		<i>Initial AAS</i>	

**Goldboro 2008 Phase 2A Diamond Drill Hole Assay Highlights**

Section	Hole	From	To	Interval	Au gpt	Zone Identification	MS Checks
8900E	<b>BR08-11</b>	<b>168.00</b>	<b>187.50</b>	<b>19.50</b>	<b>3.53</b>	<b>123 Zone - S. Limb/Hinge</b>	Metallic Screen
	including	173.50	178.50	5.00	9.93		Metallic Screen
	including	173.50	174.75	1.25	29.87		Metallic Screen
	and	176.75	178.50	1.75	18.43		Metallic Screen
	and	181.00	184.00	3.00	3.21		Metallic Screen
	including	183.00	183.50	0.50	9.93		Metallic Screen
	<i>initially reported</i>	<i>168.00</i>	<i>187.50</i>	<i>19.50</i>	<i>3.30</i>		<i>Initial AAS</i>
	<i>including</i>	<i>173.50</i>	<i>178.50</i>	<i>5.00</i>	<i>8.82</i>		<i>Initial AAS</i>
	<i>including</i>	<i>173.50</i>	<i>174.75</i>	<i>1.25</i>	<i>23.01</i>		<i>Initial AAS</i>
	<i>and</i>	<i>176.75</i>	<i>178.50</i>	<i>1.75</i>	<i>8.50</i>		<i>Initial AAS</i>
	<i>and</i>	<i>181.50</i>	<i>183.50</i>	<i>2.00</i>	<i>4.33</i>	<i>Initial AAS</i>	
		<b>222.50</b>	<b>227.50</b>	<b>5.00</b>	<b>2.18</b>	<b>56 Zone - Hinge</b>	Metallic Screen
	including	223.50	225.00	1.50	5.49		Metallic Screen
	including	223.50	224.00	0.50	11.85		Metallic Screen
	<i>initially reported</i>	<i>223.50</i>	<i>228.00</i>	<i>4.50</i>	<i>3.09</i>		<i>Initial AAS</i>
<i>including</i>	<i>223.50</i>	<i>225.00</i>	<i>1.50</i>	<i>4.74</i>	<i>Initial AAS</i>		
	<b>258.50</b>	<b>265.50</b>	<b>7.00</b>	<b>1.23</b>	<b>123 Zone - N. Limb</b>	Metallic Screen	
<i>initially reported</i>	<i>258.50</i>	<i>265.50</i>	<i>7.00</i>	<i>1.92</i>		<i>Initial AAS</i>	
8925E	<b>BR08-12</b>	<b>172.00</b>	<b>204.00</b>	<b>32.00</b>	<b>1.25</b>	<b>123 Zone - S. Limb/Hinge</b>	
	including	177.00	178.50	1.50	3.72		
	including	177.50	178.00	0.50	8.40		
	and	185.00	194.00	9.00	2.23		
	including	185.50	189.00	3.50	4.44		
	including	185.50	186.00	0.50	11.30		
	and	199.50	204.00	4.50	2.01	<b>123 Zone - N. Limb</b>	
		<b>226.00</b>	<b>235.50</b>	<b>9.50</b>	<b>0.74</b>		
	<b>243.00</b>	<b>249.00</b>	<b>6.00</b>	<b>1.41</b>			
	<b>254.50</b>	<b>255.00</b>	<b>0.50</b>	<b>40.80</b>			
8925E - 8950E	<b>BR08-13</b>	<b>186.50</b>	<b>218.50</b>	<b>30.00</b>	<b>1.27</b>	<b>123 Zone - S. Limb/Hinge</b>	
	including	187.50	190.50	3.00	4.23		
	including	187.50	188.00	0.50	11.75		
	and	204.00	205.50	1.50	4.99	<b>56 Zone - S. Limb</b>	
	and	215.50	216.00	0.50	8.71		
		<b>230.50</b>	<b>237.75</b>	<b>7.25</b>	<b>2.23</b>		
	including	235.50	237.75	2.25	5.80		
	including	236.50	237.00	0.50	14.50		
	<b>288.50</b>	<b>297.50</b>	<b>9.00</b>	<b>1.61</b>	<b>56 Zone - N. Limb</b>		
8950E	<b>BR08-14</b>	<b>211.00</b>	<b>251.50</b>	<b>40.50</b>	<b>2.27</b>	<b>123 Zone - Hinge</b>	
	including	231.50	251.50	20.00	3.92		
	including	231.50	234.00	2.50	5.55	<b>123 Zone - N. Limb</b>	
	including	232.00	232.50	0.50	10.15		
	and	233.00	233.50	0.50	9.28		
	and	247.50	250.00	2.50	21.82		
	including	249.70	250.00	0.30	167.50		
	<b>267.50</b>	<b>270.00</b>	<b>2.50</b>	<b>1.52</b>			
8975E	<b>BR08-15</b>	<b>224.00</b>	<b>227.50</b>	<b>3.50</b>	<b>4.49</b>	<b>123 Zone - S. Limb</b>	
	including	224.00	224.50	0.50	23.05		
		<b>262.50</b>	<b>267.00</b>	<b>4.50</b>	<b>1.79</b>	<b>56 Zone - Hinge</b>	
	including	263.50	264.50	1.00	4.73	<b>123 Zone - N. Limb</b>	
	<b>277.00</b>	<b>283.50</b>	<b>6.50</b>	<b>0.57</b>			

**Goldboro 2008 Phase 2A Diamond Drill Hole Assay Highlights**

<b>Section</b>	<b>Hole</b>	<b>From</b>	<b>To</b>	<b>Interval</b>	<b>Au gpt</b>	<b>Zone Identification</b>	<b>MS Checks</b>
<b>Longitudinal</b>	<b>BR08-16</b>	<b>135.50</b>	<b>140.00</b>	<b>4.50</b>	<b>1.88</b>	<b>123 Zone - S. Limb/Hinge</b>	
		<b>162.00</b>	<b>163.00</b>	<b>1.00</b>	<b>8.49</b>		
		<b>168.50</b>	<b>169.00</b>	<b>0.50</b>	<b>11.40</b>		
		<b>189.00</b>	<b>215.00</b>	<b>26.00</b>	<b>1.48</b>		
	including	190.00	206.00	16.00	2.11		
	including	190.00	196.00	6.00	3.43		
	including	195.00	196.00	1.00	13.45		

Notes:

- True widths are approximately 70-90% of the core lengths in south limb/hinge zone intersections and <50% in north limb intersections.
- Assay results reported in this news release are current for samples processed and assayed by the laboratory.
- Metallic screen results are pending for 7 samples that could modestly affect final calculated grades for those highlighted in yellow background.