

EXHIBIT 1: DETAILED SUMMARY OF SIGNIFICANT DRILL INTERCEPTS
Weighted Average Composite Grade Intervals, Holes TPD 326-366

Hole ID	From(m)	To(m)	Length(m)	Gold(g/t)	Cu (%)	Comment
TPD326	0.00	5.50	5.50	1.35	0.10	infill
	35.50	48.00	12.50	0.59	0.05	
	52.50	54.00	1.50	0.62	0.08	
	57.00	58.50	1.50	1.01	0.10	
	61.50	63.00	1.50	0.60	0.06	
	64.50	76.50	12.00	1.18	0.12	
	78.00	133.50	55.50	0.79	0.08	
	144.00	145.50	1.50	1.05	0.11	
	174.00	178.50	4.50	0.57	0.03	
TPD327	0.00	75.00	75.00	1.19	0.11	infill
	60.00	75.00	15.00	2.18	0.09	
	91.50	94.50	3.00	2.44	0.27	
	106.50	108.00	1.50	0.90	0.15	
	147.00	148.50	1.50	0.67	0.10	
TPD328	151.50	153.00	1.50	0.98	0.48	infill
	186.00	189.00	3.00	1.13	0.41	
TPD329	0.00	20.50	20.50	0.82	0.10	infill
	25.00	45.00	20.00	0.41	0.14	
	94.50	100.50	6.00	0.36	0.14	
TPD330	121.50	127.50	6.00	0.73	0.10	
	0.00	2.50	2.50	1.09	0.07	infill
	66.50	71.00	4.50	0.56	0.15	
TPD331	81.50	95.00	13.50	0.57	0.22	
	101.00	168.50	67.50	0.63	0.26	
	0.00	4.00	4.00	0.79	0.05	
TPD332	0.00	4.00	4.00	1.16	0.02	infill
	16.00	20.50	4.50	0.53	0.04	
	22.00	40.50	18.50	0.59	0.07	
	60.00	63.00	3.00	6.46	0.06	
	66.00	67.50	1.50	1.48	0.06	
	70.50	75.00	4.50	0.82	0.12	
	96.00	103.50	7.50	0.43	0.05	
	121.50	123.00	1.50	0.65	0.02	
	130.50	133.50	3.00	0.81	0.21	
	139.50	144.00	4.50	0.45	0.12	
	148.50	154.50	6.00	0.61	0.13	
	156.00	166.50	10.50	0.33	0.09	
	171.00	172.50	1.50	0.72	0.13	
175.50	201.00	25.50	0.57	0.14		
205.50	270.00	64.50	0.61	0.11		
TPD333	0.00	5.50	5.50	0.45	0.06	infill
	69.00	90.00	21.00	0.85	0.13	
TPD334	28.50	42.00	13.50	0.90	0.06	infill
	48.00	79.50	31.50	0.97	0.14	
	85.50	90.00	4.50	0.57	0.11	
TPD335	0.00	31.00	31.00	0.54	0.09	infill
TPD336	0.00	1.00	1.00	0.85	0.04	infill

EXHIBIT 1: DETAILED SUMMARY OF SIGNIFICANT DRILL INTERCEPTS
Weighted Average Composite Grade Intervals, Holes TPD 326-366

	5.50	19.00	13.50	0.51	0.12	
	25.50	28.50	3.00	0.39	0.07	
	31.50	48.00	16.50	0.40	0.07	
	52.50	61.50	9.00	0.39	0.09	
	84.00	85.50	1.50	4.76	0.04	
	133.50	136.50	3.00	1.34	0.03	
	144.00	148.50	4.50	0.71	0.02	
TPD337	25.50	30.00	4.50	0.41	0.10	infill
	34.50	40.50	6.00	4.18	0.16	
incl	34.50	36.00	1.50	12.9*	0.35	
	54.00	67.50	13.50	1.56	0.10	
TPD338	16.00	32.50	16.50	0.54	0.08	infill
	37.00	38.50	1.50	0.65	0.26	
	45.00	54.00	9.00	0.61	0.14	
	64.50	102.00	37.50	0.50	0.15	
	145.50	150.00	4.50	0.40	0.07	
TPD339	8.50	13.00	4.50	0.62	0.04	infill
	25.00	43.50	18.50	1.22	0.05	
TPD340	0.00	2.50	2.50	0.59	0.04	infill
	22.00	25.00	3.00	0.60	0.06	
	39.00	40.50	1.50	0.54	0.21	
	45.00	46.50	1.50	0.51	0.01	
	57.00	58.50	1.50	0.56	0.23	
	90.00	91.50	1.50	0.58	0.06	
	214.50	220.50	6.00	0.76	0.12	
	229.50	231.00	1.50	0.55	0.10	
	234.00	238.50	4.50	0.35	0.14	
	243.00	256.50	13.50	0.39	0.21	
	259.50	261.00	1.50	0.77	0.24	
	265.50	360.00	94.50	1.54	0.31	
incl	340.50	349.50	9.00	4.27*	0.27	
	378.00	424.50	46.50	1.01	0.15	
	435.00	436.50	1.50	0.52	0.06	
TPD341	0.00	19.00	19.00	1.17	0.05	infill
	30.00	42.00	12.00	1.27	0.17	
	48.00	61.50	13.50	1.30	0.21	
TPD342	25.50	27.00	1.50	1.02	0.04	infill
	31.50	45.00	13.50	0.49	0.07	
	52.50	57.00	4.50	0.60	0.03	
	87.00	88.50	1.50	0.60	0.01	
	102.00	106.50	4.50	0.62	0.04	
	135.00	136.50	1.50	0.59	0.07	
	154.50	157.50	3.00	4.18	0.03	
	184.50	195.00	10.50	0.67	0.03	
	201.00	211.50	10.50	1.53	0.02	
TPD343	106.50	114.00	7.50	0.56	0.11	infill
	124.50	129.00	4.50	0.49	0.06	
	135.00	145.50	10.50	0.72	0.02	

EXHIBIT 1: DETAILED SUMMARY OF SIGNIFICANT DRILL INTERCEPTS
Weighted Average Composite Grade Intervals, Holes TPD 326-366

	148.50	150.00	1.50	0.74	0.04	
	153.00	154.50	1.50	2.00	0.02	
	166.50	231.00	64.50	2.09	0.07	
incl	166.50	174.00	7.50	4.25*	0.03	
and	195.00	211.50	16.50	20.22*	0.15	
	240.00	259.50	19.50	2.24	0.02	
incl	252.00	256.50	4.50	6.74*	0.01	
TPD344	19.00	23.50	4.50	1.38	0.03	infill
	78.00	79.50	1.50	1.23	0.05	
	309.00	312.00	3.00	1.17	0.23	
	321.00	322.50	1.50	0.51	0.10	
TPD345	0.00	5.50	5.50	0.60	0.04	infill
	42.00	55.50	13.50	0.45	0.13	
	102.00	109.50	7.50	0.63	0.22	
	114.00	141.00	27.00	0.71	0.27	
	159.00	168.00	9.00	0.51	0.11	
TPD346	0.00	69.00	69.00	1.37	0.24	infill
	75.00	87.00	12.00	0.90	0.15	
TPD347	0.00	11.50	11.50	0.89	0.19	infill
	19.00	23.50	4.50	0.50	0.08	
	46.50	51.00	4.50	0.35	0.12	
	63.00	64.50	1.50	0.53	0.03	
	91.50	94.50	3.00	0.50	0.04	
	171.00	180.00	9.00	1.50	0.05	
	222.00	223.50	1.50	1.33	0.03	
	229.50	238.50	9.00	0.91	0.04	
	246.00	267.00	21.00	0.56	0.02	
TPD348	120.00	121.50	1.50	0.65	0.01	infill
	162.00	163.50	1.50	1.06	0.02	
	174.00	175.50	1.50	0.58	0.09	
	183.00	184.50	1.50	6.01	0.12	
	210.00	213.00	3.00	0.44	0.02	
	219.00	225.00	6.00	3.13	0.02	
incl	220.50	222.00	1.50	19.6*	0.03	
	237.00	243.00	6.00	0.48	0.04	
	250.50	267.00	16.50	0.40	0.02	
	273.00	279.00	6.00	0.39	0.02	
	285.00	304.50	19.50	0.91	0.01	
	309.00	324.00	15.00	0.56	0.02	
	330.00	343.50	13.50	0.45	0.02	
	351.00	396.00	45.00	0.97	0.03	
	426.00	438.00	12.00	0.86	0.07	
	466.50	472.50	6.00	0.87	0.09	
	508.50	510.00	1.50	1.36	0.01	
	513.00	535.50	22.50	0.57	0.02	
TPD349	0.00	55.50	54.00	0.75	0.09	infill
TPD349A	0.00	29.50	28.00	2.59	0.07	infill
incl	17.50	26.50	9.00	6.84*	0.10	

EXHIBIT 1: DETAILED SUMMARY OF SIGNIFICANT DRILL INTERCEPTS
Weighted Average Composite Grade Intervals, Holes TPD 326-366

	39.00	64.50	25.50	0.47	0.05	
	70.50	84.00	13.50	0.50	0.04	
	88.50	96.00	7.50	0.47	0.03	
	135.00	136.50	1.50	1.33	0.12	
TPD350	0.00	5.50	5.50	0.92	0.04	infill
	11.50	16.00	4.50	0.86	0.04	
	25.00	34.50	9.50	0.38	0.09	
	82.50	84.00	1.50	1.22	0.03	
	90.00	91.50	1.50	1.94	0.01	
	97.50	106.50	9.00	0.61	0.02	
	112.50	124.50	12.00	0.60	0.02	
	132.00	135.00	3.00	0.45	0.01	
TPD351	0.00	20.50	20.50	0.78	0.06	infill
	31.00	42.00	11.00	0.60	0.13	
	48.00	60.00	12.00	0.55	0.09	
TPD352	108.00	109.50	1.50	0.86	0.02	infill
	121.50	126.00	4.50	0.51	0.23	
	132.00	135.00	3.00	1.17	0.00	
	165.00	166.50	1.50	1.00	0.13	
	205.50	235.50	30.00	0.40	0.02	
	240.00	241.50	1.50	1.14	0.01	
	244.50	249.00	4.50	0.95	0.04	
	271.50	280.50	9.00	0.75	0.03	
	292.50	322.50	30.00	0.55	0.07	
	330.00	337.50	7.50	0.78	0.13	
TPD353	0.00	2.50	2.50	0.57	0.01	infill
	22.00	23.50	1.50	1.41	0.09	
	34.00	37.00	3.00	0.42	0.11	
	47.50	49.00	1.50	1.21	0.24	
	70.50	72.00	1.50	1.20	0.07	
	90.00	103.50	13.50	0.60	0.15	
	109.50	114.00	4.50	0.48	0.12	
	118.50	123.00	4.50	0.33	0.16	
	127.50	139.50	12.00	0.53	0.16	
TPD354	160.50	162.00	1.50	0.52	0.11	infill
	183.00	184.50	1.50	0.62	0.06	
	189.00	192.00	3.00	0.48	0.06	
	243.00	267.00	24.00	0.58	0.08	
	270.00	271.50	1.50	0.71	0.05	
	286.50	312.00	25.50	0.67	0.11	
	316.50	319.50	3.00	0.97	0.02	
	330.00	331.50	1.50	5.16	0.04	
TPD355	7.00	26.50	19.50	1.92	0.01	infill
incl	16.00	20.50	4.50	16.5*	0.01	
	33.00	34.50	1.50	0.71	0.00	
	55.50	57.00	1.50	0.52	0.01	
	60.00	66.00	6.00	1.70	0.01	
	69.00	70.50	1.50	0.71	0.01	

EXHIBIT 1: DETAILED SUMMARY OF SIGNIFICANT DRILL INTERCEPTS
Weighted Average Composite Grade Intervals, Holes TPD 326-366

	82.50	84.00	1.50	0.61	0.00	
	117.00	118.50	1.50	1.35	0.00	
	124.50	126.00	1.50	0.51	0.03	
	139.50	142.50	3.00	0.56	0.01	
	153.00	157.50	4.50	1.37	0.06	
	169.50	180.00	10.50	0.69	0.02	
	216.00	220.50	4.50	2.01	0.12	
	247.50	253.50	6.00	0.57	0.04	
	349.50	366.00	6.00	0.56	0.05	
	387.00	391.50	4.50	0.78	0.00	
	409.50	430.50	21.00	0.80	0.03	
	436.50	442.50	6.00	0.67	0.02	
TPD356	141.00	145.50	4.50	0.38	0.02	infill
	150.00	151.50	1.50	1.36	0.10	
	172.50	175.50	3.00	0.62	0.01	
	181.50	183.00	1.50	0.94	0.03	
	267.00	273.00	6.00	0.46	0.05	
TPD357	45.00	46.50	1.50	0.56	0.07	infill
	57.00	58.50	1.50	1.07	0.07	
	64.50	67.50	3.00	0.33	0.02	
	94.50	96.00	1.50	1.56	0.01	
	121.50	124.50	3.00	0.37	0.01	
	141.00	142.50	1.50	1.28	0.03	
TPD358	0.00	32.50	32.50	0.88	0.02	infill
	40.00	48.00	8.00	0.43	0.08	
	57.00	61.50	4.50	0.37	0.03	
	64.50	72.00	7.50	0.60	0.04	
	105.00	118.50	13.50	0.75	0.06	
	124.50	127.50	3.00	0.35	0.02	
	133.50	136.50	3.00	0.60	0.02	
	142.50	144.00	1.50	0.51	0.10	
	145.50	147.00	1.50	0.58	0.06	
	160.50	190.50	30.00	0.40	0.08	
	192.00	225.00	33.00	0.76	0.22	
	243.00	267.00	24.00	0.56	0.13	
	282.00	289.50	7.50	0.57	0.08	
TPD359	42.00	46.50	4.50	0.61	0.12	infill
	55.50	67.50	12.00	0.49	0.11	
	112.50	118.50	6.00	0.47	0.08	
	127.50	136.50	9.00	0.47	0.10	
	148.50	157.50	9.00	0.55	0.07	
	174.00	175.50	1.50	0.55	0.02	
	180.00	196.50	16.50	0.40	0.03	
	202.50	214.50	12.00	0.74	0.04	
TPD360	0.00	88.50	88.50	1.52	0.20	infill
	96.00	99.00	3.00	0.39	0.26	
TPD361	0.00	2.50	2.50	1.06	0.03	infill
	51.00	58.50	7.50	0.48	0.07	

EXHIBIT 1: DETAILED SUMMARY OF SIGNIFICANT DRILL INTERCEPTS
Weighted Average Composite Grade Intervals, Holes TPD 326-366

	127.50	129.00	1.50	0.56	0.02	
	184.50	186.00	1.50	0.51	0.01	
	199.50	202.50	3.00	0.39	0.16	
	207.00	208.50	1.50	0.64	0.06	
TPD362**	29.50	31.00	1.50	0.75	0.02	infill
	34.00	35.50	1.50	1.18	0.03	
	159.00	162.00	3.00	0.55	0.11	
TPD363	11.50	13.00	1.50	1.52	0.03	Exploration
	70.50	78.00	7.50	0.70	0.11	
	87.00	91.50	4.50	0.42	0.08	
	108.00	123.00	15.00	1.70	0.03	
	139.50	226.50	87.00	1.60	0.03	
incl	178.5	181.5	3.00	15.23*	0.019	
	232.50	237.00	4.50	0.75	0.01	
	241.50	243.00	1.50	0.50	0.01	
	249.00	250.50	1.50	0.52	0.07	
	256.50	258.00	1.50	0.60	0.04	
	262.50	273.00	10.50	0.58	0.01	
	276.00	279.00	3.00	0.92	0.01	
	283.50	286.50	3.00	0.47	0.00	
	291.00	306.00	15.00	0.90	0.00	
TPD364	No significant results					Exploration
TPD365	48.00	49.50	1.50	0.98	0.14	Exploration
	63.00	85.50	22.50	1.74	0.11	
incl	79.50	85.50	6.00	5.57*	0.12	
	97.50	109.50	12.00	1.28	0.02	
	121.50	124.50	3.00	0.56	0.01	
	139.50	213.00	73.50	0.52	0.02	
	256.50	258.00	1.50	0.66	0.01	
TPD366**	32.50	34.00	1.50	0.85	0.05	Exploration
	48.00	49.50	1.50	1.55	0.02	
	72.00	73.50	1.50	0.87	0.05	
	82.50	135.00	52.50	1.23	0.05	
	189.00	241.50	52.50	0.92	0.04	
	259.50	262.50	3.00	1.55	0.05	
	276.00	282.00	6.00	0.50	0.07	
	285.00	286.50	1.50	0.88	0.20	

* All gold assays unless otherwise indicated by an asterisk (*) are top-cut of 12.0 g/t consistent with NI-43-101 resource is not applied

** Assay results for these holes are not complete and only partial results are included in this press release and this table.