

Table 1: All Degmen Trenching Significant Intervals at Various CuEq Cut-offs.

Trenching Significant Intervals							
Degmen							
0.15% CuEq cut-off (\$1,500/oz Au & \$3.50/lb Cu), 5m min. length, 5m max. internal dilution							
Trench ID	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	AuEq (g/t)	CuEq (%)
DGRCH004	118.0	142.0	24.0	0.17	0.08	0.30	0.19
DGRCH004	148.0	166.0	18.0	0.32	0.04	0.39	0.24
DGRCH011	0.0	22.0	22.0	0.28	0.06	0.37	0.23
DGRCH011	34.0	104.0	70.0	0.37	0.07	0.48	0.30
DGRCH013	6.0	18.0	12.0	0.16	0.06	0.26	0.16
DGRCH014	0.0	14.0	14.0	0.26	0.09	0.39	0.25
DGRCH015	4.0	12.0	8.0	0.41	0.06	0.50	0.31
DGRCH016	0.0	42.0	42.0	0.46	0.14	0.67	0.42
DGRCH016	48.0	112.0	64.0	0.22	0.13	0.43	0.27
DGRCH019	14.0	72.0	58.0	0.41	0.01	0.42	0.26
DGRCH019	78.0	90.0	12.0	0.37	0.03	0.42	0.26
DGRCH019	234.0	242.0	8.0	0.69	0.04	0.74	0.46
DGRCH019	256.0	262.0	6.0	0.29	0.03	0.34	0.21
0.20% CuEq cut-off (\$1,500/oz Au & \$3.50/lb Cu), 5m min. length, 5m max. internal dilution							
Trench ID	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	AuEq (g/t)	CuEq (%)
DGRCH004	152.0	164.0	12.0	0.37	0.04	0.44	0.28
DGRCH011	2.0	16.0	14.0	0.31	0.06	0.41	0.26
DGRCH011	44.0	104.0	60.0	0.39	0.08	0.52	0.32
DGRCH014	2.0	10.0	8.0	0.34	0.10	0.49	0.31
DGRCH015	4.0	12.0	8.0	0.41	0.06	0.50	0.31
DGRCH016	0.0	42.0	42.0	0.46	0.14	0.67	0.42
DGRCH016	48.0	110.0	62.0	0.23	0.13	0.44	0.27
DGRCH019	18.0	56.0	38.0	0.46	0.01	0.47	0.29
DGRCH019	80.0	90.0	10.0	0.40	0.03	0.45	0.28
0.25% CuEq cut-off (\$1,500/oz Au & \$3.50/lb Cu), 5m min. length, 5m max. internal dilution							
Trench ID	From (m)	To (m)	Interval (m)	Au (g/t)	Cu (%)	AuEq (g/t)	CuEq (%)
DGRCH004	152.0	164.0	12.0	0.37	0.04	0.44	0.28
DGRCH011	6.0	16.0	10.0	0.35	0.07	0.46	0.28
DGRCH011	48.0	90.0	42.0	0.43	0.09	0.57	0.36
DGRCH014	2.0	10.0	8.0	0.34	0.10	0.49	0.31
DGRCH015	6.0	12.0	6.0	0.45	0.07	0.56	0.35
DGRCH016	0.0	36.0	36.0	0.50	0.15	0.74	0.46
DGRCH016	50.0	60.0	10.0	0.25	0.14	0.47	0.29
DGRCH016	66.0	82.0	16.0	0.31	0.17	0.58	0.36

DGRCH016	102.0	110.0	8.0	0.24	0.16	0.50	0.31
DGRCH019	48.0	56.0	8.0	1.03	0.01	1.04	0.65
DGRCH019	80.0	88.0	8.0	0.43	0.03	0.48	0.30

- Trench/channel samples are generally taken on a 2m basis and weigh ~6kg.
- Assay method: Fire assay Au (50g); Cu by aqua regia digestion with AAS and/or ICPMS finish.
- Note: within oxidised surface material copper has generally been leached/re-mobilized.
- Intercept widths do not necessarily represent true width.
- No top cut applied