

Table 1 - All Assays (Page 1 of 3)

Hole Number	Au (opt)	From: ft	Length: ft	Au (gpt)	From: m	Length: m	Dip (degrees)	Azimuth (degrees)
GB17⁽¹⁾	<i>No intercepts of 20' >0.01</i>						-90	0
GB18⁽¹⁾	0.023	335	120	0.80	102.1	36.6	-90	0
Including	0.065	375	15	2.24	114.3	4.6		
GB19⁽¹⁾	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB20⁽¹⁾⁽²⁾	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB21	0.018	495	20	0.61	150.9	6.1	-90	0
And	0.020	545	30	0.69	166.1	9.1		
And	0.031	630	20	1.05	192.0	6.1		
And	0.026	685	45	0.89	208.8	13.7		
GB22	0.013	425	20	0.44	129.5	6.1	-90	0
And	0.011	595	25	0.38	181.4	7.6		
GB23	0.036	335	30	1.25	102.1	9.1	-90	0
Including	0.101	340	5	3.46	103.6	1.5		
And	0.019	845	50	0.66	257.6	15.2		
GB24	0.036	610	20	1.24	185.9	6.1	-90	0
GB25	0.033	535	65	1.12	163.1	19.8	-90	0
Including	0.093	545	5	3.20	166.1	1.5		
GB26	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB27	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB28	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB29	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB30	0.022	500	20	0.76	152.4	6.1	-90	0
And	0.015	540	30	0.53	164.6	9.1		
GB31	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB32	0.015	0	20	0.50	0.0	6.1	-90	0
GB33	0.033	645	30	1.13	196.6	9.1	-90	0
GB34	0.011	0	20	0.39	0.0	6.1	-90	0
And	0.019	355	5	0.65	108.2	1.5		
And	0.015	355	80	0.50	108.2	24.4		
Including	0.018	355	60	0.60	108.2	18.3		

(1) Holes GB17,18,19,20 were completed in 2008, (2) GB20 was drilled at Cabin Creek

Numbers may not add due to rounding.

Table 1 - All Assays (Page 2 of 3)

Hole Number	Au (opt)	From (ft)	Length (ft)	Au (gpt)	From (m)	Length (m)	Dip (degrees)	Azimuth (degrees)
GB35	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB36	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB37	0.027	245	70	0.94	74.7	21.3	-90	0
GB38	0.017	345	30	0.58	105.2	9.1	-90	0
GB39	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB40	0.023	840	65	0.80	256.0	19.8	-60	90
And	0.020	1040	20	0.67	317.0	6.1		
GB41	0.041	310	30	1.41	94.5	9.1	-90	0
GB42	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB43	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB44	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB45	0.028	270	10	0.95	82.3	3.0	-90	0
GB46	0.027	165	50	0.92	50.3	15.2	-90	0
GB47	0.030	330	40	1.03	100.6	12.2	-75	90
And	0.013	505	25	0.44	153.9	7.6		
And	0.027	550	40	0.91	167.6	12.2		
And	0.010	705	50	0.35	214.9	15.2		
And	0.010	770	20	0.35	234.7	6.1		
And	0.011	800	35	0.36	243.8	10.7		
GB48	0.085	150	150	2.90	45.7	45.7	-90	0
Including	0.251	190	25	8.60	57.9	7.6		
Including	0.125	225	35	4.27	68.6	10.7		
GB49	0.037	360	30	1.28	109.7	9.1	-90	0
Including	0.149	380	5	5.10	115.8	1.5		
GB50	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB51	0.016	70	45	0.56	21.3	13.7	-60	0
And	0.026	200	40	0.88	61.0	12.2		
And	0.030	345	20	1.03	105.2	6.1		
GB52	0.037	55	35	1.28	16.8	10.7	-60	0
GB53	<i>No intercepts of 20' >0.01 opt</i>						-90	0

Numbers may not add due to rounding.

Table 1 - All Assays (Page 3 of 3)

Hole Number	Au (opt)	From (ft)	Length (ft)	Au (gpt)	From (m)	Length (m)	Dip (degrees)	Azimuth (degrees)
GB54	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB55	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB56	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB57	0.015	305	50	0.51	93.0	15.2	-90	0
Including	0.130	370	5	4.46	112.8	1.5		
Including	0.040	370	85	1.38	112.8	25.9		
Including	0.114	370	10	3.91	112.8	3.0		
Including	0.097	405	5	3.33	123.4	1.5		
GB58	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB59	0.079	435	50	2.71	132.6	15.2	-75	90
Including	0.110	445	10	3.78	135.6	3.0		
Including	0.135	465	10	4.62	141.7	3.0		
GB60	<i>No intercepts of 20' >0.01 opt</i>						-90	0
GB61	0.012	400	45	0.42	121.9	13.7	-90	0
GB62	0.038	220	55	1.31	67.1	16.8	-90	0
	0.137	230	10	4.70	70.1	3.0		
GB63	0.021	370	115	0.72	112.8	35.1	-60	180
GB64	0.047	205	60	1.60	62.5	18.3	-90	0
	0.169	210	10	5.81	64.0	3.0		
	0.010	400	25	0.33	121.9	7.6		
GB65	<i>No intercepts of 20' > 0.01 opt</i>						-90	0
GB66	0.016	45	20	0.56	13.7	6.1	-80	300
Including	0.038	90	20	1.30	27.4	6.1		
GB67	0.021	70	20	0.73	21.3	6.1	-75	90
GB68	0.070	465	105	2.39	141.7	32.0	-60	270
Including	0.121	480	5	4.15	146.3	1.5		
Including	0.111	500	10	3.82	152.4	3.0		
Including	0.195	520	15	6.67	158.5	4.6		
GB69	0.034	355	95	1.18	108.2	29.0	-90	0
Including	0.092	420	10	3.17	128.0	3.0		

Numbers may not add due to rounding.