

**Forte Energy NL**

**Table 1 –Full Firawa resource drilling results (intercepts > 200ppm U<sub>3</sub>O<sub>8</sub>)**

Drill Hole	Length (m)	Comment	Start (m)	Intersect Length (m)	Estimated True Width (m)	U <sub>3</sub> O <sub>8</sub> (ppm)	Maximum U <sub>3</sub> O <sub>8</sub> Intersect	
							(m)	(ppm)
101	100.5		32	2.4	1.8	368	2.4	368
102	100.8		39	18.0	13.8	291	2.0	478
103	100.0		16	5.0	3.8	454	<b>2.0</b>	<b>604</b>
104	81.5		31	24.0	18.4	472	<b>1.5</b>	<b>936</b>
<b>** 105</b>	97.0		22	73.8	56.5	385	<b>2.3</b>	<b>1,434</b>
<b>** “</b>		Including	55	<b>20.2</b>	<b>15.5</b>	<b>1,008</b>		
<b>** 106</b>	101.0		43	15.0	11.5	<b>910</b>	<b>2.0</b>	<b>1,404</b>
<b>** 107</b>	100.0		23	21.0	16.1	418	<b>2.0</b>	<b>847</b>
“			60	17.0	13.0	303		
<b>** 108</b>	92.7		30	55.0	42.1	392	<b>2.5</b>	<b>1,510</b>
<b>** “</b>			58	<b>10.1</b>	<b>7.7</b>	<b>1,178</b>		
109	100.8	No significant readings						
110	100.0		29	18.4	14.1	242	2.6	334
111	103.0		31	17.5	13.4	247		
“			92	11.0	8.4	273	<b>1.5</b>	<b>577</b>
112	100.0		45	50.5	38.7	266	6.0	468
113	100.5	No significant readings						
114	100.5		50	8.5	6.5	295	3.5	395
115	100.5	No significant readings						
116	100.5		36	1.5	1.1	258	1.5	258
117	100.0	No significant readings						
118	100.5	No significant readings						
119	100.3		6	6.2	4.7	255		
“			33	1.5	1.1	<b>684</b>	<b>1.5</b>	<b>684</b>
120	100.2		7	4.5	3.4	248		
“			16	1.9	1.5	238		
<b>** “</b>			25	14.0	10.7	266	<b>1.5</b>	<b>759</b>
“			46	3.8	2.9	291		
<b>** 121</b>	100.5		4	14.0	10.7	471	<b>2.0</b>	<b>864</b>
“			36	3.4	2.6	302		
“			50	2.6	2.0	266		
<b>** 122</b>	100.0		15	77.0	59.0	249	<b>1.3</b>	<b>1,043</b>
<b>** “</b>		Including	17	<b>23.0</b>	<b>17.6</b>	<b>510</b>		
123	104.0		12	7.0	5.4	327	2.9	378
124	106.5		20	8.0	6.1	261		
“			38	17.5	13.4	288	2.5	460
125	106.3		100	3.0	2.3	264	3.0	264
126	100.5		64	1.5	1.1	379	1.5	379
“			67	2.0	1.5	240		
127	100.0	No significant readings						
128	100.4		7	3.0	2.3	270	3.0	270
129	100.3		7	21.2	16.2	281	2.5	467
130	100.5	No significant readings						
131	100.5		8	2.3	1.8	304		
<b>** “</b>			43	21.0	16.1	432	<b>2.0</b>	<b>1,269</b>
<b>** “</b>		Including	45	<b>5.7</b>	<b>4.4</b>	<b>958</b>		
132	154.4		40	114.0	87.3	372	<b>2.0</b>	<b>668</b>
133	100.5		35	66.0	50.6	467	<b>2.0</b>	<b>944</b>
134	114.3		53	2.6	2.0	329		
“			72	2.0	1.5	237		
“			87	19.8	15.2	489	<b>2.0</b>	<b>691</b>
135	81.0		24	41.0	31.4	251	<b>1.5</b>	<b>637</b>
136	101.0		73	2.5	1.9	237		
“			84	2.0	1.5	<b>535</b>	<b>2.0</b>	<b>535</b>

Drill Hole	Length (m)	Comment	Start (m)	Intersect Length (m)	Estimated True Width (m)	U <sub>3</sub> O <sub>8</sub> (ppm)	Maximum U <sub>3</sub> O <sub>8</sub> Intersect (m) (ppm)	
137	79.8		11	69.0	52.9	278	2.0	1,057
138	91.5		41	35.5	27.2	270	1.0	1,087
139	100.5		0	7.5	5.7	386		
"			20	22.5	17.2	276	2.0	634
"			84	1.5	1.1	243		
140	85.5		35	47.0	36.0	332	1.2	969
141	91.6		14	58.1	44.5	299	2.0	966
142	100.4		28	44.6	34.2	304	2.0	616
143	91.5		21	39.0	29.9	380	3.0	765
"			69	1.6	1.2	250		
144	81.5		12	33.5	25.7	480	2.5	945
145	105.0	No significant readings						
146	130.0		52	49.0	47.3	251	2.5	450
147	130.5		49	26.5	24.9	282	1.5	932
148	101.0	No significant readings						
149	130.2		80	15.0	14.5	245	3.0	301
150	130.8		98	3.0	3.0	253	3.0	253
** 151	112.6		43	58.0	56.0	775	2.0	1,546
** "			61	22.3	21.5	1,115		
** 152	122.0		23	72.0	71.7	297	2.0	1,163
"		Including	74	7.0	7.0	854		
"			92	3.0	3.0	247		
153	132.0	No significant readings						
154	132.0		46	86.5	66.3	411	1.5	1,363
155	135.3		23	109.5	99.2	343	2.3	784
156	124.9		36	23.8	21.6	577	2.0	1,053
"			84	31.5	28.5	400	1.5	1,269