

Table 1: All sediment hosted gold trench intercepts at various cut-off grades.

TRENCH SIGNIFICANT INTERVALS								
Korkan								
<i>1g/t Au cut-off, 3m minimum length, 3m maximum internal dilution</i>								
HoleID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
JASTR009	0.0	147.6	147.6	0.097	0	45	45	3.02
JASTR009	164.0	180.4	16.4	0.058	50	55	5	1.80
JASTR009	282.2	403.5	121.4	0.125	86	123	37	3.88
<i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
HoleID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
JASTR009	0.0	193.6	193.6	0.080	0	59	59	2.50
JASTR009	213.3	403.5	190.3	0.084	65	123	58	2.61
JASTR009	465.9	584.0	118.1	0.015	142	178	36	0.45
JASTR010	538.1	557.7	19.7	0.019	164	170	6	0.59
KOTR001	98.4	131.2	32.8	0.016	30	40	10	0.49
KOTR019	498.7	564.3	65.6	0.016	152	172	20	0.51
<i>0.1g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
HoleID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
JASTR009	0.0	672.6	672.6	0.051	0	205	205	1.60
JASTR010	108.3	177.2	68.9	0.004	33	54	21	0.13
JASTR010	308.4	324.8	16.4	0.003	94	99	5	0.11
JASTR010	377.3	479.0	101.7	0.004	115	146	31	0.14
JASTR010	502.0	564.3	62.3	0.010	153	172	19	0.30
KOTR001	85.3	150.9	65.6	0.011	26	46	20	0.35
KOTR003	98.4	131.2	32.8	0.006	30	40	10	0.18
KOTR019	406.8	610.2	203.4	0.010	124	186	62	0.33
KOTR019	656.2	675.9	19.7	0.004	200	206	6	0.13
KOTR019	708.7	734.9	26.2	0.004	216	224	8	0.14
Bigar								
<i>1g/t Au cut-off, 3m minimum length, 3m maximum internal dilution</i>								
HoleID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
BITR001	1266.4	1292.7	26.2	0.054	386	394	8	1.69
BITR002	216.5	249.3	32.8	0.039	66	76	10	1.20
BITR002	288.7	315.0	26.2	0.128	88	96	8	3.99
BITR002	354.3	393.7	39.4	0.050	108	120	12	1.54
BITR002	492.1	511.8	19.7	0.042	150	156	6	1.31
BITR013	380.6	406.8	26.2	0.036	116	124	8	1.11

BITR021	262.5	288.7	26.2	0.093	80	88	8	2.88
BITR021	308.4	341.2	32.8	0.313	94	104	10	9.73
BITR023	269.0	282.2	13.1	0.093	82	86	4	2.91
BITR023	492.1	505.2	13.1	0.089	150	154	4	2.78
BITR024	91.9	105.0	13.1	0.123	28	32	4	3.82
BITR026	282.2	301.8	19.7	0.076	86	92	6	2.37
<b>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</b>								
HoleID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
BITR001	85.3	144.4	59.1	0.020	26	44	18	0.61
BITR001	531.5	557.7	26.2	0.074	162	170	8	2.32
BITR001	1233.6	1312.3	78.7	0.033	376	400	24	1.02
BITR002	216.5	255.9	39.4	0.035	66	78	12	1.09
BITR002	288.7	328.1	39.4	0.090	88	100	12	2.79
BITR002	354.3	472.4	118.1	0.034	108	144	36	1.07
BITR002	492.1	511.8	19.7	0.042	150	156	6	1.31
BITR004	413.4	446.2	32.8	0.014	126	136	10	0.45
BITR004	505.2	531.5	26.2	0.041	154	162	8	1.26
BITR004	734.9	794.0	59.1	0.018	224	242	18	0.55
BITR005	210.0	242.8	32.8	0.031	64	74	10	0.95
BITR010	0.0	19.7	19.7	0.032	0	6	6	0.98
BITR013	203.4	236.2	32.8	0.019	62	72	10	0.60
BITR013	380.6	446.2	65.6	0.029	116	136	20	0.89
BITR015	419.9	446.2	26.2	0.033	128	136	8	1.02
BITR021	229.7	347.8	118.1	0.118	70	106	36	3.68
BITR023	269.0	334.6	65.6	0.030	82	102	20	0.92
BITR023	479.0	505.2	26.2	0.051	146	154	8	1.58
BITR025	288.7	315.0	26.2	0.020	88	96	8	0.61
BITR026	282.2	301.8	19.7	0.076	86	92	6	2.37
BITR034	0.0	26.2	26.2	0.020	0	8	8	0.62
BITR040	85.3	111.5	26.2	0.014	26	34	8	0.43
BITR041	498.7	524.9	26.2	0.015	152	160	8	0.47
<b>0.1g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</b>								
HoleID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
BITR001	45.9	190.3	144.4	0.013	14	58	44	0.39
BITR001	210.0	334.6	124.7	0.007	64	102	38	0.21
BITR001	426.5	708.7	282.2	0.012	130	216	86	0.38
BITR001	879.3	899.0	19.7	0.005	268	274	6	0.15
BITR001	1010.5	1063.0	52.5	0.005	308	324	16	0.15
BITR001	1187.7	1332.0	144.4	0.020	362	406	44	0.63



BITR001	1358.3	1581.4	223.1	0.006	414	482	68	0.18
BITR002	0.0	26.2	26.2	0.003	0	8	8	0.10
BITR002	45.9	65.6	19.7	0.004	14	20	6	0.14
BITR002	98.4	118.1	19.7	0.003	30	36	6	0.10
BITR002	183.7	262.5	78.7	0.020	56	80	24	0.62
BITR002	282.2	472.4	190.3	0.041	86	144	58	1.26
BITR002	492.1	557.7	65.6	0.015	150	170	20	0.47
BITR002	577.4	780.8	203.4	0.006	176	238	62	0.19
BITR003	39.4	111.5	72.2	0.006	12	34	22	0.18
BITR004	0.0	26.2	26.2	0.003	0	8	8	0.11
BITR004	183.7	203.4	19.7	0.010	56	62	6	0.32
BITR004	406.8	531.5	124.7	0.017	124	162	38	0.54
BITR004	551.2	610.2	59.1	0.006	168	186	18	0.20
BITR004	675.9	800.5	124.7	0.013	206	244	38	0.39
BITR005	131.2	275.6	144.4	0.012	40	84	44	0.36
BITR006	59.1	78.7	19.7	0.003	18	24	6	0.10
BITR008	0.0	52.5	52.5	0.004	0	16	16	0.13
BITR008	590.6	662.7	72.2	0.011	180	202	22	0.33
BITR008	708.7	728.3	19.7	0.004	216	222	6	0.13
BITR008	780.8	833.3	52.5	0.006	238	254	16	0.18
BITR008	931.8	958.0	26.2	0.004	284	292	8	0.12
BITR008	1010.5	1049.9	39.4	0.023	308	320	12	0.71
BITR008	1076.1	1095.8	19.7	0.004	328	334	6	0.12
BITR008	2191.6	2217.8	26.2	0.004	668	676	8	0.13
BITR010	0.0	59.1	59.1	0.014	0	18	18	0.45
BITR010	124.7	190.3	65.6	0.004	38	58	20	0.12
BITR010	380.6	406.8	26.2	0.005	116	124	8	0.17
BITR010	702.1	728.3	26.2	0.004	214	222	8	0.12
BITR011	59.1	131.2	72.2	0.008	18	40	22	0.25
BITR011	150.9	177.2	26.2	0.004	46	54	8	0.13
BITR013	183.7	249.3	65.6	0.013	56	76	20	0.40
BITR013	269.0	321.5	52.5	0.007	82	98	16	0.21
BITR013	367.5	452.8	85.3	0.023	112	138	26	0.72
BITR013	531.5	551.2	19.7	0.004	162	168	6	0.14
BITR014	557.7	590.6	32.8	0.004	170	180	10	0.11
BITR014	728.3	767.7	39.4	0.008	222	234	12	0.24
BITR015	393.7	472.4	78.7	0.016	120	144	24	0.48
BITR016	0.0	39.4	39.4	0.006	0	12	12	0.18
BITR016	282.2	308.4	26.2	0.004	86	94	8	0.11
BITR019	419.9	479.0	59.1	0.003	128	146	18	0.10
BITR020	242.8	269.0	26.2	0.005	74	82	8	0.15

BITR020	288.7	354.3	65.6	0.003	88	108	20	0.10
BITR020	374.0	400.3	26.2	0.005	114	122	8	0.15
BITR021	229.7	400.3	170.6	0.085	70	122	52	2.64
BITR023	249.3	374.0	124.7	0.021	76	114	38	0.64
BITR023	439.6	518.4	78.7	0.026	134	158	24	0.80
BITR024	19.7	52.5	32.8	0.008	6	16	10	0.25
BITR024	91.9	124.7	32.8	0.051	28	38	10	1.58
BITR025	72.2	105.0	32.8	0.007	22	32	10	0.21
BITR025	124.7	164.0	39.4	0.016	38	50	12	0.49
BITR025	210.0	236.2	26.2	0.005	64	72	8	0.15
BITR025	282.2	341.2	59.1	0.012	86	104	18	0.38
BITR026	282.2	301.8	19.7	0.076	86	92	6	2.37
BITR026	354.3	374.0	19.7	0.007	108	114	6	0.22
BITR030	6.6	52.5	45.9	0.014	2	16	14	0.43
BITR033	0.0	19.7	19.7	0.004	0	6	6	0.12
BITR034	0.0	45.9	45.9	0.013	0	14	14	0.40
BITR039	1200.8	1220.5	19.7	0.004	366	372	6	0.12
BITR040	85.3	111.5	26.2	0.014	26	34	8	0.43
BITR041	374.0	400.3	26.2	0.013	114	122	8	0.41
BITR041	498.7	538.1	39.4	0.013	152	164	12	0.40
<b>Kraku Pestar</b>								
<b><i>1g/t Au cut-off, 3m minimum length, 3m maximum internal dilution</i></b>								
HoleID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
PETR001	958.0	974.4	16.4	0.066	292	297	5	2.05
PETR002	0.0	19.7	19.7	0.056	0	6	6	1.74
PETR002	32.8	59.1	26.2	0.078	10	18	8	2.42
PETR002	85.3	190.3	105.0	0.096	26	58	32	2.99
PETR033	118.1	183.7	65.6	0.067	36	56	20	2.09
PETR034	255.9	269.0	13.1	0.129	78	82	4	4.01
PETR035	0.0	45.9	45.9	0.035	0	14	14	1.07
PETR035	78.7	137.8	59.1	0.111	24	42	18	3.45
PETR035	150.9	164.0	13.1	0.050	46	50	4	1.55
<b><i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i></b>								
HoleID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
PETR001	912.1	977.7	65.6	0.027	278	298	20	0.85
PETR001	1059.7	1131.9	72.2	0.023	323	345	22	0.71
PETR002	0.0	59.1	59.1	0.058	0	18	18	1.81
PETR002	85.3	210.0	124.7	0.083	26	64	38	2.58
PETR002	485.6	505.2	19.7	0.022	148	154	6	0.68

PETR002	584.0	623.4	39.4	0.015	178	190	12	0.47
PETR005	45.9	85.3	39.4	0.016	14	26	12	0.50
PETR013	203.4	223.1	19.7	0.015	62	68	6	0.48
PETR014	131.2	177.2	45.9	0.027	40	54	14	0.84
PETR021	32.8	52.5	19.7	0.016	10	16	6	0.50
PETR027	52.5	72.2	19.7	0.017	16	22	6	0.53
PETR027	131.2	164.0	32.8	0.017	40	50	10	0.51
PETR028	144.4	223.1	78.7	0.020	44	68	24	0.61
PETR033	111.5	196.9	85.3	0.058	34	60	26	1.80
PETR034	242.8	275.6	32.8	0.065	74	84	10	2.01
PETR035	0.0	52.5	52.5	0.032	0	16	16	1.01
PETR035	78.7	170.6	91.9	0.082	24	52	28	2.56
<b><i>0.1g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i></b>								
<b>HoleID</b>	<b>From (ft)</b>	<b>To (ft)</b>	<b>Interval (ft)</b>	<b>Au (Oz/t)</b>	<b>From (m)</b>	<b>To (m)</b>	<b>Interval (m)</b>	<b>Au (g/t)</b>
PETR001	341.2	446.2	105.0	0.004	104	136	32	0.13
PETR001	508.5	561.0	52.5	0.004	155	171	16	0.11
PETR001	849.7	1131.9	282.2	0.015	259	345	86	0.47
PETR002	0.0	59.1	59.1	0.058	0	18	18	1.81
PETR002	85.3	347.8	262.5	0.044	26	106	80	1.35
PETR002	433.1	511.8	78.7	0.010	132	156	24	0.31
PETR002	551.2	636.5	85.3	0.010	168	194	26	0.30
PETR002	656.2	721.8	65.6	0.005	200	220	20	0.16
PETR002	741.5	774.3	32.8	0.006	226	236	10	0.18
PETR003	249.3	275.6	26.2	0.004	76	84	8	0.13
PETR005	6.6	131.2	124.7	0.009	2	40	38	0.27
PETR005	177.2	236.2	59.1	0.010	54	72	18	0.32
PETR005	275.6	334.6	59.1	0.008	84	102	18	0.25
PETR006	170.6	203.4	32.8	0.003	52	62	10	0.11
PETR012	52.5	85.3	32.8	0.007	16	26	10	0.22
PETR013	0.0	26.2	26.2	0.005	0	8	8	0.16
PETR013	111.5	157.5	45.9	0.004	34	48	14	0.13
PETR013	190.3	275.6	85.3	0.010	58	84	26	0.32
PETR014	118.1	177.2	59.1	0.022	36	54	18	0.67
PETR021	13.1	59.1	45.9	0.011	4	18	14	0.35
PETR022	0.0	32.8	32.8	0.003	0	10	10	0.10
PETR022	91.9	137.8	45.9	0.013	28	42	14	0.41
PETR026	164.0	203.4	39.4	0.007	50	62	12	0.20
PETR027	0.0	183.7	183.7	0.010	0	56	56	0.32
PETR028	52.5	269.0	216.5	0.012	16	82	66	0.37
PETR028	321.5	347.8	26.2	0.008	98	106	8	0.24

PETRO29	0.0	19.7	19.7	0.005	0	6	6	0.16
PETRO30	13.1	65.6	52.5	0.006	4	20	16	0.18
PETRO32	0.0	39.4	39.4	0.008	0	12	12	0.24
PETRO33	65.6	236.2	170.6	0.034	20	72	52	1.07
PETRO34	0.0	131.2	131.2	0.005	0	40	40	0.17
PETRO34	223.1	275.6	52.5	0.044	68	84	16	1.36
PETRO35	0.0	190.3	190.3	0.051	0	58	58	1.57
PETRO39	65.6	85.3	19.7	0.006	20	26	6	0.17
<b>Umka</b>								
<b>1g/t Au cut-off, 3m minimum length, 3m maximum internal dilution</b>								
HoleID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
UMTR011	702.1	721.8	19.7	0.065	214	220	6	2.02
UMTR012	570.9	590.6	19.7	0.039	174	180	6	1.23
PCTTR010	561.0	570.9	9.8	0.075	171	174	3	2.34
PCTTR010	643.0	666.0	23.0	0.084	196	203	7	2.61
<b>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</b>								
HoleID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
UMTR011	210.0	229.7	19.7	0.016	64	70	6	0.51
UMTR011	695.5	728.3	32.8	0.048	212	222	10	1.49
UMTR012	570.9	590.6	19.7	0.039	174	180	6	1.23
PCTTR010	502.0	580.7	78.7	0.020	153	177	24	0.62
PCTTR010	629.9	702.1	72.2	0.035	192	214	22	1.08
<b>0.1g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</b>								
HoleID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
UMTR002	1594.5	1633.9	39.4	0.004	486	498	12	0.12
UMTR003	255.9	275.6	19.7	0.006	78	84	6	0.18
UMTR003	465.9	492.1	26.2	0.007	142	150	8	0.22
UMTR003	597.1	669.3	72.2	0.004	182	204	22	0.12
UMTR011	190.3	229.7	39.4	0.010	58	70	12	0.31
UMTR011	695.5	728.3	32.8	0.048	212	222	10	1.49
UMTR011	1076.1	1108.9	32.8	0.012	328	338	10	0.36
UMTR011	1128.6	1154.9	26.2	0.012	344	352	8	0.37
UMTR012	505.2	590.6	85.3	0.013	154	180	26	0.39
UMTR018	623.4	649.6	26.2	0.004	190	198	8	0.11
PCTTR002	88.6	128.0	39.4	0.006	27	39	12	0.17
PCTTR002	150.9	177.2	26.2	0.006	46	54	8	0.17
PCTTR006	278.9	315.0	36.1	0.015	85	96	11	0.48
PCTTR006	344.5	492.1	147.6	0.007	105	150	45	0.22



PCTTR006	515.1	570.9	55.8	0.004	157	174	17	0.13
PCTTR006	652.9	692.3	39.4	0.005	199	211	12	0.15
PCTTR006	764.4	784.1	19.7	0.004	233	239	6	0.13
PCTTR006	830.1	846.5	16.4	0.004	253	258	5	0.12
PCTTR006	1000.7	1026.9	26.2	0.004	305	313	8	0.14
PCTTR006	1049.9	1082.7	32.8	0.003	320	330	10	0.11
PCTTR010	426.5	456.0	29.5	0.006	130	139	9	0.19
PCTTR010	485.6	751.3	265.7	0.017	148	229	81	0.54
PCTTR011	564.3	580.7	16.4	0.004	172	177	5	0.13
PCTTR011	616.8	662.7	45.9	0.006	188	202	14	0.18

- Trench samples are generally taken on a 2m basis and weigh ~6kg (1m basis weigh ~3kg).
- Assay method: Fire assay Au (50g).
- Intercept widths do not necessarily represent true width.
- No top cut applied.