

Table 2. Sulphide Cap Assay Highlights

Hole	From (m)	To (m)	Int (m)	Au g/t	Ag g/t	Cu %	Pb %	Zn %
SCDH07	108.50	110.00	1.50	0.02	15	0.03	0.19	1.06
	165.5	167.0	1.5	0.06	28	0.02	0.99	1.08
	297.0	303.0	6.0	0.05	27	0.04	0.28	0.31
SCDH08	51.0	53.0	2.0	0.57	11	0.01	0.08	0.22
	55.0	59.0	4.0	0.24	32	0.06	0.32	0.63
<i>Including</i>	55.0	57.0	2.0	0.2	50	0.11	0.59	1.22
	87.0	93.0	6.0	0.14	26	0.05	0.34	0.65
	135.0	137.0	2.0	0.06	5	0.02	0.05	1.34
	147.0	149.0	2.0	0	8	0.02	0.36	1.20
	197.0	199.0	2.0	0.03	6	0.03	0.04	1.10
SCDH09	21.0	23.0	2.0	0.02	18	0.14	0.59	0.02
	27.0	33.0	6.00	0.02	18	0.08	0.18	0.95
	47.0	49.0	2.0	0.74	36	0.01	0.16	0.07
	79.0	83.0	4.0	0.02	16	0.03	0.11	2.20
	97.0	98.4	1.4	0.15	81	0.04	1.67	0.90