




Blue highlighted sections contain holes announced in latest release. Please see sections for assay intervals.






Hole ID	From (m)	To (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Gold Eq (g/t)
TU-13-313	66.50	72.00	5.50	4.38	317.9	10.7
including	66.50	67.55	1.05	6.53	236.6	11.3
including	70.00	71.20	1.20	13.70	1208.5	37.9
TU-13-313	157.50	170.00	12.50	0.22	22.4	0.7
TU-13-313	186.00	192.00	6.00	0.16	9.8	0.4
TU-13-316	100.80	103.20	2.40	0.25	40.4	1.1
TU-13-316	130.00	163.50	33.50	1.72	80.0	3.3
including	133.50	150.50	17.00	2.20	96.9	4.1
including	137.50	142.50	5.00	3.15	137.5	5.9
including	149.00	150.50	1.50	4.95	340.1	11.8
including	155.00	163.50	8.50	1.68	112.2	3.9
TU-13-316	226.50	254.00	27.50	0.23	30.3	0.8
including	246.00	249.00	3.00	1.07	138.8	3.8


Gold Equivalent (AuEq) is calculated using silver to gold ratios of 50 to 1.



 NYSE MKT: AAU
 TSX: AMM

Section 10575E
 Looking 60 degrees (+/- 12.5m)

0m  150m



Hole ID	From (m)	To (m)	Interval (m)	Gold (g/t)	Silver (g/t)	Gold Eq (g/t)
TU-10-006	111.16	111.82	0.66	0.56	62.1	1.8
TU-10-006	222.57	233.89	11.32	0.12	22.2	0.6
TU-10-006	273.26	277.52	4.26	1.41	130.4	4.0
including	273.26	275.95	2.69	2.09	202.6	6.1
TU-10-006	295.58	421.80	126.22	0.86	61.7	2.1
including	295.58	340.65	45.07	1.38	92.3	3.2
including	317.50	336.68	19.18	2.84	160.2	6.0
including	317.50	319.69	2.19	6.66	474.9	16.2
including	331.61	336.68	5.07	5.45	242.4	10.3
including	331.61	333.66	2.05	9.15	310.2	15.4
including	345.47	359.05	13.58	0.89	72.6	2.3
including	379.50	421.80	42.30	0.77	61.2	2.0
including	405.85	412.07	6.22	2.55	209.2	6.7
including	410.87	412.07	1.20	6.83	482.4	16.5
TU-11-081	18.00	31.30	13.30	0.16	11.8	0.4
TU-11-081	79.35	307.30	227.95	0.46	40.8	1.3
including	173.13	200.86	27.73	1.08	100.1	3.1
including	173.13	177.30	4.17	2.47	101.4	4.5
including	188.00	200.86	12.86	1.44	178.3	5.0
including	241.55	245.00	3.45	2.95	372.6	10.4
including	259.10	307.29	48.19	0.61	46.6	1.5
including	259.10	269.85	10.75	1.30	101.0	3.3
TU-13-306	33.53	45.50	11.97	0.61	33.7	1.3
including	33.53	37.90	4.37	1.50	80.9	3.1
including	33.53	35.80	2.27	2.50	127.0	5.0
TU-13-306	55.20	65.30	10.10	0.28	55.3	1.4
including	55.20	56.40	1.20	0.93	241.5	5.8
including	64.00	65.30	1.30	1.11	181.4	4.7
TU-13-306	106.00	195.50	89.50	1.34	33.9	2.0
including	112.00	118.00	6.00	12.04	30.4	12.6
including	112.00	114.00	2.00	30.10	49.1	31.1
including	129.50	141.70	12.20	0.57	44.9	1.5
including	160.75	164.10	3.35	6.08	277.1	11.6
including	174.00	185.50	11.50	0.93	76.2	2.4
TU-13-309	92.00	109.00	17.00	0.12	12.8	0.4
TU-13-309	121.00	127.50	6.50	0.17	21.8	0.6
TU-13-309	139.60	151.00	11.40	0.36	38.7	1.1
including	146.50	148.00	1.50	0.62	93.6	2.5
TU-13-309	173.50	214.70	41.20	2.84	429.2	11.4
including	181.00	199.25	18.25	5.68	923.8	24.2
TU-13-309	222.00	236.00	14.00	1.72	114.5	4.0
including	222.00	224.50	2.50	5.69	342.5	12.5
including	229.20	234.50	5.30	1.73	128.0	4.3
TU-13-309	247.50	259.00	11.50	0.64	13.7	0.9
including	251.00	253.25	2.25	1.18	23.9	1.7

Gold Equivalent (AuEq) is calculated using silver to gold ratios of 50 to 1.

Almaden Minerals
 NYSE MKT: AAU
 TSX: AMM

Section 10625E
 Looking 60 degrees (+/- 12.5m)

0m 150m