

Figure 1: Location of the Korkan-Bigar and Kraku Pestar target areas within the 20 kilometer long sediment-hosted gold belt (defined in this image by anomalous gold soil geochemistry). The total metal contour plots for Korkan-Bigar (Fig. 2) and Kraku Pestar (Fig. 4) have been superimposed on the sediment-hosted gold belt as defined to date.




Figure 2: Gram-meter (intervals >0.4g/t Au x thickness), total metal contour plot of all Korkan-Bigar Hill drilling to date superimposed on a revised target area geology map. The section line B-B' relates to Figure 3.




Figure 4: Gram-meter (intervals >0.4g/t Au x thickness), total metal contour plot of all Kraku Pestar drilling to date superimposed on the target area geology map.

Table 1: All Bigar Hill gold drill intercepts at various cut-off grades.

DRILLING SIGNIFICANT INTERVALS								
Bigar Hill								
<i>1g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
BHDD004	170.6	206.7	36.1	0.041	52	63	11	1.28
BHDD004	410.1	456.0	45.9	0.047	125	139	14	1.47
BHDD005	439.6	505.2	65.6	0.091	134	154	20	2.82
BHDD005	869.4	889.1	19.7	0.045	265	271	6	1.41
BHDD006	282.2	311.7	29.5	0.049	86	95	9	1.51
BHDD007	764.4	794.0	29.5	0.143	233	242	9	4.44
BHDD010	646.3	679.1	32.8	0.052	197	207	10	1.62
BHDD010	869.4	899.0	29.5	0.087	265	274	9	2.71
BHDD011	393.7	449.5	55.8	0.099	120	137	17	3.08
BHDD011	646.3	666.0	19.7	0.033	197	203	6	1.02
BHDD014	377.3	426.5	49.2	0.068	115	130	15	2.10
BHDD014	534.8	567.6	32.8	0.038	163	173	10	1.18
BHDD016	95.1	213.3	118.1	0.045	29	65	36	1.39
BHDD017	449.5	465.9	16.4	0.280	137	142	5	8.70
BHDD017	636.5	682.4	45.9	0.098	194	208	14	3.05
BHDD017	774.3	800.5	26.2	0.052	236	244	8	1.61
BHDD019	675.9	696.5	20.7	0.040	206	212.3	6.3	1.23
BHDD020	20.3	124.7	104.3	0.067	6.2	38	31.8	2.09
BHDD021	541.3	584.0	42.7	0.102	165	178	13	3.18
BHDD023	73.8	108.3	34.4	0.061	22.5	33	10.5	1.90
BHDD023	403.5	459.3	55.8	0.060	123	140	17	1.87
<i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
BIDD001	0.0	52.5	52.5	0.022	0	16	16	0.68
BIDD003	564.3	587.3	23.0	0.014	172	179	7	0.43
BHDD001	246.1	262.5	16.4	0.014	75	80	5	0.44
BHDD002	157.5	223.1	65.6	0.018	48	68	20	0.57
BHDD004	160.8	301.8	141.1	0.021	49	92	43	0.67
BHDD004	397.0	475.7	78.7	0.034	121	145	24	1.05
BHDD004	639.8	656.2	16.4	0.029	195	200	5	0.90
BHDD005	387.1	403.5	16.4	0.077	118	123	5	2.40
BHDD005	436.4	521.7	85.3	0.073	133	159	26	2.26
BHDD005	584.0	610.2	26.2	0.044	178	186	8	1.37
BHDD005	846.5	912.1	65.6	0.024	258	278	20	0.76

BHDD006	282.2	321.5	39.4	0.043	86	98	12	1.32
BHDD007	590.6	626.6	36.1	0.022	180	191	11	0.69
BHDD007	744.8	794.0	49.2	0.091	227	242	15	2.82
BHDD010	626.6	692.3	65.6	0.033	191	211	20	1.03
BHDD010	843.2	899.0	55.8	0.055	257	274	17	1.70
BHDD011	387.1	482.3	95.1	0.063	118	147	29	1.97
BHDD011	633.2	666.0	32.8	0.026	193	203	10	0.81
BHDD013	1020.3	1046.6	26.2	0.024	311	319	8	0.76
BHDD014	374.0	439.6	65.6	0.053	114	134	20	1.65
BHDD014	492.1	567.6	75.5	0.023	150	173	23	0.71
BHDD014	666.0	698.8	32.8	0.026	203	213	10	0.82
BHDD016	95.1	216.5	121.4	0.044	29	66	37	1.37
BHDD016	239.5	308.4	68.9	0.018	73	94	21	0.55
BHDD017	446.2	465.9	19.7	0.237	136	142	6	7.37
BHDD017	636.5	682.4	45.9	0.098	194	208	14	3.05
BHDD017	774.3	807.1	32.8	0.045	236	246	10	1.41
BHDD019	672.6	718.5	45.9	0.030	205	219	14	0.92
BHDD020	20.3	128.0	107.6	0.066	6.2	39	32.8	2.04
BHDD021	400.3	416.7	16.4	0.019	122	127	5	0.58
BHDD021	439.6	456.0	16.4	0.027	134	139	5	0.85
BHDD021	541.3	584.0	42.7	0.102	165	178	13	3.18
BHDD023	73.8	111.5	37.7	0.059	22.5	34	11.5	1.82
BHDD023	223.1	242.8	19.7	0.025	68	74	6	0.77
BHDD023	400.3	469.2	68.9	0.051	122	143	21	1.59
<i>0.1g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
BIDD001	0.0	64.0	64.0	0.018	0	19.5	19.5	0.56
BIDD002	13.1	134.5	121.4	0.006	4	41	37	0.18
BIDD002	367.5	426.5	59.1	0.008	112	130	18	0.26
BIDD003	235.6	269.0	33.5	0.005	71.8	82	10.2	0.14
BIDD003	515.1	600.4	85.3	0.008	157	183	26	0.24
BIDD003	859.6	918.6	59.1	0.008	262	280	18	0.25
BHDD001	0.0	36.1	36.1	0.007	0	11	11	0.23
BHDD001	242.8	262.5	19.7	0.013	74	80	6	0.41
BHDD002	154.2	249.3	95.1	0.015	47	76	29	0.47
BHDD002	351.0	403.5	52.5	0.006	107	123	16	0.18
BHDD002	633.2	656.2	23.0	0.008	193	200	7	0.26
BHDD004	150.9	479.0	328.1	0.019	46	146	100	0.58
BHDD004	528.2	590.6	62.3	0.006	161	180	19	0.18
BHDD004	626.6	685.7	59.1	0.010	191	209	18	0.32



BHDD004	767.7	787.4	19.7	0.005	234	240	6	0.16
BHDD005	19.7	62.3	42.7	0.008	6	19	13	0.26
BHDD005	387.1	403.5	16.4	0.077	118	123	5	2.40
BHDD005	429.8	538.1	108.3	0.058	131	164	33	1.81
BHDD005	584.0	613.5	29.5	0.040	178	187	9	1.23
BHDD005	833.3	938.6	105.3	0.017	254	286.1	32.1	0.53
BHDD006	282.2	328.1	45.9	0.037	86	100	14	1.15
BHDD006	570.9	600.4	29.5	0.003	174	183	9	0.10
BHDD006	689.0	751.3	62.3	0.009	210	229	19	0.27
BHDD007	590.6	629.9	39.4	0.021	180	192	12	0.65
BHDD007	744.8	794.0	49.2	0.091	227	242	15	2.82
BHDD009	639.8	656.2	16.4	0.037	195	200	5	1.14
BHDD010	551.2	577.4	26.2	0.007	168	176	8	0.21
BHDD010	623.4	708.7	85.3	0.027	190	216	26	0.84
BHDD010	728.3	767.7	39.4	0.010	222	234	12	0.30
BHDD010	843.2	905.5	62.3	0.049	257	276	19	1.54
BHDD010	954.7	1003.6	48.9	0.005	291	305.9	14.9	0.17
BHDD011	351.0	531.5	180.4	0.036	107	162	55	1.13
BHDD011	633.2	675.9	42.7	0.021	193	206	13	0.64
BHDD013	1013.8	1135.2	121.4	0.009	309	346	37	0.28
BHDD014	374.0	439.6	65.6	0.053	114	134	20	1.65
BHDD014	492.1	567.6	75.5	0.023	150	173	23	0.71
BHDD014	635.8	702.1	66.3	0.019	193.8	214	20.2	0.58
BHDD014	823.5	843.2	19.7	0.011	251	257	6	0.36
BHDD016	20.7	324.8	304.1	0.024	6.3	99	92.7	0.73
BHDD016	370.7	403.5	32.8	0.007	113	123	10	0.22
BHDD016	485.6	523.3	37.7	0.005	148	159.5	11.5	0.15
BHDD017	446.2	469.2	23.0	0.204	136	143	7	6.33
BHDD017	626.6	728.3	101.7	0.046	191	222	31	1.44
BHDD017	761.2	911.7	150.6	0.014	232	277.9	45.9	0.43
BHDD019	626.6	741.5	114.8	0.019	191	226	35	0.59
BHDD019	761.2	800.5	39.4	0.005	232	244	12	0.15
BHDD019	895.7	974.4	78.7	0.007	273	297	24	0.21
BHDD020	0.0	170.6	170.6	0.043	0	52	52	1.34
BHDD020	633.2	649.6	16.4	0.012	193	198	5	0.37
BHDD021	397.0	502.0	105.0	0.014	121	153	32	0.44
BHDD021	538.1	590.6	52.5	0.084	164	180	16	2.63
BHDD023	73.8	118.1	44.3	0.051	22.5	36	13.5	1.59
BHDD023	219.8	249.3	29.5	0.019	67	76	9	0.59
BHDD023	393.7	469.2	75.5	0.047	120	143	23	1.47

Table 2: All Korkan gold drill intercepts at various cut-off grades.

DRILLING SIGNIFICANT INTERVALS								
Korkan								
<i>5g/t Au cut-off, 5m minimum length, no internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
KODD001	157.5	216.5	59.1	0.291	48	66	18	9.05
KODD044	849.7	880.9	31.2	0.236	259	268.5	9.5	7.34
<i>1g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
KODD001	55.8	226.4	170.6	0.138	17	69	52	4.30
KODD002	433.1	488.8	55.8	0.096	132	149	17	3.00
KODD007	790.7	856.3	65.6	0.056	241	261	20	1.76
KODD009	111.5	170.6	59.1	0.060	34	52	18	1.88
KODD009	206.7	278.9	72.2	0.053	63	85	22	1.65
KODD013	180.4	216.5	36.1	0.042	55	66	11	1.32
KODD016	88.6	121.4	32.8	0.103	27	37	10	3.22
KODD018	656.2	682.4	26.2	0.051	200	208	8	1.60
KODD044	849.7	892.4	42.7	0.186	259	272	13	5.80
<i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
KODD001	55.8	226.4	170.6	0.138	17	69	52	4.30
KODD002	433.1	498.7	65.6	0.085	132	152	20	2.63
KODD005	751.3	794.0	42.7	0.017	229	242	13	0.52
KODD007	164.0	180.4	16.4	0.014	50	55	5	0.43
KODD007	764.4	889.1	124.7	0.035	233	271	38	1.09
KODD009	111.5	180.4	68.9	0.054	34	55	21	1.68
KODD009	206.7	285.4	78.7	0.050	63	87	24	1.56
KODD009	344.5	360.9	16.4	0.027	105	110	5	0.84
KODD010	771.0	839.9	68.9	0.017	235	256	21	0.54
KODD012	761.2	777.6	16.4	0.019	232	237	5	0.58
KODD013	177.2	216.5	39.4	0.040	54	66	12	1.26
KODD015	1000.7	1046.6	45.9	0.023	305	319	14	0.70
KODD016	66.3	121.4	55.1	0.067	20.2	37	16.8	2.07
KODD016	731.6	761.2	29.5	0.025	223	232	9	0.78
KODD018	357.6	387.1	29.5	0.015	109	118	9	0.47
KODD018	656.2	682.4	26.2	0.051	200	208	8	1.60
KODD037	315.0	337.9	23.0	0.038	96	103	7	1.17
KODD037	397.0	426.5	29.5	0.022	121	130	9	0.68



KODD038	830.1	846.5	16.4	0.026	253	258	5	0.80
KODD043	265.7	305.1	39.4	0.024	81	93	12	0.74
KODD044	849.7	895.7	45.9	0.175	259	273	14	5.44
KODD044	915.4	941.6	26.2	0.014	279	287	8	0.44
KODD044	1174.5	1190.9	16.4	0.016	358	363	5	0.48
<i>0.1g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
KODD001	55.8	242.8	187.0	0.127	17	74	57	3.95
KODD002	429.8	498.7	68.9	0.081	131	152	21	2.52
KODD003	170.6	275.6	105.0	0.005	52	84	32	0.16
KODD004	462.6	482.3	19.7	0.011	141	147	6	0.34
KODD004	524.9	541.3	16.4	0.003	160	165	5	0.11
KODD005	698.8	800.5	101.7	0.011	213	244	31	0.33
KODD006	210.0	265.7	55.8	0.004	64	81	17	0.12
KODD007	160.8	295.3	134.5	0.007	49	90	41	0.21
KODD007	315.0	337.9	23.0	0.003	96	103	7	0.10
KODD007	393.7	426.5	32.8	0.004	120	130	10	0.12
KODD007	748.0	893.0	145.0	0.031	228	272.2	44.2	0.97
KODD009	72.2	360.9	288.7	0.030	22	110	88	0.94
KODD010	771.0	905.5	134.5	0.012	235	276	41	0.38
KODD010	928.5	944.9	16.4	0.003	283	288	5	0.11
KODD010	977.7	1026.9	49.2	0.007	298	313	15	0.23
KODD012	731.6	830.1	98.4	0.007	223	253	30	0.23
KODD012	853.0	882.5	29.5	0.008	260	269	9	0.25
KODD013	177.2	216.5	39.4	0.040	54	66	12	1.26
KODD015	518.4	620.1	101.7	0.007	158	189	31	0.22
KODD015	748.0	853.0	105.0	0.005	228	260	32	0.16
KODD015	889.1	915.4	26.2	0.004	271	279	8	0.14
KODD015	935.0	951.4	16.4	0.007	285	290	5	0.23
KODD015	974.4	1053.1	78.7	0.015	297	321	24	0.47
KODD016	61.7	311.7	250.0	0.019	18.8	95	76.2	0.58
KODD016	334.6	351.0	16.4	0.006	102	107	5	0.20
KODD016	505.2	524.9	19.7	0.005	154	160	6	0.14
KODD016	620.1	669.3	49.2	0.010	189	204	15	0.32
KODD016	715.2	761.2	45.9	0.017	218	232	14	0.54
KODD016	892.4	930.4	38.1	0.004	272	283.6	11.6	0.14
KODD018	4.6	137.8	133.2	0.006	1.4	42	40.6	0.20
KODD018	157.5	195.9	38.4	0.004	48	59.7	11.7	0.13
KODD018	334.6	393.7	59.1	0.010	102	120	18	0.31
KODD018	647.6	725.1	77.4	0.020	197.4	221	23.6	0.64



KODD019	1046.3	1081.0	34.8	0.005	318.9	329.5	10.6	0.14
KODD020	961.3	1023.6	62.3	0.007	293	312	19	0.22
KODD021	341.2	367.5	26.2	0.114	104	112	8	3.54
KODD021	787.4	879.3	91.9	0.006	240	268	28	0.18
KODD029	2126.0	2149.0	23.0	0.004	648	655	7	0.13
KODD030	1282.8	1341.9	59.1	0.005	391	409	18	0.14
KODD037	301.8	370.7	68.9	0.016	92	113	21	0.48
KODD037	390.4	459.3	68.9	0.012	119	140	21	0.37
KODD038	830.1	876.0	45.9	0.013	253	267	14	0.41
KODD041	160.8	190.3	29.5	0.008	49	58	9	0.24
KODD043	216.5	239.5	23.0	0.008	66	73	7	0.25
KODD043	262.5	403.9	141.4	0.009	80	123.1	43.1	0.28
KODD044	843.2	1010.5	167.3	0.053	257	308	51	1.65
KODD044	1033.5	1223.8	190.3	0.007	315	373	58	0.21

- Results in bold previously not released
- Diamond drill samples are generally taken on a 1m basis and weigh ~3kg.
- Assay method: Fire assay Au (50g).
- Intercept widths do not necessarily represent true width.
- No top cut applied.

Table 3: All Kraku Pestar gold drill intercepts at various cut-off grades.

DRILLING SIGNIFICANT INTERVALS								
Kraku Pestar								
<i>1g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
PEDD001	38.4	131.2	92.8	0.075	11.7	40	28.3	2.35
PEDD001	196.9	216.5	19.7	0.038	60	66	6	1.18
PEDD002	436.4	452.8	16.4	0.055	133	138	5	1.72
PEDD002	505.2	590.6	85.3	0.059	154	180	26	1.83
PEDD004	42.7	72.2	29.5	0.211	13	22	9	6.56
PEDD008	75.1	98.4	23.3	0.085	22.9	30	7.1	2.64
PEDD008	311.7	331.4	19.7	0.078	95	101	6	2.43
PEDD010	173.9	269.7	95.8	0.055	53	82.2	29.2	1.70
PEDD017	206.7	232.9	26.2	0.059	63	71	8	1.85
<i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
PEDD001	8.2	282.2	274.0	0.041	2.5	86	83.5	1.28
PEDD002	187.0	236.2	49.2	0.018	57	72	15	0.57
PEDD002	298.6	380.6	82.0	0.017	91	116	25	0.52
PEDD002	416.7	452.8	36.1	0.031	127	138	11	0.96
PEDD002	472.4	633.2	160.8	0.039	144	193	49	1.23
PEDD003	105.0	134.5	29.5	0.061	32	41	9	1.90
PEDD003	288.7	334.6	45.9	0.023	88	102	14	0.70
PEDD004	6.6	121.4	114.8	0.067	2	37	35	2.08
PEDD008	0.0	16.4	16.4	0.021	0	5	5	0.66
PEDD008	71.5	109.6	38.1	0.056	21.8	33.4	11.6	1.73
PEDD008	288.7	334.6	45.9	0.046	88	102	14	1.44
PEDD010	62.3	88.6	26.2	0.016	19	27	8	0.49
PEDD010	167.3	383.9	216.5	0.034	51	117	66	1.05
PEDD014	757.9	777.6	19.7	0.014	231	237	6	0.44
PEDD014	928.5	954.7	26.2	0.015	283	291	8	0.48
PEDD016	1318.9	1355.0	36.1	0.028	402	413	11	0.86
PEDD017	206.7	259.2	52.5	0.035	63	79	16	1.10
PEDD020	416.7	440.3	23.6	0.029	127	134.2	7.2	0.91
<i>0.1g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
PEDD001	0.0	321.5	321.5	0.036	0	98	98	1.12
PEDD001	403.5	426.5	23.0	0.007	123	130	7	0.22



PEDD002	173.9	636.5	462.6	0.023	53	194	141	0.71
PEDD003	39.4	242.8	203.4	0.016	12	74	62	0.50
PEDD003	288.7	374.0	85.3	0.015	88	114	26	0.47
PEDD004	3.3	167.3	164.0	0.048	1	51	50	1.50
PEDD004	193.6	223.1	29.5	0.004	59	68	9	0.12
PEDD004	364.2	393.7	29.5	0.007	111	120	9	0.22
PEDD004	561.0	580.7	19.7	0.006	171	177	6	0.18
PEDD005	479.0	521.3	42.3	0.006	146	158.9	12.9	0.18
PEDD005	643.0	666.0	23.0	0.008	196	203	7	0.26
PEDD006	200.1	223.1	23.0	0.004	61	68	7	0.11
PEDD006	387.1	449.5	62.3	0.004	118	137	19	0.12
PEDD008	0.0	190.3	190.3	0.016	0	58	58	0.48
PEDD008	288.7	334.6	45.9	0.046	88	102	14	1.44
PEDD010	5.9	25.6	19.7	0.007	1.8	7.8	6	0.23
PEDD010	55.8	141.1	85.3	0.010	17	43	26	0.30
PEDD010	167.3	426.5	259.2	0.029	51	130	79	0.91
PEDD011	249.3	265.7	16.4	0.018	76	81	5	0.55
PEDD012	65.6	134.5	68.9	0.004	20	41	21	0.11
PEDD012	328.1	449.5	121.4	0.005	100	137	37	0.15
PEDD014	387.1	426.5	39.4	0.006	118	130	12	0.17
PEDD014	482.3	498.7	16.4	0.003	147	152	5	0.10
PEDD014	567.6	587.3	19.7	0.006	173	179	6	0.19
PEDD014	725.1	784.1	59.1	0.008	221	239	18	0.24
PEDD014	918.6	1020.3	101.7	0.006	280	311	31	0.17
PEDD014	1053.1	1069.6	16.4	0.009	321	326	5	0.28
PEDD014	1174.5	1204.1	29.5	0.007	358	367	9	0.21
PEDD016	1217.2	1250.0	32.8	0.010	371	381	10	0.31
PEDD016	1286.1	1355.0	68.9	0.019	392	413	21	0.59
PEDD016	1417.3	1443.6	26.2	0.008	432	440	8	0.26
PEDD017	0.0	52.5	52.5	0.004	0	16	16	0.11
PEDD017	206.7	308.4	101.7	0.020	63	94	31	0.63
PEDD017	403.5	452.8	49.2	0.007	123	138	15	0.22
PEDD018	67.9	85.3	17.4	0.004	20.7	26	5.3	0.12
PEDD020	29.5	88.6	59.1	0.009	9	27	18	0.29
PEDD020	416.7	482.3	65.6	0.014	127	147	20	0.42
PEDD022	1565.0	1584.0	19.0	0.003	477	482.8	5.8	0.11

- Results in bold previously not released
- Diamond drill samples are generally taken on a 1m basis and weigh ~3kg.
- Assay method: Fire assay Au (50g).
- Intercept widths do not necessarily represent true width.
- No top cut applied.