

Figure 1: Location of the Korkan-Bigar trend and the Kraku Pestar target area within the greater sediment-hosted gold belt, as defined in this image by mapped 'target stratigraphy' (yellow) and anomalous gold soil geochemistry within the Korkan-Bigar trend *only*. The total metal contour plots for Korkan, Bigar Hill and Kraku Pestar have been superimposed on the sediment-hosted gold belt, as defined to date by drilling.




Figure 2: Final Gram-meter (intervals >0.4g/t Au x thickness) plot following the completion of initial Korkan resource definition drilling program, total metal contour plot of all drilling to date superimposed on topography. The section lines A-A' and B-B' relates to Figure 3.

Table 1: All Korkan drill intercepts at a 0.4g/t Au cut-off grade.

REVERSE CIRCULATION DRILLING SIGNIFICANT INTERVALS								
Korkan								
<i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
KORC003	206.7	331.4	124.7	0.057	63	101	38	1.78
KORC004*	157.5	223.1	65.6	0.026	48	68	20	0.81
KORC004*	249.3	360.9	111.5	0.016	76	110	34	0.51
KORC005*	3.3	62.3	59.1	0.079	1	19	18	2.47
KORC006*	3.3	29.5	26.2	0.114	1	9	8	3.56
KORC007*	52.5	88.6	36.1	0.013	16	27	11	0.41
KORC007*	206.7	232.9	26.2	0.065	63	71	8	2.03
KORC008*	78.7	121.4	42.7	0.121	24	37	13	3.75
KORC009*	9.8	68.9	59.1	0.046	3	21	18	1.43
KORC009*	160.8	180.4	19.7	0.014	49	55	6	0.45
KORC010*	19.7	55.8	36.1	0.023	6	17	11	0.70
KORC010*	111.5	160.8	49.2	0.033	34	49	15	1.04
KORC011*	150.9	305.1	154.2	0.110	46	93	47	3.43
KORC012*	144.4	347.8	203.4	0.036	44	106	62	1.11
KORC013*	278.9	354.3	75.5	0.045	85	108	23	1.39
KORC014	311.7	351.0	39.4	0.059	95	107	12	1.82
KORC014	374.0	400.3	26.2	0.027	114	122	8	0.85
KORC015*	269.0	285.4	16.4	0.025	82	87	5	0.79
KORC015*	311.7	354.3	42.7	0.122	95	108	13	3.78
KORC016*	52.5	72.2	19.7	0.027	16	22	6	0.85
KORC017	62.3	91.9	29.5	0.020	19	28	9	0.61
KORC019*	154.2	232.9	78.7	0.025	47	71	24	0.79
KORC024*	413.4	482.3	68.9	0.023	126	147	21	0.73
KORC025*	492.1	518.4	26.2	0.066	150	158	8	2.04
KORC027*	406.8	439.6	32.8	0.078	124	134	10	2.44
KORC028*	134.5	180.4	45.9	0.044	41	55	14	1.37
KORC029*	85.3	114.8	29.5	0.014	26	35	9	0.44
KORC031	3.3	49.2	45.9	0.056	1	15	14	1.73
KORC032*	3.3	29.5	26.2	0.035	1	9	8	1.09
KORC032*	114.8	131.2	16.4	0.075	35	40	5	2.34
KORC035*	797.2	836.6	39.4	0.030	243	255	12	0.94
KORC036	698.8	823.5	124.7	0.033	213	251	38	1.03
KORC037	311.7	360.9	49.2	0.015	95	110	15	0.48
KORC037	410.1	479.0	68.9	0.015	125	146	21	0.48

REVERSE CIRCULATION DRILLING SIGNIFICANT INTERVALS								
Korkan								
<i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
KORC037	666.0	711.9	45.9	0.017	203	217	14	0.54
KORC037	754.6	777.6	23.0	0.013	230	237	7	0.41
KORC038	364.2	403.5	39.4	0.041	111	123	12	1.27
KORC039	308.4	337.9	29.5	0.014	94	103	9	0.44
KORC039	426.5	469.2	42.7	0.019	130	143	13	0.60
KORC043	128.0	160.8	32.8	0.016	39	49	10	0.51
KORC043	196.9	223.1	26.2	0.026	60	68	8	0.81
KORC043	265.7	344.5	78.7	0.014	81	105	24	0.43
KORC043	426.5	469.2	42.7	0.023	130	143	13	0.71
KORC047	285.4	324.8	39.4	0.014	87	99	12	0.45
KORC047	351.0	400.3	49.2	0.013	107	122	15	0.41
KORC053	315.0	357.6	42.7	0.061	96	109	13	1.89
KORC054	23.0	39.4	16.4	0.015	7	12	5	0.46
KORC054	449.5	528.2	78.7	0.025	137	161	24	0.79
KORC056	141.1	164.0	23.0	0.045	43	50	7	1.40
KORC056	292.0	347.8	55.8	0.027	89	106	17	0.84
KORC057	78.7	121.4	42.7	0.020	24	37	13	0.62
KORC057	144.4	367.5	223.1	0.101	44	112	68	3.15
KORC058	620.1	666.0	45.9	0.035	189	203	14	1.08
KORC059	3.3	52.5	49.2	0.035	1	16	15	1.10
KORC062	288.7	357.6	68.9	0.019	88	109	21	0.60
KORC063	531.5	547.9	16.4	0.034	162	167	5	1.05
KORC063	590.6	610.2	19.7	0.030	180	186	6	0.94
KORC069	682.4	803.8	121.4	0.083	208	245	37	2.59
KORC070	748.0	849.7	101.7	0.050	228	259	31	1.56
KORC074	187.0	226.4	39.4	0.034	57	69	12	1.07
KORC075	554.5	587.3	32.8	0.049	169	179	10	1.51
KORC076*	65.6	101.7	36.1	0.014	20	31	11	0.44
KORC076*	137.8	216.5	78.7	0.026	42	66	24	0.80
KORC077	252.6	318.2	65.6	0.020	77	97	20	0.62
KORC078*	6.6	36.1	29.5	0.108	2	11	9	3.36
KORC078*	190.3	246.1	55.8	0.040	58	75	17	1.25
KORC080*	6.6	114.8	108.3	0.048	2	35	33	1.49
KORC082	337.9	400.3	62.3	0.047	103	122	19	1.45
KORC084	141.1	167.3	26.2	0.052	43	51	8	1.61
KORC085	59.1	170.6	111.5	0.038	18	52	34	1.17

REVERSE CIRCULATION DRILLING SIGNIFICANT INTERVALS								
Korkan								
<i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
KORC087*	131.2	147.6	16.4	0.034	40	45	5	1.05
KORC088	413.4	436.4	23.0	0.029	126	133	7	0.91
KORC089	347.8	383.9	36.1	0.022	106	117	11	0.67
KORC090	39.4	95.1	55.8	0.014	12	29	17	0.44
KORC090	413.4	689.0	275.6	0.067	126	210	84	2.08
KORC091*	495.4	557.7	62.3	0.034	151	170	19	1.06
KORC091*	610.2	666.0	55.8	0.025	186	203	17	0.78
KORC092*	219.8	272.3	52.5	0.016	67	83	16	0.50
KORC095	794.0	816.9	23.0	0.023	242	249	7	0.72
KORC096	311.7	331.4	19.7	0.020	95	101	6	0.62
KORC097	9.8	91.9	82.0	0.029	3	28	25	0.91
KORC097	118.1	190.3	72.2	0.042	36	58	22	1.32
KORC097	213.3	229.7	16.4	0.066	65	70	5	2.06
KORC098	173.9	190.3	16.4	0.020	53	58	5	0.63
KORC099	170.6	223.1	52.5	0.092	52	68	16	2.85
KORC099	249.3	380.6	131.2	0.041	76	116	40	1.28
KORC099	479.0	528.2	49.2	0.035	146	161	15	1.10
KORC100	26.2	216.5	190.3	0.110	8	66	58	3.41
KORC100	462.6	479.0	16.4	0.026	141	146	5	0.82
KORC101	3.3	42.7	39.4	0.032	1	13	12	1.01
KORC102	170.6	380.6	210.0	0.040	52	116	64	1.24
KORC103	39.4	98.4	59.1	0.028	12	30	18	0.88
KORC103	295.3	324.8	29.5	0.018	90	99	9	0.55
KORC103	521.7	597.1	75.5	0.044	159	182	23	1.38
KORC103	787.4	823.5	36.1	0.035	240	251	11	1.08
KORC104	9.8	144.4	134.5	0.027	3	44	41	0.84
KORC104	259.2	282.2	23.0	0.072	79	86	7	2.23
KORC105	449.5	472.4	23.0	0.059	137	144	7	1.85
KORC107*	75.5	164.0	88.6	0.015	23	50	27	0.48
KORC108*	95.1	137.8	42.7	0.014	29	42	13	0.45
KORC108*	193.6	252.6	59.1	0.021	59	77	18	0.64
KORC109*	23.0	91.9	68.9	0.014	7	28	21	0.42
KORC109*	134.5	387.1	252.6	0.041	41	118	77	1.27
KORC110*	55.8	154.2	98.4	0.016	17	47	30	0.51
KORC110*	351.0	400.3	49.2	0.038	107	122	15	1.17
KORC110*	433.1	456.0	23.0	0.021	132	139	7	0.64

REVERSE CIRCULATION DRILLING SIGNIFICANT INTERVALS								
Korkan								
<i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
KORC112	180.4	206.7	26.2	0.017	55	63	8	0.52
KORC117	521.7	538.1	16.4	0.027	159	164	5	0.84
KORC118	823.5	885.8	62.3	0.031	251	270	19	0.96
KORC118	921.9	941.6	19.7	0.032	281	287	6	0.98
KORC120*	9.8	42.7	32.8	0.055	3	13	10	1.70
KORC120*	65.6	262.5	196.9	0.057	20	80	60	1.76
KORC122*	475.7	502.0	26.2	0.017	145	153	8	0.53
KORC123*	114.8	213.3	98.4	0.036	35	65	30	1.11
KORC123*	236.2	308.4	72.2	0.034	72	94	22	1.07
KORC124*	6.6	23.0	16.4	0.055	2	7	5	1.72
KORC124*	190.3	229.7	39.4	0.039	58	70	12	1.21
KORC124*	255.9	308.4	52.5	0.018	78	94	16	0.57
KORC124*	426.5	492.1	65.6	0.016	130	150	20	0.50
KORC125*	236.2	269.0	32.8	0.051	72	82	10	1.59
KORC125*	288.7	311.7	23.0	0.029	88	95	7	0.91
KORC125*	341.2	390.4	49.2	0.019	104	119	15	0.60
KORC125*	462.6	495.4	32.8	0.019	141	151	10	0.59
KORC126*	36.1	105.0	68.9	0.014	11	32	21	0.42
KORC126*	141.1	344.5	203.4	0.047	43	105	62	1.46
KORC126*	442.9	462.6	19.7	0.016	135	141	6	0.51
KORC127	200.1	242.8	42.7	0.013	61	74	13	0.40
KORC128	68.9	95.1	26.2	0.018	21	29	8	0.55
KORC128	137.8	167.3	29.5	0.018	42	51	9	0.56
KORC129*	646.3	689.0	42.7	0.021	197	210	13	0.65
KORC129*	708.7	836.6	128.0	0.026	216	255	39	0.81
KORC129*	954.7	1003.9	49.2	0.014	291	306	15	0.44
KORC131*	16.4	118.1	101.7	0.035	5	36	31	1.10
KORC131*	137.8	167.3	29.5	0.025	42	51	9	0.77
KORC132*	105.0	124.7	19.7	0.038	32	38	6	1.19
KORC132*	485.6	547.9	62.3	0.016	148	167	19	0.51
KORC132*	574.1	623.4	49.2	0.025	175	190	15	0.79
KORC132*	757.9	836.6	78.7	0.014	231	255	24	0.43
KORC134*	72.2	200.1	128.0	0.020	22	61	39	0.61
KORC134*	544.6	584.0	39.4	0.034	166	178	12	1.05
KORC134*	639.8	659.4	19.7	0.024	195	201	6	0.75
KORC135*	255.9	301.8	45.9	0.037	78	92	14	1.14

REVERSE CIRCULATION DRILLING SIGNIFICANT INTERVALS								
Korkan								
<i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
KORC136*	131.2	164.0	32.8	0.020	40	50	10	0.61
KORC136*	659.4	675.9	16.4	0.068	201	206	5	2.10
KORC137*	128.0	170.6	42.7	0.015	39	52	13	0.47
KORC138*	416.7	442.9	26.2	0.016	127	135	8	0.50
KORC138*	738.2	777.6	39.4	0.033	225	237	12	1.02
KORC139*	223.1	334.6	111.5	0.027	68	102	34	0.83
KORC140*	75.5	111.5	36.1	0.017	23	34	11	0.53
KORC140*	206.7	413.4	206.7	0.034	63	126	63	1.06
KORC140*	718.5	899.0	180.4	0.033	219	274	55	1.04
KORC142*	150.9	210.0	59.1	0.022	46	64	18	0.67
KORC142*	269.0	292.0	23.0	0.022	82	89	7	0.68
KORC142*	315.0	452.8	137.8	0.025	96	138	42	0.77
KORC143*	72.2	88.6	16.4	0.038	22	27	5	1.18
KORC143*	177.2	203.4	26.2	0.023	54	62	8	0.70
KORC143*	354.3	374.0	19.7	0.015	108	114	6	0.47
KORC144*	85.3	108.3	23.0	0.040	26	33	7	1.25
KORC148*	488.8	521.7	32.8	0.019	149	159	10	0.58
KORC149*	16.4	52.5	36.1	0.015	5	16	11	0.48
KORC149*	620.1	649.6	29.5	0.060	189	198	9	1.88
KORC151*	9.8	39.4	29.5	0.014	3	12	9	0.42
KORC151*	524.9	557.7	32.8	0.020	160	170	10	0.61
KORC151*	590.6	646.3	55.8	0.016	180	197	17	0.49
KORC152*	328.1	406.8	78.7	0.015	100	124	24	0.46
KORC152*	426.5	485.6	59.1	0.023	130	148	18	0.72
KORC153*	6.6	39.4	32.8	0.013	2	12	10	0.40
KORC153*	744.8	803.8	59.1	0.014	227	245	18	0.45
KORC154*	528.2	547.9	19.7	0.044	161	167	6	1.36
KORC155*	187.0	232.9	45.9	0.014	57	71	14	0.44
KORC155*	383.9	475.7	91.9	0.020	117	145	28	0.63
KORC156*	114.8	134.5	19.7	0.017	35	41	6	0.52
KORC156*	154.2	170.6	16.4	0.024	47	52	5	0.76
KORC160	16.4	190.3	173.9	0.018	5	58	53	0.55
KORC161	62.3	98.4	36.1	0.032	19	30	11	0.98

DIAMOND DRILLING SIGNIFICANT INTERVALS								
Korkan								
<i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
KODD001	55.8	226.4	170.6	0.138	17	69	52	4.30
KODD002	433.1	498.7	65.6	0.085	132	152	20	2.63
KODD005	751.3	794.0	42.7	0.017	229	242	13	0.52
KODD007*	164.0	180.4	16.4	0.014	50	55	5	0.43
KODD007*	764.4	889.1	124.7	0.035	233	271	38	1.09
KODD009	111.5	180.4	68.9	0.054	34	55	21	1.68
KODD009	206.7	285.4	78.7	0.050	63	87	24	1.56
KODD009	344.5	360.9	16.4	0.027	105	110	5	0.84
KODD010	771.0	839.9	68.9	0.017	235	256	21	0.54
KODD012	761.2	777.6	16.4	0.019	232	237	5	0.58
KODD013	177.2	216.5	39.4	0.041	54	66	12	1.26
KODD015	1000.7	1046.6	45.9	0.023	305	319	14	0.70
KODD016	66.3	121.4	55.1	0.067	20.2	37	16.8	2.07
KODD016	731.6	761.2	29.5	0.025	223	232	9	0.78
KODD018	357.6	387.1	29.5	0.015	109	118	9	0.47
KODD018	656.2	682.4	26.2	0.051	200	208	8	1.60
KODD037	315.0	337.9	23.0	0.038	96	103	7	1.17
KODD037	397.0	426.5	29.5	0.022	121	130	9	0.68
KODD038	830.1	846.5	16.4	0.026	253	258	5	0.80
KODD043	265.7	305.1	39.4	0.024	81	93	12	0.74
KODD044	849.7	895.7	45.9	0.175	259	273	14	5.44
KODD044	915.4	941.6	26.2	0.014	279	287	8	0.44
KODD044	1174.5	1190.9	16.4	0.015	358	363	5	0.48
KODD045	0.0	65.6	65.6	0.023	0	20	20	0.70
KODD046	935.0	964.6	29.5	0.039	285	294	9	1.20
KODD048*	262.5	292.0	29.5	0.048	80	89	9	1.48
KODD051*	170.6	203.4	32.8	0.017	52	62	10	0.53
KODD051*	830.1	876.0	45.9	0.027	253	267	14	0.85
KODD055	2021.0	2037.4	16.4	0.017	616	621	5	0.54
KODD057	587.3	603.7	16.4	0.015	179	184	5	0.48
KODD058	689.0	728.3	39.4	0.175	210	222	12	5.43
KODD059	1345.1	1370.1	24.9	0.014	410	417.6	7.6	0.45
KODD060*	78.7	246.1	167.3	0.028	24	75	51	0.88
KODD061	620.7	643.0	22.3	0.028	189.2	196	6.8	0.87
KODD061	679.1	718.5	39.4	0.013	207	219	12	0.41

DIAMOND DRILLING SIGNIFICANT INTERVALS								
Korkan								
<i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
KODD061	905.5	1020.3	114.8	0.020	276	311	35	0.62
KODD062	1368.1	1387.8	19.7	0.017	417	423	6	0.53
KODD062	1499.3	1535.4	36.1	0.038	457	468	11	1.17
KODD063	236.2	278.9	42.7	0.037	72	85	13	1.14
KODD063	305.1	334.6	29.5	0.019	93	102	9	0.59
KODD063	521.7	593.8	72.2	0.023	159	181	22	0.71
KODD072	1299.2	1315.6	16.4	0.022	396	401	5	0.68
KODD079	0.0	29.5	29.5	0.014	0	9	9	0.43
KODD079	213.3	328.1	114.8	0.028	65	100	35	0.86
KODD080*	252.6	288.7	36.1	0.023	77	88	11	0.73
KODD081*	229.7	252.6	23.0	0.023	70	77	7	0.72
KODD081*	278.9	370.7	91.9	0.047	85	113	28	1.45
KODD083*	0.0	55.8	55.8	0.027	0	17	17	0.83
KODD083*	78.7	114.8	36.1	0.123	24	35	11	3.82
KODD084	846.5	928.5	82.0	0.014	258	283	25	0.42
KODD084	994.1	1020.3	26.2	0.022	303	311	8	0.67
KODD084	1309.1	1358.3	49.2	0.047	399	414	15	1.46
KODD084	1381.2	1466.5	85.3	0.322	421	447	26	10.01
KODD085*	154.2	269.0	114.8	0.203	47	82	35	6.31
KODD087	255.9	288.7	32.8	0.015	78	88	10	0.48
KODD087	334.6	397.0	62.3	0.013	102	121	19	0.41
KODD087	419.9	469.2	49.2	0.016	128	143	15	0.51
KODD088	380.6	429.8	49.2	0.080	116	131	15	2.50
KODD089	1105.6	1131.9	26.2	0.015	337	345	8	0.47
KODD089	1368.1	1387.8	19.7	0.015	417	423	6	0.47
KODD090	347.8	364.2	16.4	0.048	106	111	5	1.49
KODD090	383.9	403.5	19.7	0.017	117	123	6	0.54
KODD092	95.1	114.8	19.7	0.025	29	35	6	0.77
KODD092	226.4	282.2	55.8	0.027	69	86	17	0.85
KODD092	344.5	380.6	36.1	0.026	105	116	11	0.81
KODD092	410.1	482.3	72.2	0.037	125	147	22	1.16
KODD092	521.7	597.1	75.5	0.027	159	182	23	0.83
KODD092	616.8	685.7	68.9	0.017	188	209	21	0.53
KODD092	715.2	856.3	141.1	0.034	218	261	43	1.07
KODD093	68.9	114.8	45.9	0.016	21	35	14	0.50
KODD093	324.8	357.6	32.8	0.036	99	109	10	1.12

DIAMOND DRILLING SIGNIFICANT INTERVALS								
Korkan								
<i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
KODD093	433.1	488.8	55.8	0.026	132	149	17	0.80
KODD093	515.1	551.2	36.1	0.022	157	168	11	0.68
KODD093	570.9	607.0	36.1	0.017	174	185	11	0.53
KODD094	236.2	255.9	19.7	0.014	72	78	6	0.44
KODD095*	636.5	731.6	95.1	0.022	194	223	29	0.68
KODD096	75.5	370.7	295.3	0.048	23	113	90	1.49
KODD096	393.7	429.8	36.1	0.014	120	131	11	0.43
KODD096	498.7	521.7	23.0	0.015	152	159	7	0.48
KODD099	1184.4	1200.8	16.4	0.117	361	366	5	3.65
KODD100	869.4	889.1	19.7	0.025	265	271	6	0.79
KODD100	915.4	938.3	23.0	0.022	279	286	7	0.67
KODD100	974.4	1135.2	160.8	0.136	297	346	49	4.23
KODD101	1141.7	1190.9	49.2	0.016	348	363	15	0.51
KODD104*	150.9	239.5	88.6	0.023	46	73	27	0.71
KODD104*	492.1	567.6	75.5	0.017	150	173	23	0.53
KODD105	1026.9	1128.6	101.7	0.017	313	344	31	0.53
KODD105	1151.6	1243.4	91.9	0.019	351	379	28	0.59
KODD108	751.3	899.0	147.6	0.038	229	274	45	1.18
KODD108	918.6	944.9	26.2	0.020	280	288	8	0.62
KODD110	764.4	810.4	45.9	0.035	233	247	14	1.08
KODD112	55.8	167.3	111.5	0.049	17	51	34	1.51
KODD113	1168.0	1309.1	141.1	0.014	356	399	43	0.42
KODD114	485.6	544.6	59.1	0.084	148	166	18	2.6
KODD116	1168.0	1246.7	78.7	0.019	356	380	24	0.58
KODD116	1489.5	1505.9	16.4	0.050	454	459	5	1.54
KODD116	1637.1	1656.8	19.7	0.033	499	505	6	1.03
KODD118	75.5	98.4	23.0	0.013	23	30	7	0.41
KODD118	200.1	246.1	45.9	0.017	61	75	14	0.54
KODD118	406.8	446.2	39.4	0.028	124	136	12	0.88
KODD118	561.0	731.6	170.6	0.060	171	223	52	1.87
KODD120	803.8	820.2	16.4	0.068	245	250	5	2.13
KODD121	587.3	603.7	16.4	0.035	179	184	5	1.09
KODD123	521.7	587.3	65.6	0.036	159	179	20	1.12
KODD124	131.2	147.6	16.4	0.014	40	45	5	0.45
KODD124	912.1	938.3	26.2	0.024	278	286	8	0.76
KODD127	931.8	981.0	49.2	0.029	284	299	15	0.89

DIAMOND DRILLING SIGNIFICANT INTERVALS								
Korkan								
<i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
KODD128	298.6	315.0	16.4	0.022	91	96	5	0.68
KODD128	1095.8	1115.5	19.7	0.017	334	340	6	0.52
KODD129	675.9	728.3	52.5	0.019	206	222	16	0.59
KODD129	918.6	990.8	72.2	0.022	280	302	22	0.67
KODD129	1046.6	1107.3	60.7	0.027	319	337.5	18.5	0.84
KODD130	0.0	68.9	68.9	0.030	0	21	21	0.92
KODD130	134.5	173.9	39.4	0.014	41	53	12	0.45
KODD131	662.7	679.1	16.4	0.015	202	207	5	0.46
KODD132*	761.2	777.6	16.4	0.018	232	237	5	0.56
KODD133	162.1	354.3	192.3	0.156	49.4	108	58.6	4.84
KODD133	482.3	531.5	49.2	0.038	147	162	15	1.18
KODD134	524.9	557.7	32.8	0.027	160	170	10	0.85
KODD134	636.5	692.3	55.8	0.013	194	211	17	0.41
KODD135	341.2	429.8	88.6	0.030	104	131	27	0.93
KODD136*	16.4	91.9	75.5	0.019	5	28	23	0.59
KODD136*	114.8	193.6	78.7	0.023	35	59	24	0.73
KODD136*	229.7	383.9	154.2	0.030	70	117	47	0.93
KODD137	774.3	862.9	88.6	0.019	236	263	27	0.60
KODD139	659.4	797.2	137.8	0.032	201	243	42	0.99
KODD139	1558.4	1574.8	16.4	0.013	475	480	5	0.41
KODD140*	95.1	157.5	62.3	0.126	29	48	19	3.93
KODD140*	780.8	820.2	39.4	0.030	238	250	12	0.93
KODD140*	839.9	862.9	23.0	0.015	256	263	7	0.46
KODD141*	531.5	554.1	22.6	0.015	162	168.9	6.9	0.46
KODD143	977.7	1049.9	72.2	0.024	298	320	22	0.74
KODD144	971.1	1000.7	29.5	0.220	296	305	9	6.83
KODD144	1220.5	1269.7	49.2	0.058	372	387	15	1.81
KODD145*	42.0	160.8	118.8	0.031	12.8	49	36.2	0.97
KODD145*	203.4	230.6	27.2	0.017	62	70.3	8.3	0.52
KODD146*	462.6	511.8	49.2	0.033	141	156	15	1.04
KODD149	121.4	150.9	29.5	0.104	37	46	9	3.24
KODD149	1076.1	1092.5	16.4	0.075	328	333	5	2.32
KODD152	590.6	620.1	29.5	0.028	180	189	9	0.88
KODD152	646.3	682.4	36.1	0.041	197	208	11	1.26
KODD153	633.2	698.8	65.6	0.032	193	213	20	0.98
KODT034	836.6	928.5	91.9	0.020	255	283	28	0.62

DIAMOND DRILLING SIGNIFICANT INTERVALS								
Korkan								
<i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
KODT034	981.0	997.4	16.4	0.017	299	304	5	0.54
KODT041*	810.4	869.4	59.1	0.027	247	265	18	0.85
KODT042	807.1	902.2	95.1	0.030	246	275	29	0.92
KODT066	744.8	761.2	16.4	0.057	227	232	5	1.76
KODT069	803.8	882.5	78.7	0.040	245	269	24	1.24
KODT069	912.1	931.8	19.7	0.016	278	284	6	0.50
KODT069	974.4	1007.2	32.8	0.016	297	307	10	0.49
KODT075	587.3	787.4	200.1	0.134	179	240	61	4.16
KODT103	826.8	889.1	62.3	0.038	252	271	19	1.19
KODT103	918.6	951.4	32.8	0.064	280	290	10	1.98
KODT107*	410.1	472.4	62.3	0.032	125	144	19	1.00

- Significant intervals 'not in bold' have been previously released.
- Diamond drill samples are generally taken on a 1m basis and weigh ~3kg.
- Reverse circulation drill samples are taken on a 1m basis and weigh ~5kg.
- Assay method: Fire assay Au (50g).
- Intercept widths do not necessarily represent true width.
- No top cut applied.
- The prefix 'KODTxxx' represents a diamond tail of the corresponding RC drill hole number for drill hole completion.
- (*) denotes a nominal 40 meter by 40 meter infill drill hole.
- Refer to www.avalaresources.com for a full listing of significant intervals at various cut-off grades.
- Related twin drill hole 'pairs' for Korkan:
 - KORC003-KODD079
 - KORC008-KODD083
 - KORC011-KODD085
 - KORC013-KODD081
 - KORC019-KODD104
 - KORC020-KODD080
 - KORC037-KODD087
 - KORC039-KODD088
 - KORC043-KODD093
 - KORC044-KODD098
 - KORC054-KODD123
 - KORC057-KODD096
 - KORC070-KODD108
 - KORC085-KODD112
 - KORC090-KODD118
 - KORC097-KODD130
 - KORC099-KODD133
 - KORC109-KODD136