

Figure 1: Location of the Korkan-Bigar trend and the Kraku Pestar target area within the greater sediment-hosted gold belt, as defined in this image by mapped 'target stratigraphy' (yellow) and anomalous gold soil geochemistry within the Korkan-Bigar trend *only*. The total metal contour plots for Korkan, Bigar Hill and Kraku Pestar have been superimposed on the sediment-hosted gold belt, as defined to date by drilling.




Figure 2: Gram-meter total metal contour plot (intervals $>0.4\text{g/t Au} \times \text{thickness}$) of all Bigar Hill drilling to date superimposed on topographic contours. The section lines A-A' relates to Figure 3.




Figure 3: Northwest-southeast 'pseudo' long-section through the Bigar Hill target area showing summary stratigraphy and gold mineralized drill intersections to date. The section is looking northeast.




Figure 4: Drill collar plan of all Bigar Hill drilling to date superimposed on topographic contours. The extents of the plan are equivalent to Figure 2.



Table 1: All Bigar Hill gold drill intercepts at various cut-off grades.

REVERSE CIRCULATION DRILLING SIGNIFICANT INTERVALS								
Bigar Hill								
<i>1g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
BHRC003	45.9	88.6	42.7	0.039	14	27	13	1.20
BHRC005*	226.4	344.5	118.1	0.148	69	105	36	4.61
BHRC005*	374.0	397.0	23.0	0.060	114	121	7	1.87
BHRC005*	587.3	603.7	16.4	0.040	179	184	5	1.23
BHRC006	9.8	75.5	65.6	0.087	3	23	20	2.70
BHRC009	32.8	78.7	45.9	0.074	10	24	14	2.30
BHRC012	75.5	157.5	82.0	0.048	23	48	25	1.49
BHRC013	98.4	114.8	16.4	0.063	30	35	5	1.97
BHRC013	134.5	210.0	75.5	0.077	41	64	23	2.39
BHRC013	672.6	711.9	39.4	0.034	205	217	12	1.06
BHRC015	433.1	580.7	147.6	0.074	132	177	45	2.29
BHRC017	23.0	39.4	16.4	0.050	7	12	5	1.56
BHRC017	72.2	144.4	72.2	0.041	22	44	22	1.28
BHRC018*	160.8	196.9	36.1	0.067	49	60	11	2.07
BHRC018*	459.3	518.4	59.1	0.087	140	158	18	2.70
BHRC019	259.2	337.9	78.7	0.068	79	103	24	2.12
BHRC019	374.0	397.0	23.0	0.039	114	121	7	1.20
BHRC020	370.7	406.8	36.1	0.115	113	124	11	3.57
BHRC020	689.0	734.9	45.9	0.034	210	224	14	1.05
BHRC021	488.8	515.1	26.2	0.120	149	157	8	3.73
BHRC022	416.7	449.5	32.8	0.061	127	137	10	1.91
BHRC022	675.9	744.8	68.9	0.071	206	227	21	2.22
BHRC023*	288.7	377.3	88.6	0.127	88	115	27	3.96
BHRC024	794.0	813.6	19.7	0.092	242	248	6	2.87
BHRC025	462.6	524.9	62.3	0.051	141	160	19	1.59
BHRC025	767.7	787.4	19.7	0.037	234	240	6	1.15
BHRC027	538.1	554.5	16.4	0.064	164	169	5	2.00
BHRC028	607.0	646.3	39.4	0.040	185	197	12	1.23
BHRC029	725.1	744.8	19.7	0.049	221	227	6	1.52
BHRC030	584.0	620.1	36.1	0.063	178	189	11	1.97
BHRC031	521.7	574.1	52.5	0.045	159	175	16	1.41
BHRC031	616.8	633.2	16.4	0.062	188	193	5	1.94
BHRC036	626.6	679.1	52.5	0.067	191	207	16	2.09
BHRC036	771.0	859.6	88.6	0.050	235	262	27	1.57



BHRC036	879.3	902.2	23.0	0.046	268	275	7	1.43
BHRC037	623.4	705.4	82.0	0.059	190	215	25	1.82
BHRC038	639.8	662.7	23.0	0.056	195	202	7	1.74
BHRC038	702.1	741.5	39.4	0.035	214	226	12	1.09
BHRC038	984.3	1056.4	72.2	0.049	300	322	22	1.53
BHRC039	580.7	607.0	26.2	0.135	177	185	8	4.21
BHRC041	613.5	659.4	45.9	0.086	187	201	14	2.67
BHRC042	157.5	183.7	26.2	0.074	48	56	8	2.30
BHRC045	157.5	196.9	39.4	0.048	48	60	12	1.49
BHRC046	554.5	574.1	19.7	0.034	169	175	6	1.07
BHRC047	216.5	236.2	19.7	0.053	66	72	6	1.66
BHRC047	262.5	308.4	45.9	0.128	80	94	14	3.99
BHRC047	465.9	502.0	36.1	0.081	142	153	11	2.51
BHRC047	672.6	708.7	36.1	0.101	205	216	11	3.14
BHRC051	675.9	725.1	49.2	0.292	206	221	15	9.09
BHRC053*	652.9	725.1	72.2	0.034	199	221	22	1.07
BHRC053*	754.6	790.7	36.1	0.053	230	241	11	1.66
BHRC054	9.8	29.5	19.7	0.054	3	9	6	1.67
BHRC056	62.3	137.8	75.5	0.044	19	42	23	1.38
BHRC056	528.2	557.7	29.5	0.053	161	170	9	1.66
BHRC058	259.2	275.6	16.4	0.304	79	84	5	9.46
BHRC059*	29.5	68.9	39.4	0.134	9	21	12	4.16
BHRC060*	68.9	160.8	91.9	0.075	21	49	28	2.34
BHRC061*	72.2	147.6	75.5	0.095	22	45	23	2.95
BHRC062*	137.8	265.7	128.0	0.070	42	81	39	2.18
BHRC063	528.2	547.9	19.7	0.035	161	167	6	1.10
BHRC063	587.3	607.0	19.7	0.033	179	185	6	1.04
BHRC063	636.5	672.6	36.1	0.035	194	205	11	1.08
BHRC065	236.2	292.0	55.8	0.081	72	89	17	2.52
BHRC066	511.8	528.2	16.4	0.129	156	161	5	4.01
BHRC068	446.2	472.4	26.2	0.041	136	144	8	1.29
BHRC071	196.9	216.5	19.7	0.135	60	66	6	4.21
BHRC071	570.9	675.9	105.0	0.060	174	206	32	1.88
BHRC073	324.8	351.0	26.2	0.059	99	107	8	1.85
BHRC075*	278.9	331.4	52.5	0.058	85	101	16	1.79
BHRC077*	42.7	114.8	72.2	0.061	13	35	22	1.91
BHRC078	236.2	351.0	114.8	0.176	72	107	35	5.48
BHRC078	426.5	452.8	26.2	0.134	130	138	8	4.17
BHRC079*	331.4	403.5	72.2	0.060	101	123	22	1.88
BHRC079*	423.2	524.9	101.7	0.078	129	160	31	2.43
BHRC079*	666.0	738.2	72.2	0.048	203	225	22	1.50



BHRC080*	337.9	449.5	111.5	0.047	103	137	34	1.46
BHRC081*	29.5	45.9	16.4	0.045	9	14	5	1.39
BHRC081*	68.9	88.6	19.7	0.036	21	27	6	1.12
BHRC082*	23.0	75.5	52.5	0.069	7	23	16	2.14
BHRC083	206.7	308.4	101.7	0.084	63	94	31	2.61
BHRC083	502.0	593.8	91.9	0.088	153	181	28	2.75
BHRC084*	49.2	213.3	164.0	0.055	15	65	50	1.72
BHRC086*	85.3	150.9	65.6	0.092	26	46	20	2.86
BHRC087*	114.8	137.8	23.0	0.110	35	42	7	3.42
BHRC088*	141.1	193.6	52.5	0.059	43	59	16	1.84
BHRC088*	239.5	269.0	29.5	0.071	73	82	9	2.21
BHRC089*	288.7	344.5	55.8	0.153	88	105	17	4.77
BHRC089*	646.3	669.3	23.0	0.042	197	204	7	1.30
BHRC090*	406.8	436.4	29.5	0.041	124	133	9	1.27
BHRC091*	423.2	488.8	65.6	0.042	129	149	20	1.31
BHRC092*	226.4	262.5	36.1	0.128	69	80	11	3.98
BHRC093*	59.1	114.8	55.8	0.073	18	35	17	2.26
BHRC094*	154.2	232.9	78.7	0.065	47	71	24	2.01
BHRC094*	439.6	475.7	36.1	0.057	134	145	11	1.77
BHRC095*	118.1	160.8	42.7	0.104	36	49	13	3.22
BHRC095*	436.4	475.7	39.4	0.061	133	145	12	1.91
BHRC096*	193.6	229.7	36.1	0.056	59	70	11	1.75
BHRC097*	190.3	219.8	29.5	0.064	58	67	9	1.99
BHRC098	144.4	196.9	52.5	0.053	44	60	16	1.64
BHRC099*	193.6	216.5	23.0	0.071	59	66	7	2.22
BHRC100*	157.5	249.3	91.9	0.089	48	76	28	2.76
BHRC101*	98.4	170.6	72.2	0.076	30	52	22	2.36
BHRC102*	62.3	187.0	124.7	0.051	19	57	38	1.59
BHRC103*	88.6	173.9	85.3	0.111	27	53	26	3.44
BHRC105	590.6	675.9	85.3	0.071	180	206	26	2.21
BHRC107	616.8	639.8	23.0	0.060	188	195	7	1.86
BHRC108*	216.5	341.2	124.7	0.159	66	104	38	4.95
BHRC109	183.7	255.9	72.2	0.045	56	78	22	1.39
BHRC110*	321.5	344.5	23.0	0.069	98	105	7	2.14
BHRC111*	429.8	534.8	105.0	0.094	131	163	32	2.91
BHRC111*	689.0	725.1	36.1	0.032	210	221	11	1.01
BHRC112*	377.3	449.5	72.2	0.132	115	137	22	4.10
BHRC112*	728.3	761.2	32.8	0.046	222	232	10	1.43
BHRC113*	364.2	449.5	85.3	0.111	111	137	26	3.46
BHRC114*	347.8	426.5	78.7	0.077	106	130	24	2.40
BHRC115*	236.2	321.5	85.3	0.068	72	98	26	2.12



BHRC115*	413.4	495.4	82.0	0.089	126	151	25	2.76
BHRC116*	538.1	584.0	45.9	0.053	164	178	14	1.66
BHRC119*	177.2	196.9	19.7	0.457	54	60	6	14.22
BHRC119*	236.2	269.0	32.8	0.079	72	82	10	2.45
BHRC121*	452.8	502.0	49.2	0.088	138	153	15	2.75
BHRC125*	160.8	219.8	59.1	0.134	49	67	18	4.18
<i>0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution</i>								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
BHRC002	55.8	111.5	55.8	0.014	17	34	17	0.45
BHRC003	45.9	108.3	62.3	0.029	14	33	19	0.89
BHRC005*	226.4	347.8	121.4	0.145	69	106	37	4.50
BHRC005*	370.7	433.1	62.3	0.032	113	132	19	1.01
BHRC005*	456.0	495.4	39.4	0.032	139	151	12	1.01
BHRC005*	584.0	610.2	26.2	0.032	178	186	8	0.98
BHRC006	9.8	78.7	68.9	0.084	3	24	21	2.60
BHRC006	108.3	154.2	45.9	0.019	33	47	14	0.58
BHRC007	98.4	118.1	19.7	0.016	30	36	6	0.49
BHRC008	170.6	187.0	16.4	0.019	52	57	5	0.60
BHRC009	32.8	157.5	124.7	0.038	10	48	38	1.18
BHRC009	180.4	252.6	72.2	0.017	55	77	22	0.53
BHRC010	78.7	213.3	134.5	0.020	24	65	41	0.63
BHRC011	42.7	59.1	16.4	0.105	13	18	5	3.28
BHRC011	88.6	147.6	59.1	0.016	27	45	18	0.51
BHRC012	75.5	210.0	134.5	0.037	23	64	41	1.15
BHRC012	246.1	301.8	55.8	0.014	75	92	17	0.43
BHRC012	331.4	351.0	19.7	0.015	101	107	6	0.47
BHRC012	508.5	538.1	29.5	0.015	155	164	9	0.47
BHRC013	95.1	252.6	157.5	0.050	29	77	48	1.56
BHRC013	672.6	715.2	42.7	0.033	205	218	13	1.04
BHRC014	295.3	311.7	16.4	0.050	90	95	5	1.55
BHRC015	423.2	584.0	160.8	0.069	129	178	49	2.14
BHRC015	607.0	633.2	26.2	0.019	185	193	8	0.59
BHRC016	55.8	255.9	200.1	0.017	17	78	61	0.54
BHRC017	23.0	42.7	19.7	0.047	7	13	6	1.47
BHRC017	72.2	147.6	75.5	0.040	22	45	23	1.25
BHRC018*	157.5	305.1	147.6	0.027	48	93	45	0.85
BHRC018*	459.3	551.2	91.9	0.065	140	168	28	2.01
BHRC019	242.8	410.1	167.3	0.043	74	125	51	1.34
BHRC019	433.1	469.2	36.1	0.017	132	143	11	0.52
BHRC019	610.2	626.6	16.4	0.022	186	191	5	0.68



BHRC020	364.2	429.8	65.6	0.070	111	131	20	2.19
BHRC020	515.1	561.0	45.9	0.013	157	171	14	0.40
BHRC020	649.6	734.9	85.3	0.025	198	224	26	0.77
BHRC021	482.3	518.4	36.1	0.093	147	158	11	2.89
BHRC021	584.0	600.4	16.4	0.017	178	183	5	0.53
BHRC022	413.4	452.8	39.4	0.054	126	138	12	1.69
BHRC022	675.9	751.3	75.5	0.067	206	229	23	2.09
BHRC023*	282.2	380.6	98.4	0.116	86	116	30	3.61
BHRC023*	439.6	456.0	16.4	0.071	134	139	5	2.20
BHRC023*	675.9	744.8	68.9	0.014	206	227	21	0.42
BHRC024	761.2	813.6	52.5	0.074	232	248	16	2.29
BHRC025	462.6	531.5	68.9	0.048	141	162	21	1.50
BHRC025	751.3	790.7	39.4	0.025	229	241	12	0.77
BHRC027	511.8	557.7	45.9	0.032	156	170	14	0.98
BHRC027	682.4	705.4	23.0	0.014	208	215	7	0.42
BHRC028	603.7	682.4	78.7	0.025	184	208	24	0.78
BHRC028	797.2	836.6	39.4	0.029	243	255	12	0.90
BHRC029	725.1	744.8	19.7	0.049	221	227	6	1.52
BHRC030	577.4	620.1	42.7	0.057	176	189	13	1.78
BHRC030	846.5	872.7	26.2	0.017	258	266	8	0.53
BHRC031	521.7	593.8	72.2	0.036	159	181	22	1.13
BHRC031	613.5	646.3	32.8	0.037	187	197	10	1.16
BHRC031	685.7	721.8	36.1	0.113	209	220	11	3.50
BHRC035	790.7	813.6	23.0	0.027	241	248	7	0.83
BHRC036	607.0	689.0	82.0	0.050	185	210	25	1.55
BHRC036	771.0	902.2	131.2	0.043	235	275	40	1.33
BHRC037	616.8	728.3	111.5	0.046	188	222	34	1.43
BHRC037	879.3	935.0	55.8	0.016	268	285	17	0.50
BHRC037	987.5	1003.9	16.4	0.014	301	306	5	0.43
BHRC038	633.2	741.5	108.3	0.030	193	226	33	0.94
BHRC038	787.4	807.1	19.7	0.039	240	246	6	1.20
BHRC038	862.9	921.9	59.1	0.016	263	281	18	0.49
BHRC038	964.6	1059.7	95.1	0.042	294	323	29	1.31
BHRC039	574.1	623.4	49.2	0.080	175	190	15	2.50
BHRC041	600.4	682.4	82.0	0.056	183	208	25	1.74
BHRC042	144.4	183.7	39.4	0.053	44	56	12	1.64
BHRC045	157.5	246.1	88.6	0.042	48	75	27	1.31
BHRC045	652.9	689.0	36.1	0.031	199	210	11	0.95
BHRC046	554.5	577.4	23.0	0.034	169	176	7	1.05
BHRC046	751.3	780.8	29.5	0.014	229	238	9	0.43
BHRC046	820.2	839.9	19.7	0.028	250	256	6	0.87



BHRC047	216.5	236.2	19.7	0.053	66	72	6	1.66
BHRC047	262.5	321.5	59.1	0.102	80	98	18	3.17
BHRC047	462.6	502.0	39.4	0.075	141	153	12	2.34
BHRC047	672.6	725.1	52.5	0.074	205	221	16	2.29
BHRC047	764.4	784.1	19.7	0.019	233	239	6	0.59
BHRC051	669.3	725.1	55.8	0.260	204	221	17	8.10
BHRC053*	383.9	400.3	16.4	0.030	117	122	5	0.93
BHRC053*	649.6	728.3	78.7	0.033	198	222	24	1.04
BHRC053*	754.6	800.5	45.9	0.047	230	244	14	1.47
BHRC054	9.8	39.4	29.5	0.043	3	12	9	1.35
BHRC055	75.5	160.8	85.3	0.016	23	49	26	0.51
BHRC056	59.1	141.1	82.0	0.042	18	43	25	1.32
BHRC056	416.7	449.5	32.8	0.013	127	137	10	0.41
BHRC056	528.2	567.6	39.4	0.046	161	173	12	1.42
BHRC057	29.5	78.7	49.2	0.015	9	24	15	0.46
BHRC057	101.7	124.7	23.0	0.017	31	38	7	0.52
BHRC058	55.8	85.3	29.5	0.018	17	26	9	0.55
BHRC058	183.7	203.4	19.7	0.016	56	62	6	0.50
BHRC058	259.2	275.6	16.4	0.304	79	84	5	9.46
BHRC059*	23.0	108.3	85.3	0.071	7	33	26	2.21
BHRC059*	137.8	177.2	39.4	0.018	42	54	12	0.55
BHRC060*	19.7	39.4	19.7	0.023	6	12	6	0.72
BHRC060*	68.9	292.0	223.1	0.039	21	89	68	1.21
BHRC060*	442.9	557.7	114.8	0.013	135	170	35	0.41
BHRC061*	32.8	157.5	124.7	0.065	10	48	38	2.01
BHRC062*	105.0	301.8	196.9	0.051	32	92	60	1.60
BHRC062*	597.1	620.1	23.0	0.014	182	189	7	0.44
BHRC063	459.3	492.1	32.8	0.022	140	150	10	0.69
BHRC063	528.2	547.9	19.7	0.035	161	167	6	1.10
BHRC063	580.7	672.6	91.9	0.025	177	205	28	0.79
BHRC064	13.1	29.5	16.4	0.020	4	9	5	0.61
BHRC064	190.3	213.3	23.0	0.017	58	65	7	0.52
BHRC065	232.9	324.8	91.9	0.063	71	99	28	1.97
BHRC065	469.2	521.7	52.5	0.024	143	159	16	0.74
BHRC065	577.4	623.4	45.9	0.089	176	190	14	2.77
BHRC066	511.8	528.2	16.4	0.129	156	161	5	4.01
BHRC068	410.1	472.4	62.3	0.029	125	144	19	0.91
BHRC071	196.9	216.5	19.7	0.135	60	66	6	4.21
BHRC071	570.9	675.9	105.0	0.060	174	206	32	1.88
BHRC071	987.5	1017.1	29.5	0.017	301	310	9	0.53
BHRC071	1072.8	1118.8	45.9	0.028	327	341	14	0.86



BHRC073	324.8	377.3	52.5	0.040	99	115	16	1.23
BHRC075*	278.9	331.4	52.5	0.058	85	101	16	1.79
BHRC076*	105.0	128.0	23.0	0.029	32	39	7	0.89
BHRC077*	36.1	160.8	124.7	0.041	11	49	38	1.27
BHRC077*	318.2	344.5	26.2	0.017	97	105	8	0.53
BHRC078	229.7	383.9	154.2	0.136	70	117	47	4.24
BHRC078	403.5	475.7	72.2	0.055	123	145	22	1.72
BHRC079*	331.4	564.3	232.9	0.058	101	172	71	1.79
BHRC079*	623.4	738.2	114.8	0.035	190	225	35	1.10
BHRC080*	331.4	472.4	141.1	0.040	101	144	43	1.24
BHRC080*	626.6	689.0	62.3	0.017	191	210	19	0.52
BHRC080*	718.5	794.0	75.5	0.026	219	242	23	0.80
BHRC081*	3.3	173.9	170.6	0.023	1	53	52	0.73
BHRC082*	23.0	91.9	68.9	0.057	7	28	21	1.77
BHRC082*	114.8	131.2	16.4	0.016	35	40	5	0.49
BHRC082*	196.9	219.8	23.0	0.023	60	67	7	0.70
BHRC082*	239.5	315.0	75.5	0.016	73	96	23	0.49
BHRC083	180.4	406.8	226.4	0.047	55	124	69	1.46
BHRC083	485.6	600.4	114.8	0.073	148	183	35	2.27
BHRC084*	49.2	213.3	164.0	0.055	15	65	50	1.72
BHRC085*	9.8	85.3	75.5	0.014	3	26	23	0.42
BHRC086*	78.7	160.8	82.0	0.078	24	49	25	2.42
BHRC087*	101.7	141.1	39.4	0.072	31	43	12	2.24
BHRC088*	141.1	193.6	52.5	0.059	43	59	16	1.84
BHRC088*	232.9	278.9	45.9	0.051	71	85	14	1.59
BHRC089*	246.1	269.0	23.0	0.013	75	82	7	0.41
BHRC089*	288.7	364.2	75.5	0.118	88	111	23	3.66
BHRC089*	646.3	672.6	26.2	0.038	197	205	8	1.19
BHRC090*	164.0	216.5	52.5	0.019	50	66	16	0.58
BHRC090*	406.8	439.6	32.8	0.039	124	134	10	1.20
BHRC091*	141.1	173.9	32.8	0.023	43	53	10	0.72
BHRC091*	324.8	488.8	164.0	0.026	99	149	50	0.82
BHRC092*	206.7	265.7	59.1	0.087	63	81	18	2.70
BHRC093*	59.1	124.7	65.6	0.064	18	38	20	2.00
BHRC094*	65.6	91.9	26.2	0.021	20	28	8	0.66
BHRC094*	141.1	236.2	95.1	0.057	43	72	29	1.78
BHRC094*	433.1	479.0	45.9	0.048	132	146	14	1.49
BHRC094*	534.8	570.9	36.1	0.013	163	174	11	0.41
BHRC094*	584.0	603.7	19.7	0.014	178	184	6	0.43
BHRC095*	111.5	167.3	55.8	0.085	34	51	17	2.63
BHRC095*	426.5	479.0	52.5	0.052	130	146	16	1.61



BHRC096*	167.3	232.9	65.6	0.037	51	71	20	1.14
BHRC097*	160.8	249.3	88.6	0.034	49	76	27	1.06
BHRC097*	475.7	541.3	65.6	0.020	145	165	20	0.63
BHRC098	144.4	196.9	52.5	0.053	44	60	16	1.64
BHRC098	426.5	459.3	32.8	0.031	130	140	10	0.96
BHRC098	479.0	495.4	16.4	0.013	146	151	5	0.41
BHRC099*	164.0	255.9	91.9	0.029	50	78	28	0.90
BHRC099*	308.4	324.8	16.4	0.022	94	99	5	0.69
BHRC100*	144.4	318.2	173.9	0.055	44	97	53	1.71
BHRC100*	354.3	370.7	16.4	0.021	108	113	5	0.66
BHRC100*	393.7	426.5	32.8	0.021	120	130	10	0.66
BHRC100*	462.6	495.4	32.8	0.015	141	151	10	0.48
BHRC100*	534.8	613.5	78.7	0.014	163	187	24	0.43
BHRC101*	65.6	180.4	114.8	0.053	20	55	35	1.64
BHRC101*	285.4	305.1	19.7	0.037	87	93	6	1.14
BHRC101*	541.3	584.0	42.7	0.018	165	178	13	0.56
BHRC102*	59.1	226.4	167.3	0.041	18	69	51	1.27
BHRC103*	88.6	232.9	144.4	0.071	27	71	44	2.21
BHRC103*	495.4	511.8	16.4	0.140	151	156	5	4.36
BHRC104	656.2	698.8	42.7	0.018	200	213	13	0.56
BHRC105	554.5	675.9	121.4	0.057	169	206	37	1.76
BHRC105	784.1	839.9	55.8	0.018	239	256	17	0.55
BHRC106	482.3	515.1	32.8	0.014	147	157	10	0.43
BHRC106	669.3	685.7	16.4	0.086	204	209	5	2.67
BHRC106	715.2	761.2	45.9	0.015	218	232	14	0.46
BHRC106	839.9	856.3	16.4	0.066	256	261	5	2.04
BHRC107	360.9	403.5	42.7	0.026	110	123	13	0.82
BHRC107	613.5	639.8	26.2	0.055	187	195	8	1.70
BHRC108*	213.3	341.2	128.0	0.156	65	104	39	4.84
BHRC109	183.7	272.3	88.6	0.038	56	83	27	1.19
BHRC110*	275.6	351.0	75.5	0.036	84	107	23	1.11
BHRC111*	423.2	544.6	121.4	0.083	129	166	37	2.59
BHRC111*	577.4	600.4	23.0	0.022	176	183	7	0.67
BHRC111*	656.2	725.1	68.9	0.029	200	221	21	0.91
BHRC112*	377.3	502.0	124.7	0.083	115	153	38	2.57
BHRC112*	695.5	771.0	75.5	0.030	212	235	23	0.93
BHRC113*	364.2	456.0	91.9	0.104	111	139	28	3.24
BHRC114*	298.6	426.5	128.0	0.057	91	130	39	1.76
BHRC115*	183.7	200.1	16.4	0.030	56	61	5	0.93
BHRC115*	236.2	331.4	95.1	0.063	72	101	29	1.97
BHRC115*	413.4	515.1	101.7	0.075	126	157	31	2.32



BHRC115*	538.1	567.6	29.5	0.022	164	173	9	0.67
BHRC116*	45.9	62.3	16.4	0.045	14	19	5	1.41
BHRC116*	239.5	298.6	59.1	0.014	73	91	18	0.43
BHRC116*	538.1	584.0	45.9	0.053	164	178	14	1.66
BHRC118*	13.1	62.3	49.2	0.020	4	19	15	0.63
BHRC119*	177.2	315.0	137.8	0.092	54	96	42	2.87
BHRC120*	131.2	157.5	26.2	0.032	40	48	8	1.01
BHRC121*	403.5	544.6	141.1	0.039	123	166	43	1.20
BHRC122*	725.1	751.3	26.2	0.024	221	229	8	0.75
BHRC122*	826.8	843.2	16.4	0.019	252	257	5	0.59
BHRC123*	298.6	328.1	29.5	0.021	91	100	9	0.65
BHRC125*	157.5	219.8	62.3	0.128	48	67	19	3.99

DIAMOND DRILLING SIGNIFICANT INTERVALS								
Bigar Hill								
1g/t Au cut-off, 5m minimum length, 5m maximum internal dilution								
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
BHDD004	170.6	206.7	36.1	0.041	52	63	11	1.28
BHDD004	410.1	456.0	45.9	0.047	125	139	14	1.47
BHDD005	439.6	505.2	65.6	0.091	134	154	20	2.82
BHDD005	869.4	889.1	19.7	0.045	265	271	6	1.41
BHDD006	282.2	311.7	29.5	0.049	86	95	9	1.51
BHDD007	764.4	794.0	29.5	0.143	233	242	9	4.44
BHDD010	646.3	679.1	32.8	0.052	197	207	10	1.62
BHDD010	869.4	899.0	29.5	0.087	265	274	9	2.71
BHDD011	393.7	449.5	55.8	0.099	120	137	17	3.08
BHDD011	646.3	666.0	19.7	0.033	197	203	6	1.02
BHDD014	377.3	426.5	49.2	0.068	115	130	15	2.10
BHDD014	534.8	567.6	32.8	0.038	163	173	10	1.18
BHDD016*	95.1	213.3	118.1	0.045	29	65	36	1.39
BHDD017	449.5	465.9	16.4	0.280	137	142	5	8.70
BHDD017	636.5	682.4	45.9	0.098	194	208	14	3.05
BHDD017	774.3	800.5	26.2	0.052	236	244	8	1.61
BHDD019	675.9	696.5	20.7	0.040	206	212.3	6.3	1.23
BHDD020	20.3	124.7	104.3	0.067	6.2	38	31.8	2.09
BHDD021	541.3	584.0	42.7	0.102	165	178	13	3.18
BHDD023	73.8	108.3	34.4	0.061	22.5	33	10.5	1.90
BHDD023	403.5	459.3	55.8	0.060	123	140	17	1.87
BHDD029	242.8	344.5	101.7	0.154	74	105	31	4.78
BHDD031*	646.3	669.3	23.0	0.046	197	204	7	1.44



BHDD032	334.6	383.9	49.2	0.043	102	117	15	1.35
BHDD034	413.4	577.4	164.0	0.078	126	176	50	2.44
BHDD043	6.9	72.2	65.3	0.095	2.1	22	19.9	2.97
BHDD044	249.3	393.7	144.4	0.142	76	120	44	4.41
BHDD044	426.5	442.9	16.4	0.121	130	135	5	3.75
BHDD044	475.7	494.8	19.0	0.135	145	150.8	5.8	4.21
BHDD045	134.5	196.5	62.0	0.068	41	59.9	18.9	2.12
BHDD047	413.4	442.9	29.5	0.134	126	135	9	4.16
BHDD047	675.9	767.7	91.9	0.047	206	234	28	1.45
BHDD054	232.9	252.6	19.7	0.036	71	77	6	1.13
BHDD055	3.3	26.2	23.0	0.039	1	8	7	1.21
BHDD057	620.1	643.0	23.0	0.112	189	196	7	3.49
BHDD060*	449.5	567.6	118.1	0.080	137	173	36	2.49
BHDD061	692.3	777.6	85.3	0.119	211	237	26	3.69
BHDD061	882.5	915.4	32.8	0.032	269	279	10	1.01
BHDD062*	0.0	26.2	26.2	0.033	0	8	8	1.04
BHDD065	646.3	669.3	23.0	0.044	197	204	7	1.37
BHDD067	794.0	816.9	23.0	0.037	242	249	7	1.15
BHDD068	534.8	570.9	36.1	0.072	163	174	11	2.24
BHDD068	616.8	669.3	52.5	0.100	188	204	16	3.12
BHDD068	1000.7	1026.9	26.2	0.240	305	313	8	7.46

0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution

Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)
BHDD001	246.1	262.5	16.4	0.014	75	80	5	0.44
BHDD002	157.5	223.1	65.6	0.018	48	68	20	0.57
BHDD004	160.8	301.8	141.1	0.021	49	92	43	0.67
BHDD004	397.0	475.7	78.7	0.034	121	145	24	1.05
BHDD004	639.8	656.2	16.4	0.029	195	200	5	0.90
BHDD005	387.1	403.5	16.4	0.077	118	123	5	2.40
BHDD005	436.4	521.7	85.3	0.073	133	159	26	2.26
BHDD005	584.0	610.2	26.2	0.044	178	186	8	1.37
BHDD005	846.5	912.1	65.6	0.024	258	278	20	0.76
BHDD006	282.2	321.5	39.4	0.043	86	98	12	1.32
BHDD007	590.6	626.6	36.1	0.022	180	191	11	0.69
BHDD007	744.8	794.0	49.2	0.091	227	242	15	2.82
BHDD010	626.6	692.3	65.6	0.033	191	211	20	1.03
BHDD010	843.2	899.0	55.8	0.055	257	274	17	1.70
BHDD011	387.1	482.3	95.1	0.063	118	147	29	1.97
BHDD011	633.2	666.0	32.8	0.026	193	203	10	0.81
BHDD013	1020.3	1046.6	26.2	0.024	311	319	8	0.76



BHDD014	374.0	439.6	65.6	0.053	114	134	20	1.65
BHDD014	492.1	567.6	75.5	0.023	150	173	23	0.71
BHDD014	666.0	698.8	32.8	0.026	203	213	10	0.82
BHDD016*	95.1	216.5	121.4	0.044	29	66	37	1.37
BHDD016*	239.5	308.4	68.9	0.018	73	94	21	0.55
BHDD017	446.2	465.9	19.7	0.237	136	142	6	7.37
BHDD017	636.5	682.4	45.9	0.098	194	208	14	3.05
BHDD017	774.3	807.1	32.8	0.045	236	246	10	1.41
BHDD019	672.6	718.5	45.9	0.030	205	219	14	0.92
BHDD020	20.3	128.0	107.6	0.066	6.2	39	32.8	2.04
BHDD021	400.3	416.7	16.4	0.019	122	127	5	0.58
BHDD021	439.6	456.0	16.4	0.027	134	139	5	0.85
BHDD021	541.3	584.0	42.7	0.102	165	178	13	3.18
BHDD023	73.8	111.5	37.7	0.059	22.5	34	11.5	1.82
BHDD023	223.1	242.8	19.7	0.025	68	74	6	0.77
BHDD023	400.3	469.2	68.9	0.051	122	143	21	1.59
BHDD026	75.1	147.6	72.5	0.019	22.9	45	22.1	0.59
BHDD027	869.4	889.1	19.7	0.023	265	271	6	0.71
BHDD029	223.1	344.5	121.4	0.130	68	105	37	4.05
BHDD029	370.7	436.4	65.6	0.020	113	133	20	0.63
BHDD029	600.4	626.6	26.2	0.017	183	191	8	0.54
BHDD031*	636.5	669.3	32.8	0.039	194	204	10	1.21
BHDD031*	692.3	748.0	55.8	0.013	211	228	17	0.40
BHDD032	331.4	387.1	55.8	0.040	101	118	17	1.24
BHDD033	29.5	52.5	23.0	0.033	9	16	7	1.01
BHDD034	413.4	610.2	196.9	0.067	126	186	60	2.08
BHDD037	708.7	754.6	45.9	0.019	216	230	14	0.58
BHDD040	1207.3	1230.3	23.0	0.021	368	375	7	0.65
BHDD041	29.5	88.6	59.1	0.016	9	27	18	0.50
BHDD043	6.9	124.7	117.8	0.060	2.1	38	35.9	1.88
BHDD043	436.4	472.4	36.1	0.014	133	144	11	0.44
BHDD044	223.1	446.2	223.1	0.105	68	136	68	3.26
BHDD044	472.4	494.8	22.3	0.117	144	150.8	6.8	3.65
BHDD044	590.6	698.8	108.3	0.016	180	213	33	0.51
BHDD045	105.0	216.5	111.5	0.046	32	66	34	1.43
BHDD045	492.1	538.1	45.9	0.022	150	164	14	0.68
BHDD045	580.7	643.0	62.3	0.059	177	196	19	1.85
BHDD047	413.4	456.0	42.7	0.097	126	139	13	3.01
BHDD047	675.9	767.7	91.9	0.047	206	234	28	1.45
BHDD049	741.5	757.9	16.4	0.036	226	231	5	1.12
BHDD051	216.5	239.5	23.0	0.015	66	73	7	0.48



BHDD051	351.0	370.7	19.7	0.016	107	113	6	0.49
BHDD052	603.7	666.0	62.3	0.019	184	203	19	0.58
BHDD052	685.7	725.1	39.4	0.015	209	221	12	0.48
BHDD052	816.9	856.3	39.4	0.016	249	261	12	0.51
BHDD054	23.0	45.9	23.0	0.013	7	14	7	0.40
BHDD054	232.9	262.5	29.5	0.029	71	80	9	0.91
BHDD055	3.3	52.5	49.2	0.026	1	16	15	0.80
BHDD056	603.7	672.6	68.9	0.018	184	205	21	0.57
BHDD056	853.0	885.8	32.8	0.017	260	270	10	0.53
BHDD057	620.1	643.0	23.0	0.112	189	196	7	3.49
BHDD057	885.8	912.1	26.2	0.018	270	278	8	0.55
BHDD060*	416.7	567.6	150.9	0.065	127	173	46	2.02
BHDD061	692.3	780.8	88.6	0.115	211	238	27	3.59
BHDD061	882.5	915.4	32.8	0.032	269	279	10	1.01
BHDD061	964.6	987.5	23.0	0.028	294	301	7	0.87
BHDD061	1023.6	1069.6	45.9	0.017	312	326	14	0.54
BHDD062*	0.0	39.4	39.4	0.029	0	12	12	0.89
BHDD062*	65.6	206.7	141.1	0.017	20	63	43	0.52
BHDD063	692.3	715.2	23.0	0.013	211	218	7	0.41
BHDD063	800.5	839.9	39.4	0.033	244	256	12	1.04
BHDD063	1125.3	1145.0	19.7	0.020	343	349	6	0.61
BHDD065	646.3	669.3	23.0	0.044	197	204	7	1.37
BHDD066*	114.8	154.2	39.4	0.017	35	47	12	0.53
BHDD067	790.7	823.5	32.8	0.032	241	251	10	1.00
BHDD068	534.8	570.9	36.1	0.072	163	174	11	2.24
BHDD068	616.8	728.3	111.5	0.057	188	222	34	1.78
BHDD068	967.8	1026.9	59.1	0.114	295	313	18	3.54
BHDD068	1079.4	1131.9	52.5	0.014	329	345	16	0.43
BHDD070	584.0	633.2	49.2	0.015	178	193	15	0.47
BHDT075*	692.3	741.5	49.2	0.013	211	226	15	0.41
BHDT113*	570.9	590.6	19.7	0.014	174	180	6	0.44
BHDT114*	728.3	761.2	32.8	0.014	222	232	10	0.43

- Significant intervals 'not in bold' have been previously released.
- Diamond drill samples are generally taken on a 1m basis and weigh ~3kg.
- Reverse circulation drill samples are taken on a 1m basis and weigh ~5kg.
- Assay method: Fire assay Au (50g).
- Intercept widths do not necessarily represent true width.
- No top cut applied.
- The prefix 'BHDTxxx' represents a diamond tail of the corresponding RC drill hole number for drill hole completion.
- (*) denotes a nominal 40 meter by 40 meter infill drill hole.
- Refer to www.avalaresources.com for a full listing of significant intervals at various cut-off grades.



- Related twin drill hole 'pairs' for Bigar Hill:
 - BHRC015-BHDD034
 - BHRC016-BHDD026
 - BHRC017-BHDD020
 - BHRC018-BHDD004
 - BHRC019-BHDD029
 - BHDD043-BHRC006
 - BHDD044-BHRC005
 - BHDD045-BHRC013
 - BHDD047-BHRC022
 - BHDD049-BHRC024
 - BHDD052-BHRC028
 - BHDD054-BHRC042
 - BHDD055-BHRC054
 - BHDD056-BHRC031
 - BHDD065-BHRC045
 - BHDD068-BHRC038
 - BHRC105-BHRC051