

Figure 1: Avala's principal target areas for 2011 within the 20 kilometer long sediment-hosted gold belt; defined in this image by anomalous gold soil geochemistry.




Figure 2: Avala's principal target areas for 2011 within the 20 kilometer long sediment-hosted gold belt; defined in this image by typical sediment-hosted gold pathfinder geochemistry; As-Sb-Tl-Hg.



Table 1: All Korkan-Bigar target area gold drill intercepts at various cut-off grades (previously reported).

DRILLING SIGNIFICANT INTERVALS									
Korkan									
5g/t Au cut-off, 5m minimum length, no internal dilution									
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)	gram-meter
KODD001	157.5	216.5	59.1	0.291	48	66	18	9.05	163
1g/t Au cut-off, 5m minimum length, 5m maximum internal dilution									
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)	gram-meter
KODD001	55.8	226.4	170.6	0.138	17	69	52	4.30	224
KODD002	433.1	488.8	55.8	0.096	132	149	17	3.00	51
KODD007	790.7	856.3	65.6	0.056	241	261	20	1.76	35
KODD009	111.5	170.6	59.1	0.060	34	52	18	1.88	34
KODD009	206.7	278.9	72.2	0.053	63	85	22	1.65	36
KODD013	180.4	216.5	36.1	0.042	55	66	11	1.32	14
KODD016	88.6	121.4	32.8	0.103	27	37	10	3.22	32
KODD018	656.2	682.4	26.2	0.051	200	208	8	1.60	13
0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution									
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)	gram-meter
KODD001	55.8	226.4	170.6	0.138	17	69	52	4.30	224
KODD002	433.1	498.7	65.6	0.085	132	152	20	2.63	53
KODD005	751.3	794.0	42.7	0.017	229	242	13	0.52	7
KODD007	164.0	180.4	16.4	0.014	50	55	5	0.43	2
KODD007	764.4	889.1	124.7	0.035	233	271	38	1.09	42
KODD009	111.5	180.4	68.9	0.054	34	55	21	1.68	35
KODD009	206.7	285.4	78.7	0.050	63	87	24	1.56	37
KODD009	344.5	360.9	16.4	0.027	105	110	5	0.84	4
KODD010	771.0	839.9	68.9	0.017	235	256	21	0.54	11
KODD012	761.2	777.6	16.4	0.019	232	237	5	0.58	3
KODD013	177.2	216.5	39.4	0.040	54	66	12	1.26	15
KODD015	1000.7	1046.6	45.9	0.023	305	319	14	0.70	10
KODD016	66.3	121.4	55.1	0.067	20.2	37	16.8	2.07	35
KODD016	731.6	761.2	29.5	0.025	223	232	9	0.78	7
KODD018	357.6	387.1	29.5	0.015	109	118	9	0.47	4
KODD018	656.2	682.4	26.2	0.051	200	208	8	1.60	13
0.1g/t Au cut-off, 5m minimum length, 5m maximum internal dilution									
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)	gram-meter
KODD001	55.8	242.8	187.0	0.127	17	74	57	3.95	225



KODD002	429.8	498.7	68.9	0.081	131	152	21	2.52	53
KODD003	170.6	265.7	95.1	0.005	52	81	29	0.16	5
KODD004	462.6	482.3	19.7	0.011	141	147	6	0.34	2
KODD004	524.9	541.3	16.4	0.003	160	165	5	0.11	1
KODD005	698.8	800.5	101.7	0.011	213	244	31	0.33	10
KODD006	210.0	265.7	55.8	0.004	64	81	17	0.12	2
KODD007	160.8	295.3	134.5	0.007	49	90	41	0.21	9
KODD007	315.0	337.9	23.0	0.003	96	103	7	0.10	1
KODD007	393.7	426.5	32.8	0.004	120	130	10	0.12	1
KODD007	748.0	893.0	145.0	0.031	228	272.2	44.2	0.97	43
KODD009	72.2	360.9	288.7	0.030	22	110	88	0.94	82
KODD010	771.0	905.5	134.5	0.012	235	276	41	0.38	15
KODD010	928.5	944.9	16.4	0.003	283	288	5	0.11	1
KODD010	977.7	1026.9	49.2	0.007	298	313	15	0.23	3
KODD012	731.6	830.1	98.4	0.007	223	253	30	0.23	7
KODD012	853.0	882.5	29.5	0.008	260	269	9	0.25	2
KODD013	177.2	216.5	39.4	0.040	54	66	12	1.26	15
KODD015	518.4	620.1	101.7	0.007	158	189	31	0.22	7
KODD015	748.0	853.0	105.0	0.005	228	260	32	0.16	5
KODD015	889.1	915.4	26.2	0.004	271	279	8	0.14	1
KODD015	935.0	951.4	16.4	0.007	285	290	5	0.23	1
KODD015	974.4	1053.1	78.7	0.015	297	321	24	0.47	11
KODD016	61.7	311.7	250.0	0.019	18.8	95	76.2	0.58	44
KODD016	334.6	351.0	16.4	0.006	102	107	5	0.20	1
KODD016	505.2	524.9	19.7	0.005	154	160	6	0.14	1
KODD016	620.1	669.3	49.2	0.010	189	204	15	0.32	5
KODD016	715.2	761.2	45.9	0.017	218	232	14	0.54	8
KODD016	892.4	930.4	38.1	0.004	272	283.6	11.6	0.14	2
KODD018	4.6	137.8	133.2	0.006	1.4	42	40.6	0.20	8
KODD018	341.2	393.7	52.5	0.011	104	120	16	0.34	5
KODD018	647.6	725.1	77.4	0.020	197.4	221	23.6	0.64	15

- Diamond drill samples are generally taken on a 1m basis and weigh ~3kg.
- Assay method: Fire assay Au (50g).
- Intercept widths do not necessarily represent true width.
- No top cut applied.



Table 2: All Kraku Pestar target area gold drill intercepts at various cut-off grades (previously reported).

DRILLING SIGNIFICANT INTERVALS									
Kraku Pestar									
1g/t Au cut-off, 3m minimum length, 3m maximum internal dilution									
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)	gram-meter
PEDD001	8.2	19.0	10.8	0.071	2.5	5.8	3.3	2.21	7
PEDD001	38.4	53.8	15.4	0.047	11.7	16.4	4.7	1.47	7
PEDD001	68.9	131.2	62.3	0.099	21	40	19	3.07	58
PEDD001	196.9	216.5	19.7	0.038	60	66	6	1.18	7
PEDD002	436.4	452.8	16.4	0.055	133	138	5	1.72	9
PEDD002	505.2	590.6	85.3	0.059	154	180	26	1.83	48
PEDD003	105.0	118.1	13.1	0.119	32	36	4	3.70	15
PEDD004	42.7	72.2	29.5	0.211	13	22	9	6.56	59
PEDD008	75.1	98.4	23.3	0.085	22.9	30	7.1	2.64	19
PEDD008	311.7	331.4	19.7	0.078	95	101	6	2.43	15
PEDD010	173.9	190.3	16.4	0.065	53	58	5	2.03	10
PEDD010	203.4	269.7	66.3	0.059	62	82.2	20.2	1.82	37
PEDD010	308.4	318.2	9.8	0.046	94	97	3	1.43	4
0.4g/t Au cut-off, 5m minimum length, 5m maximum internal dilution									
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)	gram-meter
PEDD001	8.2	282.2	274.0	0.041	2.5	86	83.5	1.28	107
PEDD002	187.0	236.2	49.2	0.018	57	72	15	0.57	9
PEDD002	298.6	380.6	82.0	0.017	91	116	25	0.52	13
PEDD002	416.7	452.8	36.1	0.031	127	138	11	0.96	11
PEDD002	472.4	633.2	160.8	0.039	144	193	49	1.23	60
PEDD003	105.0	134.5	29.5	0.061	32	41	9	1.90	17
PEDD003	288.7	334.6	45.9	0.023	88	102	14	0.70	10
PEDD004	6.6	121.4	114.8	0.067	2	37	35	2.08	73
PEDD008	0.0	16.4	16.4	0.021	0	5	5	0.66	3
PEDD008	71.5	109.6	38.1	0.056	21.8	33.4	11.6	1.73	20
PEDD008	288.7	334.6	45.9	0.046	88	102	14	1.44	20
PEDD010	62.3	88.6	26.2	0.016	19	27	8	0.49	4
PEDD010	167.3	383.9	216.5	0.034	51	117	66	1.05	69
0.1g/t Au cut-off, 5m minimum length, 5m maximum internal dilution									
Hole ID	From (ft)	To (ft)	Interval (ft)	Au (Oz/t)	From (m)	To (m)	Interval (m)	Au (g/t)	gram-meter
PEDD001	0.0	321.5	321.5	0.036	0	98	98	1.12	110
PEDD001	403.5	426.5	23.0	0.007	123	130	7	0.22	2
PEDD002	173.9	636.5	462.6	0.023	53	194	141	0.71	100



PEDD003	39.4	242.8	203.4	0.016	12	74	62	0.50	31
PEDD003	288.7	374.0	85.3	0.015	88	114	26	0.47	12
PEDD004	3.3	167.3	164.0	0.048	1	51	50	1.50	75
PEDD004	193.6	223.1	29.5	0.004	59	68	9	0.12	1
PEDD004	364.2	393.7	29.5	0.007	111	120	9	0.22	2
PEDD004	561.0	580.7	19.7	0.006	171	177	6	0.18	1
PEDD005	479.0	521.3	42.3	0.006	146	158.9	12.9	0.18	2
PEDD005	643.0	666.0	23.0	0.008	196	203	7	0.26	2
PEDD006	200.1	223.1	23.0	0.004	61	68	7	0.11	1
PEDD006	387.1	449.5	62.3	0.004	118	137	19	0.12	2
PEDD008	0.0	190.3	190.3	0.016	0	58	58	0.48	28
PEDD008	288.7	334.6	45.9	0.046	88	102	14	1.44	20
PEDD010	5.9	25.6	19.7	0.007	1.8	7.8	6	0.23	1
PEDD010	55.8	141.1	85.3	0.010	17	43	26	0.30	8
PEDD010	167.3	426.5	259.2	0.029	51	130	79	0.91	72

- Diamond drill samples are generally taken on a 1m basis and weigh ~3kg.
- Assay method: Fire assay Au (50g).
- Intercept widths do not necessarily represent true width.
- No top cut applied.