

APPENDICES

Table 1

Drill Hole	Easting (m)	Northing (m)	Elevation (m)	Azimuth	Inclination	Depth (m)
K-12-0431	483871.84	7086531.24	910.40	264.0	-60.5	210.45
K-12-0432	484029.78	7086462.36	929.29	288.5	-46.5	356.13
K-12-0438	484029.62	7086460.16	929.41	264.0	-45.0	383.00
K-12-0442	484031.53	7086460.29	929.43	267.0	-82.0	482.00
K-12-0448*	484133.40	7086646.86	928.16	300.0	-51.0	20.00
K-12-0450	483968.42	7086492.43	924.94	255.0	-45.0	398.00
K-12-0451	484135.33	7086648.94	928.36	300.0	-51.0	287.00
K-12-0454*	484138.26	7086647.51	928.59	316.0	-46.0	53.45
K-12-0456*	484141.92	7086651.31	928.68	316.0	-46.0	19.00
K-12-0457	483967.59	7086493.11	924.97	260.0	-45.0	330.36
K-12-0462	483967.80	7086495.40	924.84	280.0	-49.0	281.00
K-12-0467	484072.46	7086587.13	923.84	312.0	-46.0	224.00
K-12-0469	484073.16	7086586.55	923.91	330.0	-59.0	290.00
K-12-0472	484077.06	7086590.06	923.96	266.0	-66.0	305.00
K-12-0476*	484128.73	7086642.68	927.92	321.0	-55.0	50.00
K-12-0479	484162.71	7086641.46	930.10	317.0	-52.0	347.00
K-12-0481	484161.41	7086641.27	929.86	308.5	-45.0	305.00
K-12-0482	483896.38	7086489.91	914.36	247.0	-45.0	293.00
K-12-0486	483191.57	7086418.22	875.97	290.0	-45.0	350.0

Table 1
Location of Flame & Moth Drill Holes Phase 2, 2012

* Denotes abandoned hole

Map Coordinate Projection UTM NAD83 Z8

Table 2

Drill Hole	From (m)	To (m)	Interval (m)	True Width (m)	Ag (gpt)	Ag (oz/tonne)	Ag (oz/ton)	Au (gpt)	Pb (%)	Zn (%)
K-12-0431	164.26	168.05	3.79	3.10	168	5.41	4.91	0.18	0.75	3.16
<i>including</i>	164.43	164.74	0.31	0.25	534	17.17	15.58	0.10	2.77	3.97
<i>and</i>	165.88	166.41	0.53	0.43	651	20.93	18.99	0.72	0.79	7.67
K-12-0432	309.91	321.55	11.64	10.94	798	25.66	23.28	1.01	1.62	5.20
<i>including</i>	311.54	311.68	0.14	0.13	2,830	90.99	82.54	2.76	27.85	1.53
<i>and</i>	311.68	313.44	1.76	1.65	802	25.78	23.39	2.48	1.34	1.80
<i>and</i>	313.44	314.57	1.13	1.06	2,410	77.48	70.29	1.11	2.40	4.27
<i>and</i>	314.57	315.52	0.95	0.89	2,990	96.13	87.21	1.47	3.71	7.41
<i>and</i>	317.48	318.20	0.72	0.68	871	28.00	25.40	3.69	1.97	6.38
K-12-0438	339.75	350.09	10.34	9.27	38	1.22	1.11	0.03	0.09	0.66
K-12-0442	432.28	434.00	1.72	1.06	89	2.86	2.60	-0.01	0.01	0.04
K-12-0450	297.47	303.20	5.73	4.83	729	23.43	21.25	0.35	1.55	10.12
<i>including</i>	297.47	298.42	0.95	0.8	824	26.49	24.03	0.15	0.89	7.29
<i>and</i>	298.42	298.69	0.27	0.23	2,460	79.09	71.75	0.43	2.26	18.65
<i>and</i>	300.61	301.01	0.40	0.34	627	20.16	18.29	0.12	0.36	9.89
<i>and</i>	364.70	365.10	0.40	0.34	53	1.70	1.54	0.05	0.10	0.03
<i>including</i>	301.55	302.34	0.79	0.66	1,080	34.72	31.50	0.36	0.94	4.12
<i>and</i>	302.34	302.59	0.25	0.21	1,815	58.35	52.94	0.47	14.40	13.45
K-12-0451	235.56	241.68	6.12	5.59	192	6.16	5.59	0.41	0.45	0.73
<i>including</i>	238.83	239.41	0.58	0.53	870	27.97	25.38	0.87	2.91	0.08
<i>and</i>	266.92	272.87	5.95	5.35	106	3.41	3.09	0.02	0.91	0.70
K-12-0457	279.70	285.52	5.82	4.99	450	14.46	13.12	0.49	2.08	8.28
<i>including</i>	279.70	280.24	0.54	0.46	2,050	65.91	59.79	0.48	14.00	23.70
<i>and</i>	280.24	281.00	0.76	0.65	716	23.02	20.88	0.22	2.71	23.60
<i>and</i>	281.00	281.67	0.67	0.57	695	22.34	20.27	0.50	1.90	17.75
K-12-0462	248.55	248.64	0.09	0.08	136	4.37	3.97	0.58	5.41	5.85
<i>including</i>	250.23	251.10	0.87	0.81	56	1.78	1.62	0.03	0.74	1.16
K-12-0467	201.29	206.14	4.85	4.29	526	16.90	15.33	0.19	4.71	11.62
<i>including</i>	202.01	203.00	0.99	0.88	958	30.80	27.94	0.17	11.65	18.00
<i>and</i>	203.69	204.21	0.52	0.46	754	24.24	21.99	0.13	7.11	17.75
<i>and</i>	204.21	205.09	0.88	0.78	856	27.52	24.97	0.49	4.38	13.85

K-12-0469	247.67	256.14	8.47	6.17	297	9.54	8.66	0.48	1.37	1.81
<i>including</i>	252.70	253.40	0.70	0.51	628	20.19	18.32	0.16	3.86	2.33
<i>and</i>	253.40	253.68	0.28	0.2	1,440	46.30	42.00	0.09	20.29	6.00
	263.07	264.45	1.38	1.01	382	12.28	11.14	0.01	0.45	12.86
<i>including</i>	263.07	263.70	0.63	0.46	678	21.80	19.78	0.04	0.78	26.00
	274.09	275.50	1.41	1.03	64	2.06	1.87	0.10	0.12	0.64
K-12-0472	254.29	256.70	2.41	1.85	63	2.01	1.82	0.35	0.02	0.14
	259.85	266.91	7.06	5.41	128	4.11	3.73	0.33	0.18	2.02
	272.83	273.53	0.70	0.54	41	1.31	1.18	0.01	0.17	0.88
K-12-0479	295.26	303.73	8.47	6.85	70	2.25	2.04	0.10	0.33	4.15
	306.49	307.60	1.11	0.90	58	1.86	1.69	0.01	0.27	0.63
	313.37	315.34	1.97	1.59	57	1.85	1.68	0.05	0.16	2.54
K-12-0481	12.54	13.80	1.26	1.17	26	0.85	0.77	0.00	1.18	0.01
	253.24	259.54	6.30	5.84	1,436	46.17	41.89	1.04	2.63	2.16
<i>including</i>	254.10	254.48	0.38	0.35	799	25.69	23.30	1.74	4.79	2.05
<i>and</i>	254.48	254.99	0.51	0.47	2,470	79.41	72.04	4.02	2.19	1.15
<i>and</i>	254.99	255.50	0.51	0.47	2,220	71.37	64.75	2.70	1.41	0.12
<i>and</i>	255.50	256.03	0.53	0.49	1,850	59.48	53.96	1.56	1.68	1.29
<i>and</i>	256.37	256.68	0.31	0.29	952	30.61	27.77	0.27	4.49	2.20
<i>and</i>	257.00	257.52	0.52	0.48	945	30.38	27.56	0.40	1.77	1.72
<i>and</i>	257.52	258.32	0.80	0.74	5,120	164.61	149.33	1.09	8.15	4.66
	268.57	268.95	0.38	0.35	94	3.03	2.75	0.02	1.28	0.03
	278.54	279.88	1.34	1.24	91	2.91	2.64	0.06	0.18	0.43
	290.47	291.00	0.53	0.49	80	2.57	2.33	-0.01	1.43	5.07
K-12-0482	234.10	237.13	3.03	2.87	439	14.12	12.81	0.32	0.67	2.66
<i>including</i>	236.57	236.91	0.34	0.32	1,395	44.85	40.69	0.90	2.50	9.53
<i>and</i>	236.91	237.13	0.22	0.21	2,230	71.70	65.04	0.98	1.36	9.66

Table 2
Assay Composites Calculated for Flame & Moth Drill Holes Completed Phase 2, 2012
Using 30 gpt silver cut off with a maximum of 2 meters un-mineralized internal dilution for major intervals.




Figure 1 Location of Drill Holes at Flame & Moth Prospect

Showing all composite intercepts > 30 gpt Ag




Figure 2 Longitudinal Section Flame & Moth Prospect showing greater than 30 gpt Ag composite assay intervals (viewed to the northwest)