

APPENDICES




Figure 1

Location of Drill Holes at the Birmingham Prospect showing greater than 30 gpt silver composite assay intervals for all surface drill holes as completed to December 2012.

Holes reported in this Press Release identified by magenta titles.




Figure 2

Longitudinal Section showing greater than 30 gpt silver composite assay intervals for all surface drill holes at the Birmingham Prospect as completed to December 2012.

Holes reported in this Press Release identified by magenta titles.




Figure 3

Location of Drill Holes at the Husky Prospect showing greater than 30 gpt silver composite assay intervals for all surface drill holes as completed to December 2012.

Holes reported in this Press Release identified by magenta titles.



Table 1

Location of Bermingham drill holes completed in 2012.

Map Projection UTM NAD83 Zone 8

Bermingham

Hole	Easting (m)	Northing (m)	Elevation (m)	Azimuth	Dip	Depth (m)
K-12-0403	478824.83	7086811.95	1326.13	334	-58	164.00
K-12-0408	478824.21	7086810.62	1326.16	314	-70	177.70
K-12-0412	478823.05	7086811.70	1325.98	314	-50	145.00
K-12-0415	478736.32	7086440.66	1341.58	303	-51	395.00
K-12-0422	478737.09	7086440.32	1341.67	303	-60	410.00
K-12-0426	478735.94	7086439.07	1341.62	287	-56	432.50
K-12-0434	478736.90	7086438.82	1341.71	287	-74	560.00
K-12-0440	479107.29	7086773.29	1343.62	310	-57	254.00
K-12-0444	479107.96	7086772.91	1343.66	310	-68	281.00
K-12-0446	479104.89	7086769.67	1343.59	263	-51	350.00
K-12-0449	479105.41	7086769.97	1343.57	256	-45	236.00
K-12-0452	479105.82	7086769.67	1343.68	353	-59	356.00
K-12-0459	479105.41	7086769.97	1343.57	253	-52	323.00
K-12-0465	479105.83	7086773.00	1343.07	296	-74	332.00
K-12-0473	479187.18	7086713.60	1352.25	296	-62	326.00
K-12-0477	479188.01	7086716.23	1352.00	330	-60	542.83
K-12-0485	479669.26	7086838.75	1376.87	300	-50	314.00



Table 2

Location of Husky drill holes completed in 2012.

Map Projection UTM NAD83 Zone 8

* Denotes abandoned drill hole

Husky

Hole	Easting (m)	Northing (m)	Elevation (m)	Azimuth	Dip	Depth (m)
K-12-0410	474969.79	7087029.49	748.81	270	-50	383.00
K-12-0419	474904.71	7087087.23	744.23	293	-50	143.00
K-12-0423	474895.95	7087091.48	744.49	147	-54	401.00
K-12-0427	474896.91	7087090.69	744.50	147	-50.5	308.00
K-12-0435	474896.68	7087091.01	744.51	147	-56.5	218.00
K-12-0436	475096.10	7086694.11	823.97	315	-61	515.00
K-12-0441	475096.07	7086693.30	824.04	340	-74	545.00
K-12-0464	474417.13	7086556.12	783.70	293	-61	377.00
K-12-0468*	474407.00	7086564.00	782.00	293	-53	38.00
K-12-0470	474413.19	7086557.72	783.50	293	-53	360.00
K-12-0475	474244.33	7086475.26	778.07	335	-57	326.00
K-12-0480	474244.56	7086474.96	778.13	335	-68	380.00
K-12-0483	474245.04	7086473.94	778.28	305	-73	385.00
K-12-0484	474247.98	7086471.32	778.57	0	-72	407.00



Table 3

Assay Composites Calculated for 2012 Birmingham Drill Holes

Using 30 gpt Ag cut-off with a maximum of 2 meters unmineralized internal dilution.

<i>Units</i>	<i>m</i>	<i>meters</i>
	<i>g</i>	<i>gram</i>
	<i>t</i>	<i>tonne</i>
	<i>T</i>	<i>short ton</i>
	<i>%</i>	<i>percent</i>

Hole	From (m)	To (m)	Interval (m)	True Width (m)	Vein	Ag (g/t)	Ag (oz/tonne)	Ag (oz/ton)	Au (g/t)	Pb (%)	Zn (%)
K-12-0403	111.75	117.00	5.25	4.14	Birmingham	66.46	2.14	1.94	0.12	0.09	0.37
K-12-0403	131.41	132.53	1.12	0.88	Birmingham Splay	33.30	1.07	0.97	0.01	0.07	0.58
K-12-0408	128.57	132.32	3.75	2.74	Birmingham	112.22	3.61	3.27	0.06	0.71	1.81
K-12-0408	136.27	144.39	8.12	5.93	Birmingham Splay	69.36	2.23	2.02	0.00	0.13	0.49
K-12-0412	106.45	106.60	0.15	0.13	Birmingham	264.00	8.49	7.70	0.04	4.43	2.47
K-12-0412	134.95	135.25	0.30	0.27	Birmingham Splay	34.30	1.10	1.00	0.05	0.02	0.18
K-12-0415	330.53	332.00	1.47	1.31	Birmingham Footwall	54.85	1.76	1.60	0.00	0.49	1.01
K-12-0415	369.96	371.00	1.04	0.92	Birmingham Footwall Splay	238.00	7.65	6.94	0.07	0.19	0.57
K-12-0422	354.75	358.62	3.87	3.28	Birmingham Footwall	208.48	6.70	6.08	0.05	0.67	2.30
K-12-0422	385.36	388.30	2.94	2.49	Birmingham Footwall Splay	80.33	2.58	2.34	0.02	0.21	0.31
K-12-0426	346.28	346.77	0.49	0.42	Birmingham Footwall Splay	92.20	2.96	2.69	0.01	1.46	2.91
K-12-0426	350.70	350.88	0.18	0.15	Birmingham Footwall	36.10	1.16	1.05	0.04	0.26	2.09
K-12-0426	360.64	361.46	0.82	0.70	Birmingham Footwall Splay	38.99	1.25	1.14	0.03	0.35	0.35
K-12-0440	213.00	213.36	0.36	0.32	Birmingham	50.80	1.63	1.48	2.17	0.20	0.95
K-12-0440	216.52	216.76	0.24	0.21	Birmingham Splay	41.80	1.34	1.22	0.13	0.03	1.60
K-12-0440	224.92	225.40	0.48	0.41	Birmingham Footwall	560.00	18.00	16.33	0.60	2.76	5.98
K-12-0444	77.53	77.70	0.17	0.11	Aho	88.30	2.84	2.58	3.49	0.08	0.01
K-12-0444	219.47	219.87	0.40	0.32	Birmingham	184.00	5.92	5.37	0.04	0.28	3.52
K-12-0444	243.50	243.75	0.25	0.19	Birmingham Footwall Splay	522.00	16.78	15.23	0.01	0.02	0.03
K-12-0446	85.64	86.62	0.98	0.53	Aho	97.50	3.13	2.84	10.30	0.07	0.02
K-12-0446	229.81	235.54	5.73	4.92	Birmingham	646.06	20.77	18.84	0.05	2.13	1.55
<i>including that includes</i>	230.72	231.96	1.24	1.07		2,440.16	78.45	71.17	0.16	8.30	4.31
	231.21	231.36	0.15	0.13		6,630.00	213.16	193.38	0.28	26.13	4.28
K-12-0446	238.32	242.00	3.68	3.16	Birmingham Splay	58.69	1.89	1.71	-0.01	0.12	0.08
K-12-0446	246.28	246.54	0.26	0.22	Birmingham Splay	150.00	4.82	4.38	0.10	3.02	0.17
K-12-0446	252.45	253.17	0.72	0.59	Birmingham Footwall Splay	114.00	3.67	3.33	0.04	0.07	0.07
K-12-0446	255.25	257.74	2.49	2.06	Birmingham Footwall	99.35	3.19	2.90	0.00	0.21	1.83
K-12-0452	276.28	279.30	3.02	2.18	Birmingham	292.96	9.42	8.54	0.15	1.09	0.91



ALEXCO

K-12-0452	282.80	282.95	0.15	0.11	Birmingham Splay	147.00	4.73	4.29	0.22	0.23	3.27
K-12-0452	307.80	308.38	0.58	0.40	Birmingham Footwall Splay	95.30	3.06	2.78	-0.01	1.66	0.02
K-12-0452	313.80	318.44	4.64	3.17	Birmingham Footwall	53.08	1.71	1.55	0.01	0.24	0.36
K-12-0459	165.97	166.24	0.27	0.12	Aho	100.00	3.22	2.92	0.06	2.30	7.01
K-12-0459	258.03	260.28	2.25	1.73	Birmingham	884.06	28.42	25.79	0.12	1.88	4.12
<i>including</i>	258.42	259.43	1.01	0.78		1,852.57	59.56	54.03	0.13	3.90	6.69
K-12-0459	262.28	264.36	2.08	1.60	Birmingham Splay	149.60	4.81	4.36	0.03	0.46	1.77
K-12-0459	271.47	275.00	3.53	2.78	Birmingham Splay	50.11	1.61	1.46	0.05	0.08	0.12
K-12-0465	69.54	70.63	1.09	0.60	Aho	312.00	10.03	9.10	4.14	0.87	0.38
K-12-0465	93.22	94.51	1.29	0.72	Aho Splay	53.50	1.72	1.56	1.64	0.28	0.18
K-12-0465	224.13	226.73	2.60	2.01	Birmingham	1,893.74	60.89	55.23	0.69	4.31	1.41
<i>including</i>	224.13	224.76	0.63	0.49		7,328.44	235.61	213.75	0.41	16.97	2.94
<i>that includes</i>	224.48	224.76	0.28	0.22		10,276.50	330.40	299.73	0.62	25.36	4.94
K-12-0465	239.13	239.60	0.47	0.36	Birmingham Splay	61.50	1.98	1.79	0.26	0.02	1.32
K-12-0465	265.11	266.85	1.74	1.35	Birmingham Splay	61.40	1.97	1.79	-0.01	0.12	0.16
K-12-0465	279.22	283.50	4.28	3.21	Birmingham Footwall	215.00	6.91	6.27	0.24	0.61	0.29
K-12-0473	316.35	317.00	0.65	0.51	Birmingham Splay	97.70	3.14	2.85	0.03	0.62	0.14
K-12-0477	257.66	258.27	0.61	0.50	Birmingham Splay	48.30	1.55	1.41	0.69	0.16	0.40
K-12-0477	291.56	292.16	0.60	0.49	Birmingham Splay	265.00	8.52	7.73	0.04	0.56	1.21
K-12-0477	295.20	295.50	0.30	0.25	Birmingham Splay	56.70	1.82	1.65	0.02	0.65	0.35
K-12-0477	299.72	300.64	0.92	0.75	Birmingham Splay	4,317.86	138.82	125.94	0.25	3.31	10.34
<i>including</i>	299.72	300.16	0.44	0.36		8,630.08	277.46	251.71	0.52	6.07	19.92
<i>that includes</i>	300.07	300.16	0.09	0.07		10,341.50	332.49	301.63	0.32	8.24	7.18
K-12-0477	302.97	304.56	1.59	1.30	Birmingham	2,467.20	79.32	71.96	0.13	3.62	1.56
<i>including</i>	303.50	303.99	0.34	0.28		10,064.62	323.58	293.55	0.49	13.42	5.96
<i>that includes</i>	303.72	303.79	0.07	0.06		15,011.00	482.61	437.82	1.17	27.77	6.82
K-12-0477	317.50	318.80	1.30	1.06	Birmingham Splay	42.01	1.35	1.23	0.33	0.12	0.27
K-12-0477	322.70	323.40	0.70	0.57	Birmingham Splay	41.30	1.33	1.20	0.03	0.28	0.17
K-12-0477	326.00	330.10	4.10	3.36	Birmingham Splay	224.54	7.22	6.55	0.06	0.12	0.47
K-12-0485	154.83	156.11	1.28	0.99	Aho	10.60	0.34	0.31	14.85	0.13	0.22



Table 4

Assay Composites Calculated for 2012 Husky Drill Holes

Using 30 g/t Ag cut-off with a maximum of 2 meters unmineralized internal dilution.

<i>Units</i>	m	<i>meters</i>
	g	<i>gram</i>
	t	<i>tonne</i>
	T	<i>short ton</i>
	%	<i>percent</i>

Hole	From (m)	To (m)	Interval (m)	True Width (m)	Vein	Ag (g/t)	Ag (oz/tonne)	Ag (oz/ton)	Au (g/t)	Pb (%)	Zn (%)
K-12-0410	58.13	59.00	0.87	0.26	Husky Splay	45.44	1.46	1.33	0.04	0.76	2.33
K-12-0423	321.72	326.00	4.28	1.81	Husky	474.12	15.24	13.83	0.58	4.08	0.02
<i>including</i>	324.91	325.10	0.19	0.08		3,060.00	98.38	89.25	1.40	28.75	0.01
K-12-0427	208.71	209.17	0.46	0.21	Husky Splay	61.40	1.97	1.79	-0.01	0.60	0.37
K-12-0436	508.92	509.26	0.34	0.24	Husky	203.00	6.53	5.92	1.11	3.95	0.00
K-12-0464	262.25	264.06	1.81	1.33	Husky	39.70	1.28	1.16	0.21	0.86	0.02
K-12-0464	267.28	270.02	2.74	2.01	Husky Splay	91.03	2.93	2.65	0.12	1.38	0.01
K-12-0464	288.25	289.52	1.27	0.94	Husky Splay	111.00	3.57	3.24	0.09	3.37	0.03
K-12-0464	341.16	343.74	2.58	2.03	Husky Footwall	45.41	1.46	1.32	0.72	0.34	1.30
K-12-0464	348.03	348.60	0.57	0.45	Husky Footwall	416.00	13.37	12.13	0.07	19.80	13.35
K-12-0470	278.20	280.87	2.67	2.09	Husky Splay	48.72	1.57	1.42	0.16	0.96	0.08
K-12-0470	312.64	313.40	0.76	0.64	Husky Footwall	32.60	1.05	0.95	0.19	0.09	0.02
K-12-0470	321.25	322.31	1.06	0.89	Husky Footwall	316.91	10.19	9.24	0.41	5.08	13.09
K-12-0470	329.42	330.64	1.22	1.01	Husky Footwall Splay	75.30	2.42	2.20	0.68	0.09	0.09
K-12-0475	233.42	234.48	1.06	0.91	Husky	262.00	8.42	7.64	0.62	0.28	0.57
K-12-0480	293.00	294.01	1.01	0.78	Husky	42.20	1.36	1.23	0.62	0.01	0.05
K-12-0480	297.18	298.30	1.12	0.86	Husky	35.40	1.14	1.03	0.07	1.55	0.48
K-12-0480	308.23	308.55	0.32	0.25	Husky Splay	46.10	1.48	1.34	0.07	1.18	1.74
K-12-0483	297.87	301.55	3.68	2.44	Husky	22.91	0.74	0.67	0.04	0.40	0.04
K-12-0484	305.00	308.00	3.00	1.95	Husky	101.90	3.28	2.97	0.59	0.13	0.47