

Table 1: Summaries of Selected Assays from the Homestake Ridge Project

Homestake Ag Zone:

Hole #	From (m)	To (m)	Interval (m)	Est. Tr. Thck (m)	Au (g/t)	Ag (g/t)	Comments
HR09-156	172.7	180.9	8.2	6.2	0.2	201.8	New Assays Added to Interval
	inc. 176.8	179.5	2.7	2.0	0.2	567.0	
	and 225.4	241.0	15.6	11.7	1.3	335.4	New Assays Added to Interval
	inc. 225.4	228.0	2.6	2.0	--	919.0	
inc. 238.2	241.0	2.8	2.1	7.0	835.4	Previously Reported	
HR09-161	304.3	312.8	8.6	7.0	18.2	946.3	Assays Still Pending Above & Below interval inc. 2.8% Pb, 3.0% Zn
	inc. 307.0	312.8	5.9	4.8	25.9	1358.1	
	inc. 309.4	311.7	2.3	1.9	51.8	2592.0	

Homestake Main Zone:

HR09-154	78.3	135.8	57.5	47.5	1.8	2.1	New Assays; 22% Dilution
	inc. 78.3	84.9	6.6	5.5	2.0	3.9	
	and 128.8	135.8	7.1	5.9	8.5	5.9	
	inc. 133.9	135.8	2.0	1.7	24.3	6.9	

Analyzed by FA-ES/AA for gold and ICP-MS by Acme Labs, Vancouver BC; Samples >10g/t Au re-assayed with FA-Grav – check assays are pending; Silver overlimits (>100g/t Ag) re-assayed with FA-Grav. >0.2g/t Au and 20g/t Ag cut-off used for compositing intervals, <20% internal dilution unless otherwise indicated