

Table 1: Summaries of Selected Assays from the Homestake Ridge Project

Homestake Ag Zone:

Hole #	From (m)	To (m)	Interval (m)	Est. Tr. Thck	Au (g/t)	Ag (g/t)	Comments
HR09-156	172.7	180.9	8.2	6.2	0.2	201.8	Previously Reported
and	225.4	241.0	15.6	11.7	1.3	335.4	Previously Reported
and	383.4	400.9	17.6	13.2	0.3	30.0	Newly Reported Assays
and	433.4	437.6	4.2	3.2	0.1	112.0	Newly Reported Assays
and	472.5	475.1	2.6	2.0	0.4	92.7	Newly Reported Assays
HR09-161	251.9	261.1	9.2	7.5	0.4	217.8	New Assays
inc.	256.2	259.5	3.3	2.7	0.8	554.3	
and	270.7	274.8	4.1	3.3	1.6	12.5	New Assays
inc.	273.8	274.8	1.1	0.9	2.9	10.1	
and	301.4	352.1	50.7	41.1	4.0	176.6	New assays added to interval
inc.	307.0	312.8	8.6	7.0	18.2	946.0	Previously Reported
inc.	309.4	311.7	2.3	1.9	51.8	2592.0	Previously Reported
inc.	341.0	344.1	3.1	2.5	2.7	28.2	Newly Reported Assays
inc.	350.5	352.1	1.6	1.3	12.3	229.0	Newly Reported Assays
and	373.5	380.5	7.0	5.7	0.9	21.0	Newly Reported Assays
and	387.4	388.9	1.5	1.2	3.4	273.0	Newly Reported Assays
and	394.7	396.1	1.4	1.1	1.5	174.0	Newly Reported Assays
HR09-164	366.2	379.7	13.5	10.0	4.4	31.6	Newly Reported Assays
inc.	370.7	374.9	4.2	3.1	5.9	21.0	Assays still pending
inc.	376.6	378.3	1.7	1.2	12.7	96.1	inc. 7.3% Pb, 7.0% Zn
and	388.0	388.6	0.6	0.4	7.1	148.0	Newly Reported Assays

Analyzed by FA-ES/AA for gold and ICP-MS by Acme Labs, Vancouver BC; Samples >10g/t Au re-assayed with FA-Grav – check assays are pending; Silver overlimits (>100g/t Ag) re-assayed with FA-Grav. >0.2g/t Au and 20g/t Ag cut-off used for compositing intervals, <20% internal dilution unless otherwise indicated