



Kumtor Q3 2009 – Au Grade * Thickness Vertical Longitudinal Section



This information should be read together with our news release of October 30, 2009.
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.


Kumtor Drillhole Plan Map

Drillholes Completed Q3 2009






Kumtor Q3 2009 – Section -105



This information should be read together with our news release of October 30, 2009.
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.




Kumtor Q3 2009 – Section -96



This information should be read together with our news release of October 30, 2009.
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.




Kumtor Q3 2009 – Section -34



This information should be read together with our news release of October 30, 2009.
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.




Kumtor Q3 2009 – Section -26



This information should be read together with our news release of October 30, 2009.
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.




Kumtor Q3 2009 – Section -18



This information should be read together with our news release of October 30, 2009.
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.




Kumtor Q3 2009 – Section -14



This information should be read together with our news release of October 30, 2009.
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.




Kumtor Q3 2009 – Section 106



This information should be read together with our news release of October 30, 2009.
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.




Kumtor Q3 2009 – Section 138



This information should be read together with our news release of October 30, 2009.
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.




Kumtor Q3 2009 – Section 214



This information should be read together with our news release of October 30, 2009.
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.


Kumtor Q3 2009 – Sarytor & Southwest Au Grade * Thickness



This information should be read together with our news release of October 30, 2009.
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Kumtor Q3 2009 – Northeast Prospect

Au Grade * Thickness





2009 Kumtor Project Drilling Results

Period July 1st to September 30th, 2009

Drill Hole	Location	Drill Section	From (m)	To (m)	Core Length (m)	Au (g/t)	
D1339	Stockwork Zone	138	410.5	412.2	1.70	7.18	
			430.9	432.8	1.90	6.13	
			507.4	540.4	33.00	4.15	
			<i>includes</i>	517.4	520.9	3.50	11.78
D1347	Northeast Extension	214	<i>No significant intercepts</i>				
D1349	Southwest Extension of the SB Zone	-26	140.0	149.0	9.00	16.80	
			<i>includes</i>	142.0	149.0	7.00	20.65
			189.8	219.5	29.70	3.27	
			<i>includes</i>	198.00	201.50	3.50	16.30
			237.1	239.5	2.40	3.60	
D1350A	Saddle Zone	106	933.9	941.7	7.80	3.00	
			947.7	991.4	43.70	3.18	
D1352	Southwest Extension of the SB Zone	-26	223.7	250.1	26.40	19.42	
			<i>includes</i>	223.7	229.9	6.20	52.18
			<i>includes</i>	236.4	248.2	11.80	14.44
			256.30	259.90	3.60	20.10	
			269.0	273.8	4.80	4.27	
----- Uncut Values -----							
D1352	Southwest Extension of the SB Zone	-26	223.7	250.1	26.40	84.04	
			<i>includes</i>	223.7	229.9	6.20	327.35
			<i>includes</i>	236.4	248.2	11.80	14.44
			256.30	259.90	3.60	26.69	
			269.0	273.8	4.80	4.27	
D1356	Southwest Extension of the SB Zone	-14	118.2	153.2	35.00	7.72	
			<i>includes</i>	118.2	126.0	7.80	13.33
			<i>includes</i>	142.5	149.6	7.10	17.23
D1359	Southwest Extension of the SB Zone	-34	291.8	299.6	7.80	5.58	
D1364	Southwest Extension of the SB Zone	-18	298.7	315.9	17.20	2.52	
			324.8	346.7	21.90	2.31	
			402.5	404.1	1.60	4.53	
D1365	Southwest Extension of the SB Zone	-34	209.5	235.5	26.00	3.61	
			<i>includes</i>	213.5	216.5	3.00	8.40

Notes: Significant mineralized intervals are greater than 1.00 g/t Au
 Unless otherwise stated, individual assays are top cut to 60 g/t Au prior to composite calculation
 Lower cut-off for higher grade sub-intervals is 7.0 g/t Au
 True widths for mineralized zones are about 40% to 95% of stated down hole interval
 This information should be read together with our news release of October 30th, 2009. Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101
 Tables are current as of October 01, 2009.



2009 Northeast Area Project Drilling Results

Period July 1st to September 30th, 2009

Page 1 of 1

Drill Hole	Drill Section	From (m)	To (m)	Core Length (m)	Au (g/t)
DN1348	358				<i>No significant intercepts</i>
DN1351	362				<i>No significant intercepts</i>
DN1353	378				<i>No significant intercepts</i>
DN1354	378				<i>No significant intercepts</i>
DN1355	378	166.7	170.0	3.30	2.46
		173.0	175.0	2.00	3.24
		230.0	236.0	6.00	3.03
DN1363	406	180.4	192.7	12.30	2.03
DN1369	418				<i>No significant intercepts</i>
DP1357	614-622				<i>No significant intercepts</i>
DP1367	614-622				<i>No significant intercepts</i>
DP1374	650				<i>No significant intercepts</i>
DP1375	574-590				<i>No significant intercepts</i>

Notes: Significant mineralized intervals are greater than 1.00 g/t Au
 Individual assays are top cut to 60 g/t Au prior to composite calculation
 Lower cut-off for higher grade sub-intervals is 7.0 g/t Au
 True widths for mineralized zones are about 40% to 95% of stated down hole interval
 This information should be read together with our news release of October 30th, 2009. Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101
 Tables are current as of October 01, 2009.



2009 Southwest Area Project Drilling Results

Period July 1st to September 30th, 2009

Page 1 of 1

Drill Hole	Drill Section	From (m)	To (m)	Core Length (m)	Au (g/t)
SW-09-227A	3180				<i>No significant intercepts</i>
SW-09-228	3140				<i>No significant intercepts</i>

Notes: Significant mineralized intervals are greater than 1.00 g/t Au
Individual assays are top cut to 60 g/t Au prior to composite calculation
Lower cut-off for higher grade sub-intervals is 7.0 g/t Au
True widths for mineralized zones are about 40% to 95% of stated down hole interval
This information should be read together with our news release of October 30th, 2009. Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101
Tables are current as of October 01, 2009.



2009 Sarytor Project Drilling Results

Period July 1st to September 30th, 2009

Page 1 of 1

Drill Hole	Drill Section		From (m)	To (m)	Core Length (m)	Au (g/t)
SR-09-187B	218	<i>Stopped Due to Technical Difficulties</i>	179.6	188.1	8.50	1.84
SR-09-188	3095		37.0	46.6	9.60	1.20
SR-09-189	3090			<i>No significant intercepts</i>		

Notes: Significant mineralized intervals are greater than 1.00 g/t Au
 Individual assays are top cut to 60 g/t Au prior to composite calculation
 Lower cut-off for higher grade sub-intervals is 7.0 g/t Au
 True widths for mineralized zones are about 40% to 95% of stated down hole interval
 This information should be read together with our news release of October 30th, 2009. Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101
 Tables are current as of October 01, 2009.



2009 Underground Decline Project Drilling Results

Period July 1st to September 30th, 2009

Page 1 of 1

Drill Hole	Drill Section	From (m)	To (m)	Core Length (m)	Au (g/t)	
UD1342B	-105	64.8	71.9	7.10	1.30	
UD1360	-96	169.0	180.8	11.80	2.14	
UD1370	-105	123.5	129.0	5.50	1.56	
		142.4	147.2	4.80	7.60	
		<i>includes</i>	142.4	145.2	2.80	12.19
		177.4	182.0	4.60	1.86	

Notes: Significant mineralized intervals are greater than 1.00 g/t Au
 Individual assays are top cut to 60 g/t Au prior to composite calculation
 Lower cut-off for higher grade sub-intervals is 7.0 g/t Au
 True widths for mineralized zones are about 70% to 95% of stated down hole interval
 This information should be read together with our news release of October 30th, 2009. Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101
 Tables are current as of October 01, 2009.