



Centerra Gold Inc. - Öksüt Gold Project

Diamond Drill Locations

Period October 1st, 2015 to December 31st, 2015

Page 1 of 1

Drill Hole	Target	Location Easting *	Location Northing *	Elevation (m)	Length (m)	Collar Azimuth **	Collar Dip
ODD0268	Guneytepe Infill	719,400	4,239,820	1,697	200.0	350	-50
ODD0269	Guneytepe Infill	719,259	4,239,824	1,660	206.6	325	-45
ODD0270	Guneytepe Infill	719,261	4,239,820	1,658	176.0	185	-45
ODD0271	Keltepe NW Exploration	718,770	4,240,992	1,675	259.0	257	-45
ODD0272	Keltepe NW Exploration	718,774	4,240,993	1,676	261.3	110	-45
ODD0273	Keltepe NW Exploration	718,963	4,241,334	1,693	138.6	300	-50
ODD0274	Keltepe NW Exploration	718,963	4,241,335	1,693	124.0	90	-50
ODD0275	Keltepe NW Exploration	718,876	4,241,310	1,667	194.2	60	-50
ODD0276	Keltepe NW Exploration	718,875	4,241,309	1,667	184.0	180	-50

* Datum is UTM ED50 Zone 36

** Azimuths are relative to grid

Notes: This information should be read together with our news release of February 24th, 2016.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Tables are current as of December 31st, 2015.



Centerra Gold Inc. - Öksüt Gold Project

Drill Results

Period October 1st, 2015 to December 31st, 2015

Page 1 of 1

Drill Hole	Target	From (m)	To (m)	Core Length (m)	Au (g/t)	Oxidation
ODD268	Guneytepe	0.0	7.7	7.7	0.70	oxide
		14.2	81.0	66.8	0.94	oxide
		<i>includes</i> 35.0	45.0	10.0	1.65	oxide
		<i>and</i> 58.0	65.0	7.0	2.60	oxide
		91.0	101.0	10.0	0.27	oxide
ODD269	Guneytepe	6.0	102.6	96.6	0.41	oxide/sulphide
		<i>includes</i> 6.0	89.4	83.4	0.43	oxide/sulphide
		<i>and</i> 89.4	94.4	5.0	0.34	sulphide
		<i>and</i> 94.4	102.6	8.2	0.25	oxide
ODD270	Guneytepe	3.1	20.0	16.9	0.72	oxide
		43.0	49.5	6.5	0.36	oxide
		59.3	92.0	32.7	0.41	oxide/sulphide
		<i>includes</i> 59.3	78.7	19.4	0.41	oxide
		<i>and</i> 78.7	92.0	13.3	0.41	sulphide
		138.0	151.5	13.5	0.40	sulphide
ODD271	Keltepe NW	128.7	134.2	5.5	0.59	oxide/sulphide
		162.3	171.3	9.0	0.55	oxide
		195.4	217.5	22.1	1.23	oxide
		<i>includes</i> 200.8	209.8	9.0	2.53	oxide
ODD272	Keltepe NW	155.4	167.8	12.4	0.23	oxide
		178.0	193.7	15.7	0.25	oxide
		199.7	261.3 (EOH)	61.6	0.74	oxide/partially oxidized
		<i>includes</i> 228.0	247.8	19.8	1.40	oxide
ODD273	Keltepe NW	No Significant Intercepts				
ODD274	Keltepe NW	No Significant Intercepts				
ODD275	Keltepe NW	155.3	161.6	6.3	0.36	oxide
ODD276	Keltepe NW	144.6	168.8	24.2	0.32	sulphide/partially oxidized
		178.1	184(EOH)	5.9	0.20	sulphide

Notes: Mineralized intervals are greater than 0.20 g/t Au.

Higher grade sub-intervals are greater than 1.00 g/t Au.

Minimum 5m width and maximum of 5m internal dilution.

True widths for mineralized zones are about 60% to 90% of stated down hole interval.

Oxidation assignment is a visual discrimination from core logging.


This information should be read together with our news release of February 24th, 2016.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Tables are current as of December 31st, 2015.




Öksüt Exploration: Drill Hole Plan Map



This information should be read together with our news release of February 24th, 2016.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.


Güneytepe Deposit: Drill Hole Plan and Section Locations



This information should be read together with our news release of February 24th, 2016.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.


Güneytepe Deposit, Section 330GT (+/- 30m)




This information should be read together with our news release of February 24th, 2016.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Güneytepe Deposit, Section 390GT (+30m/- 60m)




Keltepe NW: Drill Hole Plan and Section Locations



This information should be read together with our news release of February 24th, 2016.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.


Keltepe NW, Section 50_KTNW (+/- 25m)



This information should be read together with our news release of February 24th, 2016.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.


Keltepe NW, Section 100_KTNW (+/- 25m)



This information should be read together with our news release of February 24th, 2016.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Keltepe NW, Section 400_KTNW (+/- 25m)



This information should be read together with our news release of February 24th, 2016.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.