



Centerra Gold Inc. - Kumtor 2010 Drilling Results

Period October 1st, 2010 to December 31st, 2010

Central Pit Area						
Drill Hole	Location	Drill Section	From (m)	To (m)	Core Length (m)	Au (g/t)
D1460	SB Extension	-14	244.5	263.5	19.0	1.45
			268.5	323.9	55.4	4.11
			<i>includes</i> 297.0	302.7	5.7	8.07
			312.4	320.4	8.0	9.09
			394.1	398.7	4.6	2.83
			451.2	455.7	4.5	6.62
D1461	SB Extension	-22	194.0	203.0	9.0	11.04
			<i>includes</i> 194.0	200.6	6.6	14.68
			208.0	219.2	11.2	11.93
			<i>includes</i> 208.6	214.5	5.9	24.69
			228.5	236.7	8.2	4.81
			<i>includes</i> 231.2	236.7	5.5	6.81
			264.7	270.6	5.9	1.21
			284.3	295.6	11.3	1.99
			300.4	311.0	10.6	2.43
			320.2	326.5	6.3	4.33
D1466	SB Extension	-22	237.8	248.6	10.8	2.93
			253.6	276.8	23.2	3.25
			283.2	292.9	9.7	2.87
			336.9	339.5	2.6	14.71
D1467	SB Extension	-18	229.2	233.0	3.8	30.71
			240.0	287.2	47.2	5.34
			<i>includes</i> 240.0	249.0	9.0	13.61
			367.6	372.3	4.7	3.24
D1469	SB Extension	46	443.9	481.5	37.6	3.17
			<i>includes</i> 449.9	455.6	5.7	7.51
			498.5	523.0	24.5	4.58
			<i>includes</i> 501.5	506.5	5.0	14.71
			532.0	543.6	11.6	1.02
			551.2	554.5	3.3	1.87
			607.7	617.0	9.3	2.76
D1475	SB Extension	-14	210.3	243.9	33.6	12.38
			<i>includes</i> 211.3	215.7	4.4	18.27
			218.5	227.7	9.2	22.62
			261.4	263.4	2.0	3.78
D1479	SB Extension	42	460.0	463.9	3.9	16.32
			467.3	503.0	35.7	7.08
			<i>includes</i> 467.3	470.5	3.2	27.35
			559.5	564.9	5.4	2.08
			574.5	587.7	13.2	4.76
			602.2	607.0	4.8	4.01
			614.3	620.6	6.3	3.27
			626.6	630.0	3.4	3.48
			646.2	648.9	2.7	2.37
D1481	SB Extension	58	471.6	510.5	38.9	4.42
			<i>includes</i> 490.8	494.9	4.1	14.52
			524.5	537.3	12.8	1.44
			544.6	561.7	17.1	4.31
			<i>includes</i> 550.9	556.9	6.0	9.40
			565.8	579.0	13.2	3.17
			619.1	668.0	48.9	2.24
D1482	SB Extension	50	165.9	178.9	13.0	3.69
			200.9	205.4	4.5	7.87
			211.4	214.3	2.9	2.83
D1487	SB Extension	46	192.0	216.8	24.8	4.59
			237.6	253.1	15.5	3.91

Notes: Significant mineralized intervals are greater than 1.00 g/t Au
 Individual assays are top cut to 60 g/t Au prior to composite calculation
 Lower cut-off for higher grade sub-intervals is 7.0 g/t Au
 True widths for mineralized zones are about 70% to 95% of stated down hole interval
 This information should be read together with our news release of February 7th, 2011.
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101
 Tables are current as of December 31st, 2010.



Centerra Gold Inc. - Kumtor 2010 Drilling Results

Period October 1st, 2010 to December 31st, 2010

Page 1 of 1

Northeast Area ¹

Drill Hole	Drill Section	From (m)	To (m)	Core Length (m)	Au (g/t)
DN1463	414	245.7	250.8	5.1	5.16
DN1464	386	196.2	217.6	21.4	2.40
		225.1	235.4	10.3	1.53
		262.4	270.1	7.7	1.35
DN1470A	414	292.9	296.5	3.6	2.49
DN1471	346	58.6	62.3	3.7	2.07
		90.0	92.0	2.0	6.47
DN1472	398	239.0	249.0	10.0	2.01
DN1477B	346	<i>No significant intercepts</i>			
DN1478	398	292.4	299.6	7.2	2.80
DN1483A	402	227.3	232.0	4.7	3.23
DN1485	354	<i>No significant intercepts</i>			
DN1490	362	<i>No significant intercepts</i>			

Notes 1: Significant mineralized intervals are greater than 1.00 g/t Au
 Individual assays are top cut to 60 g/t Au prior to composite calculation
 Lower cut-off for higher grade sub-intervals is 7.0 g/t Au
 True widths for mineralized zones are about 70% to 95% of stated down hole interval
 This information should be read together with our news release of February 7th, 2011.
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101
 Tables are current as of December 31st, 2010.

Muzdusuu Area ²

Drill Hole	Drill Section	From (m)	To (m)	Core Length (m)	Au (g/t)
DM1476	138	118.6	121.5	2.9	6.42

Southwest Area ²

Drill Hole	Drill Section	From (m)	To (m)	Core Length (m)	Au (g/t)
SW-10-240	3205-3210	501.3	506.3	5.0	1.10
		576.1	583.1	7.0	0.93
SW-10-241A	3215	877.8	880.1	2.3	3.02

Sarytor Area ²


Drill Hole	Drill Section	From (m)	To (m)	Core Length (m)	Au (g/t)
SR-10-196A	164	418.7	426.4	7.7	1.07

Underground ²

Drill Hole	Drill Section	From (m)	To (m)	Core Length (m)	Au (g/t)
UD1450	-90	<i>No significant intercepts</i>			
UD1468	114	280.9	287.4	6.5	5.09
UD1484A	114	221.7	233.5	11.8	1.85
		263.6	266.3	2.7	3.51
		277.6	289.6	12.0	3.52


Notes 2: Significant mineralized intervals are greater than 1.00 g/t Au
 Individual assays are top cut to 60 g/t Au prior to composite calculation
 Lower cut-off for higher grade sub-intervals is 7.0 g/t Au
 True widths for mineralized zones are about 40% to 95% of stated down hole interval
 This information should be read together with our news release of February 7th, 2011.
 Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101
 Tables are current as of December 31st, 2010.

Kumtor – Q4 2010 Central Pit Drillhole Location Plan




This information should be read together with our news release of February 7th, 2011.
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Kumtor Q4 – 2010 Central Pit Longitudinal Section



This information should be read together with our news release of February 7th, 2011.
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Kumtor Q4 – 2010 Central Pit Plan Map




Legend

- ☆ Q4 2010 Completed Hole
- Pre-2010 Completed Hole
- 2010 Hole
- Abandoned Drill Hole
- Soviet Hole
- * Locations Shown Are Drill Hole Pierce Points

Hole Name	Au Grade g/t	Interval Length m
D1350A	3.00	7.8


Notes:
 1. Assay values shown are cut, unless otherwise indicated.
 2. Section lines shown are where drillhole intercepts are located.




KUMTOR EXPLORATION
 Fourth Quarter 2010

GOLD GRADE * THICKNESS
Plan Map
Southwest and Central Pit Areas


Kumtor – Q4 2010 Decline 1 Section -90 UG




Kumtor – Q4 2010 Central Pit Section -22




Kumtor – Q4 2010 Central Pit Section -18




Kumtor – Q4 2010 Central Pit Section -14




Kumtor – Q4 2010 Central Pit Section 42




Kumtor – Q4 2010 Central Pit Section 46




Kumtor – Q4 2010 Central Pit Section 50




Kumtor – Q4 2010 Central Pit Section 58



Kumtor – Q4 2010 Central Pit Section 114




Kumtor – Q4 2010 Northeast Area Plan Map



This information should be read together with our news release of February 7th, 2011.
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.


Kumtor – Q4 2010

Northeast Area Longitudinal Section




This information should be read together with our news release of February 7th, 2011.
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.


Kumtor – Q4 2010 Northeast Section 346




Kumtor – Q4 2010 Northeast Section 386




Kumtor – Q4 2010 Northeast Section 398



Kumtor – Q4 2010 Northeast Section 402




Kumtor – Q4 2010 Northeast Section 414



Kumtor – Q4 2010

Sarytor and Southwest Areas Plan Map





Centerra Gold Inc. - Kara-Beldyr 2010 Drilling Results

Period October 1st, 2010 to December 31st, 2010

Page 1 of 2

Drill Hole	Location	Drill Section	From (m)	To (m)	Core Length (m)	Au (g/t)	
KB-032	Gord	19	18.9	20.8	1.9	2.04	
			26.0	41.1	15.1	3.78	
			<i>includes</i>	26.0	27.0	1.0	9.46
			<i>includes</i>	31.7	32.5	0.8	11.70
			<i>includes</i>	38.0	39.0	1.0	9.85
			41.8	54.6	6.5	2.55	
			<i>includes</i>	53.5	54.6	1.1	6.42
			<i>includes</i>	64.7	67.6	2.9	2.13
			<i>includes</i>	64.7	65.6	0.9	5.49
KB-033	Gord	19	19.0	22.8	3.8	2.99	
			44.2	61.3	17.1	1.70	
			<i>includes</i>	59.2	61.3	2.1	8.12
KB-034	Gord	18.5	13.5	17.0	3.5	5.09	
			<i>includes</i>	13.5	14.5	1.0	16.93
			21.0	51.3	30.3	2.11	
			<i>includes</i>	38.3	39.2	0.9	9.07
			<i>includes</i>	42.0	43.2	1.2	11.97
			<i>includes</i>	47.1	47.8	0.7	23.75
			68.6	78.7	10.1	4.36	
			<i>includes</i>	72.4	73.7	1.3	26.65
			<i>includes</i>	83.2	86.6	3.4	29.34
			<i>includes</i>	84.7	85.5	0.8	120.71
KB-035	Gord	18	13.3	14.3	1.0	1.22	
			17.0	51.0	34.0	1.56	
			<i>includes</i>	35.0	36.0	1.0	8.88
			<i>includes</i>	46.0	47.0	1.0	12.64
KB-036	Gord	17.5	35.0	39.0	4.0	0.63	
			52.0	60.0	8.0	2.79	
			<i>includes</i>	53.0	54.0	1.0	9.88
KB-037	Gord	17	23.1	25.7	2.6	2.77	
			33.6	42.3	8.7	10.73	
			<i>includes</i>	36.5	40.5	4.0	21.30
			52.0	57.6	5.6	10.98	
			<i>includes</i>	54.9	56.6	1.7	35.20
			60.6	63.6	3.0	1.52	
87.1	88.4	1.3	1.12				
KB-038	Gord	19.5	50.4	53.4	3.0	1.49	
			63.3	73.2	9.9	1.46	
			82.2	85.2	3.0	4.21	
			98.2	99.2	1.0	1.09	
			101.2	107.0	5.8	0.68	
KB-039	Gord	18.5	24.6	25.3	0.7	10.41	
			44.0	45.0	1.0	2.10	
			68.0	71.0	3.0	0.67	
			77.0	83.4	6.4	1.05	
			87.5	91.8	4.3	8.60	
			<i>includes</i>	88.3	89.1	0.8	39.05
							104.5

Notes: All assays reported are actual values with no top cutting factor applied
Significant mineralized intervals are greater than 0.5 g/t
True widths for mineralized zones are about 70% to 90% of stated down hole interval
This information should be read together with our news release of February 7th, 2011.
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of
National Instrument 43-101
Tables are current as of December 31st, 2010.



Centerra Gold Inc. - Kara-Beldyr 2010 Drilling Results



Period October 1st, 2010 to December 31st, 2010

Page 2 of 2

Drill Hole	Location	Drill Section	From (m)	To (m)	Core Length (m)	Au (g/t)	
KB-040	Gord	19.5	20.5	21.5	1.0	1.05	
			87.0	96.0	9.0	0.84	
			101.0	105.0	4.0	2.19	
			<i>includes</i>	103.0	104.0	1.0	5.03
			118.9	119.9	1.0	1.10	
			126.9	129.9	3.0	2.02	
			133.9	135.9	2.0	7.46	
			<i>includes</i>	133.9	134.9	1.0	13.25
KB-041	Gord	17.5	13.0	17.4	4.4	1.59	
			13.0	14.0	1.0	5.74	
			49.1	56.0	6.9	0.90	
			61.0	71.5	10.5	1.68	
			<i>includes</i>	68.7	69.9	1.2	9.95
			79.8	81.0	1.2	1.12	
			85.8	86.7	0.9	6.05	
			95.8	107.4	11.6	1.01	
113.0	115.8	2.8	2.14				
KB-042	Gord	16.5	7.6	8.6	1.0	2.38	
			22.2	24.2	2.0	0.64	
			39.2	45.2	6.0	1.76	
KB-043	Gord	17	8.1	9.0	0.9	4.33	
			40.4	41.3	0.9	6.72	
KB-044	Gord	20	2.1	3.2	1.1	2.42	
			54.7	57.4	2.7	2.97	
<i>includes</i>	55.6	56.5	0.9	6.30			
KB-045	Gord	17.5	10.5	15.5	5.0	2.86	
			<i>includes</i>	14.7	15.5	0.8	15.94
			22.0	28.3	6.3	1.82	
			<i>includes</i>	27.5	28.3	0.8	9.13
			54.0	58.3	4.3	1.45	
			64.0	80.0	16.0	1.47	
			<i>includes</i>	65.8	66.7	0.9	5.09
			105.0	117.0	12.0	0.56	
			129.0	137.3	8.3	2.64	
			<i>includes</i>	130.1	131.1	1.0	17.47
141.3	142.0	0.7	20.96				
<i>includes</i>	79.8	83.0	3.2	11.04			


Notes: All assays reported are actual values with no top cutting factor applied
Significant mineralized intervals are greater than 0.5 g/t
True widths for mineralized zones are about 70% to 90% of stated down hole interval
This information should be read together with our news release of February 7th, 2011.
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101
Tables are current as of December 31st, 2010.

Kara Beldyr – Q4 2010 Gord Prospect, Drillhole Plan Map



Kara Beldyr – Q4 2010

Gord Section 16.5



LEGEND

- Diorite
- Mineralized zone
- Fault

Drill hole

- Hole number
- Collar
- Composite interval
- Trace
- Q4 2010 Drillhole


Composite interval

Q4 2010 Results


- 0.61 g/t g/t Au
- 2.90 m Interval length (m)

Note: All assays reported are actual values with no top cutting factor applied.


Kara Beldyr – Q4 2010 Gord Section 17



Kara Beldyr – Q4 2010 Gord Section 17.5




Kara Beldyr – Q4 2010 Gord Section 18




Kara Beldyr – Q4 2010

Gord Section 18.5




Kara Beldyr – Q4 2010 Gord Section 19




This information should be read together with our news release of February 7th, 2011.
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101.

Kara Beldyr – Q4 2010 Gord Section 19.5



Kara Beldyr – Q4 2010 Gord Section 20



Note: All assays reported are actual values with no top cutting factor applied.



Centerra Gold Inc. - Gatsuert 2010 Drilling Results

Period October 1st, 2010 to December 31st, 2010

Page 1 of 2

Drill Hole	Location	Drill Section	From (m)	To (m)	Core Length (m)	Au (g/t)
GT-499	GT60	16	9.75	17.35	7.60	1.46
			20.65	24.75	4.10	1.06
			46.00	52.60	6.60	1.08
			65.80	66.80	1.00	1.41
			69.90	71.50	1.60	1.95
			77.85	82.75	4.90	4.46
			<i>includes</i> 79.90	<i>81.00</i>	<i>1.10</i>	<i>9.11</i>
			93.50	96.35	2.85	2.13
			101.50	103.00	1.50	1.10
			106.00	124.65	18.65	1.33
129.20	131.00	1.80	1.62			
GT-500	GT60	16	39.30	42.10	2.80	1.35
			46.40	50.40	4.00	1.87
			58.30	62.90	4.60	1.61
			74.90	88.90	14.00	2.61
			<i>includes</i> 86.60	<i>87.80</i>	<i>1.20</i>	<i>13.30</i>
			94.30	95.80	1.50	7.75
			111.30	113.10	1.80	1.10
			121.00	122.50	1.50	1.43
			129.15	131.75	2.60	1.41
140.95	147.60	6.65	1.58			
158.65	164.60	5.95	1.27			
GT-501	GT60	15	71.75	77.10	5.35	1.13
			81.70	83.10	1.40	1.04
GT-502	GT60	14	22.40	23.90	1.50	2.19
			29.00	30.45	1.45	1.30
			71.60	75.25	3.65	2.14
GT-503	GT60	14	64.95	67.80	2.85	1.51
			111.70	114.10	2.40	1.56
GT-504	SS2	16	22.25	24.25	2.00	2.68
			72.40	74.00	1.60	1.06
			88.35	96.05	7.70	1.19
GT-505	SS1	3	10.90	30.00	19.10	4.17
			<i>includes</i> 17.80	<i>19.00</i>	<i>1.20</i>	<i>7.52</i>
			41.90	43.90	2.00	1.14
			48.20	61.80	13.60	2.97
			67.90	75.20	7.30	3.13
			<i>includes</i> 72.30	<i>73.75</i>	<i>1.45</i>	<i>8.10</i>
85.90	87.50	1.60	1.04			

Notes: All assays reported are actual values with no top cutting factor applied
Significant mineralized intervals are greater than 0.80 g/t Au
True widths for mineralized zones are about 60% to 90% of stated down hole interval
This information should be read together with our news release of February 7th, 2011.
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101
Tables are current as of December 31, 2010.



Centerra Gold Inc. - Gatsuurt 2010 Drilling Results



Period October 1st, 2010 to December 31st, 2010

Page 2 of 2


Drill Hole	Location	Drill Section	From (m)	To (m)	Core Length (m)	Au (g/t)
GT-506	SS1	6	4.45	6.25	1.80	3.57
			9.40	15.65	6.25	2.40
			39.40	40.80	1.40	1.23
			56.55	78.80	22.25	2.30
			102.80	120.35	17.55	2.19
			<i>includes</i>	<i>118.05</i>	<i>119.10</i>	<i>1.05</i>
GT-507	SS1	7	40.80	42.60	1.80	1.43
			61.80	67.65	5.85	1.51
			71.95	77.25	5.30	2.33
			96.70	98.55	1.85	1.78
			115.30	118.95	3.65	3.43
GT-508	SS1	7	35.00	45.15	10.15	2.85
			58.10	65.95	7.85	2.11
GT-509	SS1	8	3.20	11.25	8.05	1.02
			14.90	16.70	1.80	1.22
			29.70	31.15	1.45	9.13
			44.50	48.40	3.90	2.43
			73.35	78.50	5.15	3.02
			85.90	87.45	1.55	1.91
GT-510	SS1	9	95.85	97.30	1.45	3.62
			11.00	17.50	6.50	2.29
			25.30	26.80	1.50	2.42
			29.80	35.35	5.55	1.77
			48.40	49.70	1.30	1.02
GT-511	SS1	10	2.20	18.30	16.10	2.84
			28.05	29.80	1.75	1.42
			41.50	48.70	7.20	1.39
GT-512	SS1	6	1.20	2.85	1.65	1.52
			6.20	8.80	2.60	2.46
			11.80	13.30	1.50	1.24
			57.80	59.00	1.20	1.76

Notes: All assays reported are actual values with no top cutting factor applied
Significant mineralized intervals are greater than 0.80 g/t Au
True widths for mineralized zones are about 60% to 90% of stated down hole interval
This information should be read together with our news release of February 7th, 2011.
Ian Atkinson, a Certified Professional Geologist, is Centerra's qualified person for the purpose of National Instrument 43-101
Tables are current as of December 31, 2010.


Gatsuurt Central Pit – Q4 2010 South Slope Drillhole Plan Map




Gatsuurt Central Pit – Q4 2010 South Slope Section 3




Gatsuurt Central Pit – Q4 2010 South Slope Section 6




Gatsuurt Central Pit – Q4 2010 South Slope Section 7




Gatsuurt Central Pit – Q4 2010 South Slope Section 8




Gatsuurt Central Pit – Q4 2010 South Slope Section 9




Gatsuurt Central Pit – Q4 2010 South Slope Section 10



Gatsuurt Central Pit – Q4 2010 South Slope Section 14



Gatsuurt Central Pit – Q4 2010 South Slope Section 15



Gatsuurt Central Pit – Q4 2010 South Slope Section 16

