

Table 1: Bracemac Feasibility Drilling

DDH (Depth)	UTM Location NAD 83 Zone 18	Angle / direction (True N)	Zone	From	To	Core Length (metres)	ETW (metres)	Zn %	Cu %	Ag g/t	Au g/t
BRC-09-103 (337m)	307316E, 5505878N	-70°/028°	UB	151.40	162.90	11.50	7.54	0.77	0.57	7.97	0.02
			B	294.10	294.77	0.67	0.58	4.89	1.90	19.00	0.13
BRC-09-105 (156m)	307316E, 5505878N	-51°/029°		90.63	91.45	0.82		9.24	0.22	25.00	0.18
				102.25	102.75	0.5		6.10	0.01	0.70	0.27
			Fault faulted	UB(?)	121.90	122.40	0.5	0.46	4.21	1.39	17.00
BRC-09-108 (330m)	307514E, 5506220N	-59°/028°	KT	283.80	285.80	2.0	1.89	6.28	0.20	13.35	0.20
BRC-09-112 (625m)	307355E, 5505899N	-60°/028°	UB	83.17	84.67	1.50	1.27	8.00	0.12	20.00	0.45
			B	209.60	211.00	1.40	1.32	12.01	1.17	39.42	0.25
			KT	601.47	613.45	11.98	9.81	1.87	0.11	4.91	0.11
BRC-09-115 (345m)	307535E, 5506208N	-72°/026°	KT	297.17	306.94	9.77	8.28	19.15	1.97	95.65	0.70
BRC-09-117 (321m)	307535E, 5506208N	-62°/027°	KT	283.90	292.71	8.81	8.15	3.12	0.16	8.42	0.11
BRC-09-118 (321m)	307535E, 5506208N	-51°/026°	KT	269.45	281.00	11.55	11.32	14.06	1.46	20.70	0.39
BRC-09-123 (372m)	307540E, 5506166N	-79°/027°	KT	335.05	350.59	15.54	12.05	7.56	0.37	19.39	0.23
			Pipe	358.84	360.50	1.66	1.29	4.44	0.06	1.11	0.21
BRC-09-124 (360m)	307540E, 5506166N	-74°/026°	KT	315.76	322.60	6.84	5.67	14.27	1.67	83.96	0.25
BRC-09-125 (342m)	307540E, 5506167N	-62°/026°	KT	290.14	302.58	12.44	11.57	21.09	1.37	36.16	0.36
BRC-09-129 (402m)	307548E, 5506131N	-67°/025°	KT	300.05	303.73	3.68	3.29	3.69	0.02	2.00	0.06
				316.50	325.55	9.05	8.08	17.17	.47	35.08	0.26
BRC-09-130 (342m)	307548E, 5506131N	-61°/025°	KT	303.60	316.45	12.85	11.97	14.77	1.47	90.43	0.49
				316.45	324.00	7.55	7.05	0.73	0.92	40.15	0.52
				324.00	330.2	6.2	5.79	0.33	2.52	53.73	0.33
BRC-09-131 (330m)	307548E, 5506131N	-51°/026°	KT	303.70	311.60	7.90	7.74	13.69	0.94	26.80	0.21
BRC-09-132 (338m)	307548E, 5506131N	-74°/029°	KT	275.50	301.90	26.40	21.91	12.93	1.83	55.61	0.32
BRC-09-133 (370m)	307583E, 5506141N	-65°/028°	KT	294.00	303.56	9.56	8.64	14.32	0.40	62.74	0.43
BRC-09-142B (372m)	307547E, 5506131N	-73°/027°	KT	336.00	341.57	5.57	4.67	9.54	0.40	26.00	0.44
BRC-09-144 (342m)	307547E, 5506131N	-58°/025°	KT	304.70	312.44	7.74	6.54	20.71	1.86	50.15	0.54

Zones: UB = Upper Bracemac, B = Bracemac, KT = Key Tuffite, P = Pipe

Sph = sphalerite, Cpy = Chalcopyrite, Py = Pyrite, Po = Pyrrhotite.

ETW = Estimated True Width.

Depth = Total depth drilled in metres (metres).

DDH's BRC-09-124, 125, 129 and 144 are updated assays from previous release.

Table 2: Exploration Drilling

DDH (Depth)	UTM Location NAD 83 Zone 18	Angle / direction (True N)	Horizon	From	To	Core Length (metres)	ETW (metres)	Zn %	Cu %	Ag g/t	Au g/t
BAS-09-56* (781)	305083E, 5507165N	-81°/035°	KT	727.6	728.4	0.8	0.5	1.66	0.01	1.4	0.05
BAS-09-57 (1372m)	304664E, 5506931N	-85°/026°	KT	1321.0 0	1324.7 8	3.78	3	2.56	0.24	12.84	0.46
BRA-09-01 (1018m)	305663E, 5506687N	-78°/027°					No significant assays expected				
BRA-09-02 (639m)	305990E, 5506740N	-82°/030°	KT	548.83	550.00	1.17	10% sulphides 2-3% Sph, assays pending				
				554.55	554.90	0.45	7% sulphides trace Sph, assays pending				
BRA-09-03 (159m)	307281E, 5506442N	-55°/027°	KT	87.50	88.30	0.80	10% sulphides 7% Sph, assays pending				
MCL-09-01 (1095m)	305663E, 5506687N	-78°/027°				KT interval intruded by Gabbro – no significant results expected					
DJV-09-82 (673m)	297610E, 5516105N	-60°/045°					No significant results expected				

Horizons: UT = Upper tuffite, KT = Key Tuffite, FW = footwall.

ETW = Estimated True Width.

Depth = Total depth drilled.

*previously described September 30, 2009

Table 3: Bracemac Feasibility Drilling

DDH (Depth)	UTM Location NAD 83 Zone 18	Angle / direction (True N)	Zone	From	To	Core Length (metres)	ETW (metres)	Zn %	Cu %	Ag g/t	Au g/t	
BRC-09-90 (387m)	307316E, 5505878N	-70°/028°	KT	341.17	345.68	4.51	No significant results expected					
BRC-09-91A (360m)	307236E, 5505892N		B	314.00	323.55	9.55	8.01	Massive sulphides, <10% Sph, assays pending.				
			B	323.55	334.60	11.05	9.27	Semi-massive sulphides, Py/Po, 5-20% Sph, assays pending.				
			P	334.60	337.20	2.6	2.18	Stringer sulphides, Py/Po, assays pending.				
			P	337.20	339.3	2.1	1.76	Semi-massive sulphides, Py, <5% Cpy, assays pending.				
BRC-09-94 (390m)	307408E, 5506226N	-65°/029°	KT	345.00	345.75	0.75	No significant results expected					
BRC-09-96 (345m)	307258E, 5505880N		B	301.00	303.00	2.00	1.75	Massive sulphides, 20% Sph, assays pending.				
			B	303.07	321.07	18.07	15.80	Massive sulphides, 13% Sph, <3% Cpy assays pending.				
			P	321.63	334.3	12.67	11.08	Semi-Massive Sulphides, 5% Sph, 2% Cpy, assays pending				
BRC-09-97A (294m)	307258E, 5505880N		UB	97.48	99.00	1.52	No significant results expected					
			B	262.3	270.76	1.40	1.29	No significant results expected				
BRC-09-98 (378m)	307440E, 5506194N	-63°/027°	KT	343.15	344.9	1.75	1.61	Semi-massive sulphide, 10-15% Sph, assays pending.				
BRC-09-99 (335m)	307287E, 550588N		UB	161.48	167.7	6.22	No significant results expected					
			B	283.10	287.7	4.60	4.06	Massive Sulphides, 20% Sph, <3% Cpy, assays pending				
			B	292.50	296.75	4.25	3.75	Massive Sulphides, 20% Sph, assays pending.				
BRC-09-100 (315m)	307287E, 550588N		UB	160.95	162.75	1.80	No significant results expected					
			B	275.30	276.41	1.11	1.01	Semi-massive sulphides, 10-15% Sph, assays pending				
			B	277.67	278.37	0.70	0.63	Semi-massive sulphides, 10% Sph, assays pending				
BRC-09-101 (288m)	307287E, 550588N		UB	141.95	145.52	3.57	2.99	Massive + semi massive sulphides 15-20 % Sph, < 3% Cpy, assays pending				
			B	265.60	267.55	1.95	1.82	Massive sulphide, 45% Sph, 3% Cpy, assays pending				
BRC-09-102 (251m)	307287E, 550588N		UB	168.90	170.20	1.30	No significant results expected					
			B	221.70	222.20	0.50	0.49	Semi-massive sulphides 5% Sph, assays pending				
BRC-09-103 (339m)	307316E, 5505878N		UB	151.40	162.90	11.50	7.54	0.77	0.57	7.97	0.02	
				including	152.00	153.50	1.5	1.12	2.07	0.38	3.33	0.01
				and	161.00	162.90	1.9	1.41	1.75	0.11	3.53	0.02
			B	294.10	294.77	0.67	0.58	4.89	1.90	19.00	0.13	

Table 3 (continued): Bracemac Feasibility Drilling

DDH (Depth)	UTM Location NAD 83 Zone 18	Angle / direction (True N)	Zone	From	To	Core Length (metres)	ETW (metres)	Zn %	Cu %	Ag g/t	Au g/t
BRC-09-104B (316m)	307316E, 5505878N	-61°/028°	UB	146.52	147.29	0.77	0.65	Semi-massive sulphides, 10% Sph – assays pending.			
			B	265.08	267.03	1.95	1.82	Massive sulphides 15-20% Sph, 4% Cpy, assays pending.			
BRC-09-105 (156m)	307316E, 5505878N	-51°/029°	UB?	90.63	91.45	0.82	0.75	9.24	0.22	25.00	0.18
		Fault hosted	UB?	102.25	102.75	0.5	0.46	6.10	0.01	0.70	0.27
		faulted	UB	121.90	122.40	0.5	0.46	4.21	1.39	17.00	0.33
BRC-09-106B (369m)	307514E, 5506220N	-76°/028°	KT	305.25	311.5	6.25	5.06	Massive sulphides, 65% Sph, assays pending.			
				311.5	319.3	7.80	6.31	Semi-massive sulphides, 10-40% Sph, assays pending.			
				327.29	333.0	5.71	4.62	Semi-massive sulphides <5% Sph, assays pending.			
BRC-09-107B (351m)	307514E, 5506220N	-69°/028°	KT	297.77	300.06	2.29	2.00	Massive sulphides, 20-50% Sph, assays pending.			
				300.06	306.01	5.95	5.20	Semi-massive sulphides, 3% Sph, 4% Cpy, assays pending.			
BRC-09-108 (330m)	307514E, 5506220N	-59°/028°	KT	283.80	285.80	2.0	1.89	6.28	0.20	13.35	0.20
		including		283.80	284.41	0.61	0.58	14.40	0.42	20.00	0.17
BRC-09-109 (156m)	307355E, 5505899N	-78°/025°	UB	128.00	132.50	4.5	2.89	0.71	0.04	6.78	0.049
BRC-09-110 (135m)	307355E, 5505899N	-70°/025°	UB	90.85	99.00	8.15	6.06	5.63	4.05	78.51	0.033
BRC-09-111 (645m)	307355E, 5505899N	-65°/026°	UB	82.71	99.00	16.29	13.01	8.10	1.53	44.74	0.244
			B	239.95	240.54	1.00	0.90	3.70	0.50	20.00	0.074
			KT/ P	605.00	609.00	4.00	3.06	0.04	0.03	2.00	0.007
BRC-09-112 (625m)	307355E, 5505899N	-60°/028°	UB	83.17	84.67	1.50	1.27	8.00	0.12	20.00	0.45
			B	209.60	211.00	1.40	1.32	12.01	1.17	39.42	0.25
			KT	601.47	613.45	11.98	9.81	1.87	0.11	4.91	0.11
BRC-09-113B (576m)	307373E, 5505930N	-57°/029°	UB	36.65	37.86	1.21		No significant results expected			
			B	155.10	157.13	2.03		No significant results expected			
				260.55	260.75	0.2	0.2	Semi-massive sulphides, 7% Sph, assays pending.			
			KT equiv	500.00	501.00	1.00		Gabbro – no significant assays expected			
BRC-09-115 (345m)	307535E, 5506208N	-72°/026°	KT	297.17	306.94	9.77	8.28	19.15	1.97	95.65	0.70
		including		297.17	304.22	7.05	5.98	24.36	1.13	72.73	0.52
BRC-09-116 (381m)	307535E, 5506208N	-68°/026°	KT	288.90	289.70	0.80	0.71	Semi-massive sulphides, 7% Sph, assays pending.			
				289.70	294.52	4.82	4.26	Massive sulphides, 60% Sph, assays pending.			
				294.52	295.28	0.76	0.67	Semi-massive sulphides, 7% Sph, assays pending.			

Table 3 (continued): Bracemac Feasibility Drilling

DDH (Depth)	UTM Location NAD 83 Zone 18	Angle / direction (True N)	Zone	From	To	Core Length (metres)	ETW (metres)	Zn %	Cu %	Ag g/t	Au g/t
BRC-09-117 (321m)	307535E, 5506208N	-62°/027°	KT	283.90	292.71	8.81	8.15	3.12	0.16	8.42	0.11
		including		283.90	286.46	2.56	2.37	3.17	0.48	22.86	0.21
		and		290.71	292.71	2.00	1.85	8.26	0.06	5.00	0.17
BRC-09-118 (306m)	307535E, 5506208N	-51°/026°	KT	269.45	281.00	11.55	11.32	14.06	1.46	20.70	0.39
		including		269.45	277.04	7.59	7.44	18.34	1.38	20.29	0.36
		and		273.88	276.04	2.16	2.12	33.95	1.17	16.00	0.30
BRC-09-121 (582m)	307461E, 5506032N	-75°/028°	KT	527.4	528.50	1.10	0.90	Semi-massive sulphides, 15% Sph, assays pending.			
				530.5	532.0	1.50	1.23	Semi-massive sulphides, 25% Sph, assays pending.			
BRC-09-122B (507m)	307461E, 5506032N	-70°/028°	KT	470.05	478.00	7.95	6.88	Massive sulphides, 15% Sph, 3% Cpy, assays pending.			
				478.00	479.71	1.71	1.48	Semi-massive sulphides, 12% Sph, assays pending.			
BRC-09-123 (372m)	307540E, 5506166N	-79°/027°	KT	335.05	350.59	15.54	12.05	7.56	0.37	19.39	0.23
		including		335.05	337.52	2.47	1.91	18.44	0.11	18.10	0.65
		and		344.00	349.56	5.56	4.31	10.78	0.89	40.43	0.28
			Pipe	358.84	360.50	1.66	1.29	4.44	0.06	1.11	0.21
BRC-09-124 (360m)	307540E, 5506166N	-74°/026°	KT	315.76	322.60	6.84	5.67	14.27	1.67	83.96	0.25
		Including		315.76	319.90	4.14	3.43	20.56	2.55	124.42	0.27
		and		321.46	322.6	1.14	0.94	8.26	0.47	31.00	0.34
BRC-09-125 (342m)	307540E, 5506167N	-62°/026°	KT	290.14	302.58	12.44	11.57	21.09	1.37	36.16	0.36
		Including		290.14	291.37	1.23	1.14	37.26	0.68	27.71	0.24
		and		293.15	300.62	7.47	6.95	27.23	1.06	29.82	0.42
BRC-09-126B (327m)	307540E, 5506167N	-50°/026°	KT	284.84	286.22	1.38	1.34	12.63	1.28	39.88	0.170
BRC-09-128 (375m)	307 547E, 5506131N	-77°/027°	KT	320.35	321.00	0.65	0.52	0.39	0.04	1.00	0.02
			KT	336.40	336.60	0.20	0.16	0.71	0.60	4.00	0.05
			KT	343.6	344.1	0.50	0.40	0.06	0.98	6.00	0.07
BRC-09-129 (402m)	307548E, 5506131N	-67°/025°	KT	300.05	303.73	3.68	3.29	3.69	0.02	2.00	0.06
				316.50	325.55	9.05	8.08	17.17	0.47	35.08	0.26
		including		316.50	323.92	7.42	6.63	20.44	0.49	38.28	0.26
BRC-09-130 (342m)	307548E, 5506131N	-61°/025°	KT	303.60	316.45	12.85	11.97	14.77	1.47	90.43	0.49
		including		303.60	307.30	3.70	3.45	15.02	0.52	27.49	0.20
		and		309.80	312.63	2.83	2.64	32.91	1.52	71.83	0.87
		and		314.27	316.45	2.18	2.03	14.82	0.98	37.83	0.87
			P(?)	316.45	324.00	7.55	7.05	0.73	0.92	40.15	0.52
			P(?)	324.00	330.2	6.2	5.79	0.33	2.52	53.73	0.33

Table 3 (continued): Bracemac Feasibility Drilling

DDH (Depth)	UTM Location NAD 83 Zone 18	Angle / direction (True N)	Zone	From	To	Core Length (metres)	ETW (metres)	Zn %	Cu %	Ag g/t	Au g/t
BRC-09-131 (330m)	307548E, 5506131N	-51°/026°	KT	303.70	311.60	7.90	7.74	13.69	0.94	26.80	0.21
		including		303.70	305.34	1.64	1.61	30.69	0.80	31.78	0.32
		and		305.34	307.60	2.26	2.22	6.67	1.24	36.54	0.21
		and		307.60	311.60	4.00	3.92	10.69	0.83	19.25	0.17
BRC-09-132 (338m)	307548E, 5506131N	-74°/029°	KT	275.50	301.90	26.40	21.91	12.93	1.83	55.61	0.32
		including		278.39	280.10	1.71	1.42	14.84	0.23	19.85	0.21
		and		280.10	281.73	1.63	1.35	26.13	1.16	35.75	0.32
		and		285.10	292.55	7.45	6.18	23.08	1.72	50.47	0.32
		and		295.40	299.10	3.70	3.07	15.60	1.47	55.53	0.42
BRC-09-133 (370m)	307583E, 5506141N	-65°/028°	KT	294.00	303.56	9.56	8.64	14.32	0.40	62.74	0.43
		including		294.00	297.68	3.68	3.33	30.10	0.54	136.75	0.96
BRC-09-134 (312m)	307583E, 5506141N	-59°/028°	KT	297.63	301.90	4.27	4.03	Semi-massive sulphides, 4% Sph, 10% Cpy, assays pending.			
BRC-09-135 (306m)	307583E, 5506141N	-56°/028°	KT	294.12	302.5	8.38	8.06	Semi-massive sulphides, 5% Sph, 1% Cpy, assays pending.			
BRC-09-136 (280m)	307597E, 5506173N	-50°/028°	KT	255.9	257.79	1.89	1.86	Massive sulphides, 65% Sph, assays pending.			
BRC-09-137 (327m)	307606E, 5506131N	-74°/028°	KT	281.54	286.32	4.78	3.96	Massive sulphides, 70% Sph, assays pending.			
				286.32	295	8.68	7.20	Semi-massive sulphides, 13% Sph, assays pending.			
BRC-09-138 (333m)	307605E, 5506131N	-76°/028°	KT	286.68	287.32	0.64	0.52	Semi-massive sulphides, 7% Sph, assays pending.			
BRC-09-139 (309m)	307605E, 5506131N	-65°/029°	KT	284.31	284.42	0.11	0.10	Massive sulphides, 80% Sph, assays pending.			
BRC-09-140 (333m)	307627E, 5506118N	-77°/028°	KT(P)	308.72	310.70	1.98	1.58	Semi-massive sulphides, 20% Py/Po, assays pending.			
BRC-09-141 (309m)	307627E, 5506118N	-67°/028°	K	281.75	283.44	1.69	1.51	Massive sulphides, 60% Sph, assays pending.			
				283.44	285.13	1.69	1.51	Semi-massive sulphides, 10% Sph, assays pending.			
				286.15	286.97	0.82	0.73	Semi-massive sulphides, 12% Sph, assays pending.			
BRC-09-142B (372m)	307547E, 5506131N	-73°/027°	KT	336.00	341.57	5.57	4.67	9.54	0.40	26.00	0.44
		including		337.74	339.46	1.72	1.44	24.12	0.20	18.74	0.56
BRC-09-143 (351m)	307547E, 5506131N	-65°/025°	KT	313.45	315.24	1.79	1.62	Massive sulphides, 65% Sph, assays pending.			
				319.30	323.70	4.40	3.98	Massive sulphides, 30% Sph, assays pending.			
				323.70	326.95	3.25	2.94	Massive magnetite, assays pending.			
BRC-09-144 (342m)	307547E, 5506131N	-58°/025°	KT	304.70	312.44	7.74	6.54	20.71	1.86	50.15	0.54
		including		304.70	308.50	3.80	3.21	27.60	0.87	36.79	0.41
		and		310.00	311.50	1.50	1.27	23.25	1.56	41.33	0.50

Table 3 (continued): Bracemac Feasibility Drilling

DDH (Depth)	UTM Location NAD 83 Zone 18	Angle / direction (True N)	Zone	From	To	Core Length (metres)	ETW (metres)	Zn %	Cu %	Ag g/t	Au g/t
BRC-09-145 (351m)	307572E, 5506121N	-75°/028°	KT	332.51	337.80	5.29	4.33	Semi-massive sulphides, 30% Py, 5% Cpy, assays pending.			
BRC-09-146 (348m)	307547E, 5506131N	-71°/029°	UB	163.2	169.21	6.01	4.40	No significant results expected			
			B	281.81	288.70	6.89	5.91	Massive sulphides, 15% Sph, assays pending.			
			B	288.7	291.65	2.95	2.53	Massive sulphides, 50% Sph, assays pending.			
			B	291.65	294.75	3.10	2.66	Massive sulphides, 20% Sph, assays pending.			
			B	294.75	296.8	2.05	1.76	Stringer sulphides, 20% Sph, 3% Cpy, assays pending.			
BRC-09-147 (369m)	307547E, 5506131N	-71°/029°	UB	164.5	175.6	11.10	8.04	No significant results expected			
			B	314.74	326.00	11.26	9.65	Semi-massive sulphides, 20% Sph, assays pending.			
BRC-09-148 (294.5m)	307533E, 5506255N	-62°/027°	KT	257.78	258.44	0.66	0.61	Semi-massive sulphides, 17% Sph, assays pending.			
BRC-09-151 (276m)	307533E, 5506255N	-51°/028°	KT	232.27	232.50	0.23	0.22	Massive sulphides, 50% Sph, assays pending.			
				233.00	237.80	4.80	4.71	Massive sulphides, 70% Sph, assays pending.			

Zones: UB = Upper Bracemac, B = Bracemac, KT = Key Tuffite, P = Pipe

Sph = sphalerite, Cpy = Chalcopyrite, Py = Pyrite, Po = Pyrrhotite.

ETW = Estimated True Width.

Depth = Total depth drilled in metres (metres).

DDH's BRC-09-124, 125, 129 and 144 are updated from previous release.